

Infoblox Networking Products
NetMRI 7.3.2 and Network Insight 8.3.1

Infoblox Network Infrastructure Device Support List



Copyright Statements

© 2019, Infoblox Inc.— All rights reserved.

The contents of this document may not be copied or duplicated in any form, in whole or in part, without the prior written permission of Infoblox, Inc.

The information in this document is subject to change without notice. Infoblox, Inc. shall not be liable for any damages resulting from technical errors or omissions which may be present in this document, or from use of this document.

This document is an unpublished work protected by the United States copyright laws and is proprietary to Infoblox, Inc. Disclosure, copying, reproduction, merger, translation, modification, enhancement, or use of this document by anyone other than authorized employees, authorized users, or licensees of Infoblox, Inc. without the prior written consent of Infoblox, Inc. is prohibited.

For Open Source Copyright information, refer to the Open Source Components and Acknowledgments links in the online help.

Trademark Statements

Infoblox, the Infoblox logo, Network Insight, and NetMRI are trademarks or registered trademarks of Infoblox Inc.

All other trademarked names used herein are the properties of their respective owners and are used for identification purposes only.

Company Information

Web: <http://www.infoblox.com/company/overview/contact>

Document Updated: April 22, 2019

Warranty Information

Your purchase includes a 90-day software warranty and a one year limited warranty on the Infoblox appliance, plus an Infoblox Warranty Support Plan and Technical Support. For more information about Infoblox Warranty information, refer to the Infoblox Web site, or contact Infoblox Technical Support.

Product Information

Document Number: 400-0728-000 Rev. A

Device Support List Introduction

This document provides the [Infoblox Network Infrastructure Complete Device Support List](#) on page 5 to describe device support for Infoblox Network Insight and NetMRI, including platforms licensed with a feature subset (e.g. Automation Change Manager).

Device Model and Version Support

The Device Support table lists the specifically verified hardware model and OS/Firmware versions and these are classified as Verified. Infoblox confirms support for these versions by testing against the make and model of a device that is listed in this document. For devices that have not been verified against a specific OS/Firmware or if the device was developed towards a specific OS/Firmware but never validated, then it is classified as Best Effort. If a Best Effort device shows a limitation or deviation in device support, a support ticket should be submitted to Infoblox for troubleshooting.

As part of the verification process, simulations are created based on the data gathered from the device when it was verified. This data is used in automated testing from release to release. As the Infoblox feature set changes, some devices are verified prior to Infoblox collecting data and testing for later features (e.g. a device that was verified against NetMRI 6.2 may never have been verified for Port Control). In some cases, a device running in an alternative mode or configuration may create a limitation or deviation in device support. For example, a device may have been verified while running as a switch, but may also run in a switch-router mode that is not verified. In such cases, a support ticket should be submitted to Infoblox to troubleshoot the issue. If you observe limitations in device support for a specific instance, configuration, or version of the device model or family; we recommend submitting a device support request RFE to have the different version supported and verified. If you have a device that is on this list that is working, but has not been verified, Infoblox welcomes your input to allow data collection from the device, to verify it, and to add it to the Infoblox testing environment.

Infoblox Feature Support

Infoblox NetMRI and Network Insight products support many discovery and management features, some of which are not supported on all devices. In some cases this is due to limitations in the managed device. In some cases, Infoblox added device support prior to the feature being developed.

The Device Support Table lists the fundamental feature support levels; in each case some detailed sub-features may not be supported for a specific device. In such cases, we indicate “Not Supported” status with an **N** in a category under the **Capabilities** column in the Device Support table. As an example, the **Configuration Collection** capability may not have been implemented due to the requesting customer not requiring support beyond SNMP identification of the device; the record for a specific device will list an **N** in that field. Infoblox software will also indicate specific data collection support for each managed infrastructure device. For example, certain SNMP data types may not be collected from a given device. In some additional cases, the specific feature may not be supportable due to limitations in vendor implementation or support of standard data collection or device interaction methods; the record for those sub-features is indicated with a “Not Supportable” label.

Device Support Table Field Descriptions

The table comprising most of this document provides a number of data columns of support information for each listed device. Explanations for values are the following:

Table 1 Device Support List Data Fields

| Device Data Column | Explanation |
|---------------------|---|
| Vendor | The manufacturer of the device. |
| Model | The manufacturer's model name and number of the device. |
| Device Type | The type of networking device, categorized by NetMRI or Network Insight ("Switch," "Switch-Router," "Router," "Firewall," and so on). |
| OS/Firmware | This field lists the OS/Firmware Versions that have been Verified based on the Device Model and Version support levels described above. If the field is blank, no specific versions have been verified, and the device model, family, or series must be treated as Best Effort as described above. |
| Capabilities | Provides three key sets of data for each listed device: SNMP: Successful collection of most inventory and discovery-related information. Not all SNMP data types are supported on all devices; Port Control: A "Y" in this column indicates that the Infoblox product supports this device for VLAN assignment, setting a port to administratively Up/Down, and defining an interface Description. In cases where the device does not allow all three settings to be changed, the record for that device indicates the allowed settings in this field. Config Management (NetMRI only): This column indicates the protocols that NetMRI can use to collect the device configuration. The possible supported protocols are SSH, Telnet, and HTTP. In cases where the device allows or supports only specific protocols for data collection, the record for that device indicates it in this field. |
| Product | Indicates whether the listed device is supported by NetMRI, Network Insight, or both platforms. Devices supported by the NetMRI product line are supported by both NetMRI and by Automation Change Manager (ACM). |

Global items include:

- An "N" in any column indicates that NetMRI/Network Insight does not yet directly support a given feature, conferring the status of "Not Supported." In some cases, the feature may not be supportable due to limitations in device capabilities or device-reported data.
- An "N/A" in any column indicates a particular feature does not apply to the device *type* (for example, L3 data collection is not applicable to devices of type "Switch," and port control functions apply only to switches and switch-routers.)
- A "Not Supportable" entry in the **Capabilities** column indicates a particular feature cannot be executed with the device due to adherence to non-standard methods or models that do not enable NetMRI to operate with that device feature, and is hence 'not supportable.' This value differs from "Not Supported" (**N**) described above.

If a product family or model you are interested in is not listed in this document, please contact Infoblox Technical Support for further information.

Device Support Bundles

NetMRI and Network Insight products also support a feature called Device Support Bundles (DSBs), that allows technically advanced users to support a device that is not in this list through utilization of SNMP and CLI techniques. The device itself must meet certain criteria for supportability; Infoblox recommends that customers work with Infoblox field representatives and Infoblox Professional Services to enable full support of a device using these techniques. More information on Device Support Bundles is available in the Device Support Guide feature documentation that accompanies the NetMRI and Network Insight products.

Notes on VRF Support

NetMRI 6.9.x and 7.0.x provide virtual routing and forwarding (VRF) support for select releases of the following operating systems:

- Cisco IOS 12.x, 13.x, 14.x, and 15.x
- Cisco Nexus 5K NX-OS 5.x and 6.x
- Cisco Nexus 7K NX-OS 5.x and 6.x
- Juniper JunOS: all applicable releases

Infoblox NetMRI also supports virtual contexts in the following:

- Cisco IOS 12.x, 13.x, 14.x, and 15.x
- Cisco ASA: all applicable releases
- Cisco FWSM: all applicable releases
- Cisco Nexus 5K NX-OS 5.x and 6.x
- Cisco Nexus 7K NX-OS 5.x and 6.x
- Juniper JunOS: all applicable releases

About Known Issues

Vendor SNMP (and SSH/Telnet) support is commonly affected by, or limited by, vendor implementation of the protocol. Upgrading network infrastructure incurs costs, as does upgrading to a version that is newer than the version directly supported by Infoblox. Conversely, certain vendor firmware versions may be affected by known issues or defects that are addressed in more recent vendor releases, potentially allowing more complete support by Infoblox products. In some cases, upgrading to versions newer than those listed as supported in this document may also lead to problems with device support. Infoblox recommends consulting with Support prior to firmware upgrades to ensure continued device support, and consult your device vendor for recommendations on the latest available OS/Firmware version and their SNMP MIB and/or SSH and Telnet support.

Infoblox continuously identifies many different Vendor OS/Firmware versions that present significant issues with SNMP. That list is not presented as part of this document, owing to these issues being tied to other vendors' products. If you have questions about particular Vendor OS/Firmware versions that are not addressed in the subsections above, contact Infoblox Support and/or device vendor support for assistance.

Specific Known Issues

Some devices impose policy restrictions or licensing restrictions, preventing verification of config collection and/or port control support:

- HP VCEthernetModule (unable to verify config collection and port control)
- Nortel VSP9012 Switch-Router (unable to verify port control)
- Nortel ERS-8606 Switch-Router (unable to verify port control)
- H3C hpA512048GEI Switch (unable to verify port control)
- Force10 m-IOA Switch (unable to verify port control)
- Ruggedcom RS900 Switch (port control is not supported due to the device's CLI being menu-driven)

Beginning with NetMRI 6.9.4, NetMRI supports ARP data collection through the CLI for all Juniper devices.

INFOBLOX NETWORK INFRASTRUCTURE COMPLETE DEVICE SUPPORT

All devices are listed as of NetMRI Release 7.3.2 and Network Insight 8.3.1.

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|-------------|---------------------------------|-------------------------------------|-----------------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| 3Com | SuperStack 4400 Series Switches | Switch, Switch-Router | | Y | SSH, Telnet | N | Both | Validated |
| 3Com | 4120-26 | Switch | v3.01.11.s56 | Y | Y | Y | Both | Validated |
| 3Com | 5500 Series Switches | Switch | | Y | SSH, Telnet | N | Both | Validated |
| 3Com | juSwitch5500-eipwr-28 | Switch-Router | V3.03.02s168ep10 | Y | N | N | Both | Validated |
| 3Com | juSwitch5500G-ei-48 | Switch-Router | V3.03.02s168ep18 | Y | N | N | Both | Validated |
| 3Com | 8800 Series Switches | Switch | | Y | SSH, Telnet | N | Both | Validated |
| 3Com | juSwitch8810 | Switch-Router | 3.01.32s256re | Y | N | N | Both | Validated |
| 3Com | juSwitch4500-pwr-26 | Switch-Router | V3.03.02s168p11 | Y | SSH | Y | Both | Validated |
| 3Com | juSwitch5500-ei-28 | Switch-Router | V3.03.02s56ep04 | Y | SSH | Y | Both | Validated |
| | | | | | | | | |
| A10 | AX1000 | Load Balancer | 2.7.0-P6 | Y | SSH | N/A | Both | Validated |
| A10 | AX2500 | Load Balancer | 2.4.3 | Y | SSH, Telnet | N/A | Both | Validated |
| A10 | AX2600 | Load Balancer | 2.6.1 | Y | SSH | N/A | Both | Validated |
| A10 | AX3000 | Load Balancer | 2.6.1-GR1-P5 | Y | SSH | N/A | Both | Validated |
| A10 | TH1030S | Load Balancer | 2.7.1-P6 | Y | SSH | N/A | Both | Validated |
| A10 | TH3230S | Load Balancer | 4.0.1(build: 214) | Y | Y | N | Both | Validated |
| A10 | TH4430S | Load Balancer | 4.1.0 (build: 454) | Y | SSH | N/A | Both | Validated |
| A10 | TH840 | Load Balancer | 4.1.1-P1(build: 38) | Y | SSH | N/A | Both | Validated |
| A10 | TH1030S | Unified Application Service Gateway | 2.7.2-P10 (build: 86) | Y | Y | N | NetMRI | Validated |
| | | | | | | | | |
| Acme Packet | 3820 | VOIP Gateway | SCX6.4.0 MR-3 Patch 2 (Build 341) | Y | SSH | N/A | Both | Validated |
| Acme Packet | 4500 | VOIP Gateway | ECZ7.3.0 MR-1 Patch 1 (Build 134) | Y | SSH | N/A | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|---------------|-------------------------------|---------------|---|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Alaxala | AX3640S-24T | Switch-Router | 11.5.B | Y | Telnet | N | Both | Validated |
| Alaxala | AX6708S | Switch-Router | 11.5 | Y | Telnet | N | Both | Validated |
| Alcatel | OmniStack 6024 | Switch | v2.51.05 | Y | N | N | Both | Validated |
| Alcatel | OmniStack 6124 | Switch | v3.30.03 | Y | N | N | Both | Validated |
| Alcatel | OmniStack 6148 | Switch | v3.30.03 v3.30.08 | Y | N | N | Both | Validated |
| Alcatel/Xylan | OmniStack 6248P | Switch | 1.0.1.27 | Y | SSH, Telnet | N | Both | Validated |
| Alcatel/Xylan | OmniStack 6224 | Switch | 1.7.0.18 | Y | SSH, Telnet | N | Both | Validated |
| Alcatel/Xylan | OmniStack 6300-24 | Switch | 2.2.0.15 | Y | SSH, Telnet | N | Both | Validated |
| Alcatel/Xylan | OmniStack/PizzaSwitch Family | Switch | | Y | N | N | Both | Validated |
| Alcatel/Xylan | OmniSwitch 9 Switch Family | Switch | | Y | N | N | Both | Validated |
| Alcatel/Xylan | OmniSwitch 4024 Series Switch | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Alcatel/Xylan | OmniSwitch 5024 Series Switch | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Alcatel/Xylan | OmniSwitch 6024 Series Switch | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Alcatel | OS10000 | Switch-Router | 7.3.1.748.R01 | Y | SSH | N | Both | Validated |
| Alcatel | OS6400P48 | Switch-Router | 6.4.3.717.R01 6.4.3.907.R01 6.4.4.530.R01 | Y | SSH | Y | Both | Validated |
| Alcatel | OS6450-24 | Switch-Router | 6.6.4.177.R01 GA | Y | SSH | Y | Both | Validated |
| Alcatel | OS6450P10 | Switch-Router | 6.6.3.451.R01 | Y | SSH | Y | Both | Validated |
| Alcatel | OS6400P24 | Switch-Router | 6.4.4.530.R01 | Y | SSH | Y | Both | Validated |
| Alcatel | OS6400U24 | Switch-Router | 6.4.4.530.R01 | Y | SSH | Y | Both | Validated |
| Alcatel | OS6450P24 | Switch-Router | 6.6.3.438.R01 | Y | SSH | Y | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|---------------|---------------------------------------|---------------|-----------------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Alcatel | OS6450P48 | Switch-Router | 6.6.3.520.R01 6.6.4.177.R01 GA | Y | SSH | Y | Both | Validated |
| Alcatel/Xylan | OS660248 | Switch-Router | 5.1.6.474.R02 | Y | SSH | Y | Both | Validated |
| Alcatel | OS6624PoE | Switch-Router | 5.1.6.424.R01 | Y | SSH | Y | Both | Validated |
| Alcatel | OS685024X | Switch-Router | 6.3.4.569.R01 6.4.3.907.R01 | Y | SSH | Y | Both | Validated |
| Alcatel | OS6850P24X | Switch-Router | 6.4.3.907.R01 | Y | SSH | Y | Both | Validated |
| Alcatel/Xylan | OmniSwitch 6850-48 | Switch | 6.4.2.968.R01 | Y | SSH, Telnet | N | Both | Validated |
| Alcatel/Xylan | OmniSwitch 6850E-P48 | Switch-Router | 6.4.4.343.R01GA | Y | SSH, Telnet | Y | Both | Validated |
| Alcatel/Xylan | OmniSwitch 6850-P24L | Switch | 6.1.3.805.R01 | Y | SSH, Telnet | N | Both | Validated |
| Alcatel | OS6900-X20/X40 | Switch-Router | 7.3.2.469.R01 | Y | SSH | Y | Both | Validated |
| Alcatel/Xylan | OmniSwitch 7700 Series | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Alcatel/Xylan | OmniSwitch 7800 Series | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Alcatel | OS9600 | Switch-Router | 6.4.3.907.R01 | Y | SSH | Y | Both | Validated |
| Alcatel/Xylan | OS9700 | Switch-Router | 6.3.4.621.R01 | Y | SSH, Telnet | Y | Both | Validated |
| Alcatel/Xylan | OmniSwitch 8008 Series Switch | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Alcatel/Xylan | PR5200 Series Switch Router | Switch-Router | | Y | N | N | Both | Validated |
| Alcatel/Xylan | Service Aggregation Router 7705 SAR-8 | Router | TiMOS-B-2.1.R3 | Y | SSH, Telnet | N/A | Both | Validated |
| Alcatel | 7705 SAR-f | Router | TiMOS-B-4.0.R5 | Y | SSH, Telnet | N/A | Both | Validated |
| Alcatel/Xylan | Service Router 7750 | Router | TiMOS-C-7.0.R3 | Y | SSH, Telnet | N/A | Both | Validated |
| Alcatel | 7210 SAS-M | Switch-Router | TiMOS-B-6.0.R6 | Y | SSH | Y | Both | Validated |
| Alcatel | 7210 SAS-M24F2XP | Switch-Router | TiMOS-B-6.0.R6 | Y | SSH | Y | Both | Validated |
| Alcatel | OS6450C48 | Switch-Router | 6.6.4.244.R01 GA | Y | SSH | N | Both | Validated |
| Alcatel | 7750 SR-12e | Router | TiMOS-C-14.0.R4 | Y | Y | N | NetMRI | Validated |
| Alcatel | OmniSwitch 9800E | Switch-Router | 6.4.6.302.R01 | Y | Y | N | NetMRI | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|----------------|--|---------------|-------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Alcatel | OmniSwitch 9700E | Switch-Router | 6.4.6.302.R01 | Y | Y | N | NetMRI | Validated |
| Alcatel | OmniSwitch 6250-24 | Switch-Router | 6.6.3.520.R01 | Y | Y | N | NetMRI | Validated |
| Alcatel | OmniSwitch 6850E-24 | Switch | 6.4.4.343.R01 | Y | Y | N | NetMRI | Validated |
| Allied Telesyn | AT-8200 Series Switches | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Allied Telesyn | AT-8000-24POE | Switch | 3.0.0.45 | P | SSH | Y | Both | Validated |
| Allied Telesyn | x610_24Ts | Switch-Router | 5.4.1-2.8 5.4.2-3.14 | Y | SSH | Y | Both | Validated |
| Allied Telesyn | x610_24Ts | Switch-Router | 5.4.2-3.14 | Y | SSH | Y | Both | Validated |
| Alteon | copperModule | Switch | 1.0.1.4 | Y | Telnet | N | Both | Validated |
| Alteon | NnVPNGw3050 | VPN | v9.0.13.0 | Y | N | N | Both | Validated |
| Apple | Airport Extreme Wireless Base Station Family | Wireless AP | | N | SSH, Telnet | N/A | Both | Validated |
| Arista | DCS7280SE72 | Switch-Router | 4.15.1F | Y | SSH | Y | Both | Validated |
| Arista | DCS7124S | Switch | 4.7.7 | Y | SSH, Telnet | N | Both | Validated |
| Arista | DCS7124S | Switch | 4.9.1 | Y | SSH, Telnet | N | Both | Validated |
| Arista | DCS7048TA | Switch-Router | 4.8.3 4.9.5 | Y | SSH, Telnet | Y | Both | Validated |
| Arista | DCS7050S52 | Switch | 4.7.7 | Y | SSH, Telnet | N | Both | Validated |
| Arista | DCS-7050T-52 | Switch | EOS v4.11.5.1 | Y | SSH, Telnet | Y | Both | Validated |
| Arista | DCS7504 | Switch-Router | 4.10.4 | Y | SSH, Telnet | Y | Both | Validated |
| Arista | DCS7508 | Switch | 4.8.3 | Y | SSH, Telnet | Y | Both | Validated |
| Arista | vEOS | Switch-Router | 4.13.5F | Y | SSH, Telnet | Y | Both | Validated |
| Arista | DCS7150S24 | Switch-Router | 4.13.5F | Y | SSH | N | Both | Validated |
| Arista | DCS7050SX128 | Switch-Router | 4.15.3F | Y | SSH | Y | Both | Validated |
| Arista | DCS7050SX64 | Switch-Router | 4.15.2F | Y | SSH | Y | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------|---------------------------------|---------------------|------------------------|----------------------------|-------------------|---------------------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Arista | DCS7050SX64 | Switch-Router | 4.15.3F | Y | SSH | Y | Both | Validated |
| Arista | DCS-7050TX-128 | Switch-Router | 4.15.5M | Y | N/A for NI | N | Both | Validated |
| Arista | DCS-7050QX-32S | Switch-Router | 4.14.3F | Y | Y | N | Both | Validated |
| Arista | DCS-7048T-A-F | Switch-Router | 4.14.6M | Y | Y | N | Both | Validated |
| Arista | DCS-7050T-64 | Switch-Router | 4.14.10M | Y | Y | N | Both | Validated |
| Arista | DCS-7010T-48 | Switch-Router | 4.15.5M | Y | Y | N | Both | Validated |
| Arista | DCS-7050SX-72Q | Switch-Router | 4.15.5M | Y | Y | N | Both | Validated |
| Arista | DCS-7250QX-64 | Switch-Router | 4.15.5M | Y | Y | N | Both | Validated |
| Arista | DCS-7050TX-128 | Switch-Router | 4.15.5M | Y | Y | N | Both | Validated |
| Arista | DCS-7050T-64-F | Switch-Router | 4.14.10M | Y | Y | N | Both | Validated |
| Arista | DCS-7048T | Switch-Router | 4.14.6M | Y | Y | N | Both | Validated |
| Arista | DCS-7050SX-128 | Switch-Router | 4.15.5M | Y | Y | N | Both | Validated |
| Arista | DCS-7050TX-72Q-F | Switch-Router | 4.15.5M | Y | Y | N | Both | Validated |
| | | | | | | | | |
| Arris | C-Series CMTS | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Arris | D-Series Universal Edge QAM | Video QAM | | Y | SSH, Telnet | N/A | Both | Validated |
| | | | | | | | | |
| Aruba | 6000 Series Wireless Controller | Wireless Controller | | Y | SSH, Telnet | N/A | Both | Validated |
| Aruba | A620-US | Wireless Controller | 6.1.2.4 | Y | SSH, Telnet | N/A | Both | Validated |
| Aruba | S3500-24P-US | Switch | 7.1.3.3 | Y | SSH | AdminStat us, Description | Both | Validated |
| Aruba | A7240 | Wireless Controller | 6.4.2.6-4.1.1.10_51810 | Y | SSH | N/A | Both | Validated |
| Aruba | ap225 | Wireless AP | 6.4.2.6-4.1.1.10_51810 | Y | SSH | N/A | Both | Validated |
| Aruba | A5000-US | Wireless Controller | 5.0.4.3 | Y | SSH | N/A | NetMRI | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|----------|---|---------------------|------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Aruba | A7240-US | Wireless Controller | 6.4.4.16 | Y | Y | N/A | Both | Validated |
| Avaya | S8700 Series Media Server | Call Server | | Y | N | N/A | Both | Validated |
| Avaya | 1600 Series IP Phone | IP Phone | | Y | N | N/A | Both | Validated |
| Avaya | 4600 Series IP Phone | IP Phone | | Y | N | N/A | Both | Validated |
| Avaya | 9600 Series IP Phone | IP Phone | | Y | N | N/A | Both | Validated |
| Avaya | G430 | Media Gateway | 36.16.0 | Y | Y | N/A | Both | Validated |
| Avaya | G450 | Media Gateway | 36.17.0 | Y | Y | N/A | Both | Validated |
| Avocent | acs6048 | Console Server | 2.4.0.11 | N | SSH | N/A | Both | Validated |
| BigBand | BRE Encoder Family | Video Encoder | | N | SSH, Telnet | N/A | Both | Validated |
| BigBand | BMR 1200 Series Video Networking Platform | Video Groomer | | N | SSH, Telnet | N/A | Both | Validated |
| BlueCoat | sg300 | Proxy | 6.2.6.1 | Y | SSH, Telnet | N/A | Both | Validated |
| BlueCoat | sg600 | Proxy | 6.4.4.1 | Y | SSH | N/A | Both | Validated |
| BlueCoat | sg900 | Proxy | 6.5.2.3 | Y | SSH | N/A | Both | Validated |
| BlueCoat | sg9000 | Proxy | 6.4.4.1 | Y | SSH, Telnet | N/A | Both | Validated |
| BNT | g8000-RS | Switch-Router | 6.8.6 | Y | SSH, Telnet | Y | Both | Validated |
| BNT | g8124 | Switch-Router | 1.1.4.0 | Y | SSH, Telnet | Y | Both | Validated |
| BNT | g8124 | Switch-Router | 6.8.12 6.8.19 | Y | SSH, Telnet | Y | Both | Validated |
| BNT | gbESM-10G-L2L3 | Switch | 6.5.3, 6.8.14 | Y | SSH, Telnet | Y | Both | Validated |
| Brocade | FastIron Series | Switch-Router | | Y | SSH, Telnet | N | Both | Validated |
| Brocade | BigIron Series | Switch, Router | | Y | SSH, Telnet | N | Both | Validated |
| Brocade | BrocadeMLXe32 | Switch-Router | 5.2.0aT163 | Y | SSH, Telnet | N | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|---------|--------------------------|---------------|-----------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Brocade | NetIron Series | Switch-Router | | Y | SSH, Telnet | N | Both | Validated |
| Brocade | EdgIron 4802CF (Foundry) | Switch | v2.2.7.33 | Y | SSH, Telnet | N | Both | Validated |
| Brocade | NIXMR16000 | Switch-Router | 5.2.0dT163 | Y | SSH, Telnet | N | Both | Validated |
| Brocade | ServerIron Series | Switch-Router | | Y | SSH, Telnet | N | Both | Validated |
| Brocade | 6510 | Switch-Router | 7.3.1 | Y | SSH, Telnet | N | Both | Validated |
| Brocade | vdX6720 | Switch-Router | 3.0.0b | Y | SSH, Telnet | N | Both | Validated |
| Brocade | vdX6720P24 | Switch-Router | 3.0.0b | Y | SSH, Telnet | N | Both | Validated |
| Brocade | vdX6730P32 | Switch-Router | 4.2.1ac | Y | SSH, Telnet | N | Both | Validated |
| Brocade | vdX6740 | Switch-Router | 4.2.1ac | Y | SSH, Telnet | N | Both | Validated |
| Brocade | vdX8770S4 | Switch-Router | 4.2.1ac | Y | SSH, Telnet | N | Both | Validated |
| Brocade | FastIronStackICX7450 | Switch | 08.0.30gT211 | Y | SSH | Y | Both | Validated |
| Brocade | FES12GCF | Switch | 04.1.00Tc1 | Y | Y | Y | Both | Validated |
| Brocade | FCX648SHPOE | Switch | 08.0.10kT7f1 | Y | N | Y | Both | Validated |
| Brocade | FCX624SHPOE | Switch | 08.0.10kT7f1 | Y | N | Y | Both | Validated |
| Brocade | FastIronStackFCX | Switch | 08.0.10kT7f1 | Y | N | Y | Both | Validated |
| Brocade | FLS624 | Switch | 07.2.02nT7e1 | Y | N | Y | Both | Validated |
| Brocade | FLS648 | Switch | 07.2.02nT7e1 | Y | N | Y | Both | Validated |
| Brocade | ICX643024HPOE | Switch | 08.0.10kT311 | Y | N | Y | Both | Validated |
| Brocade | ICX643048HPOE | Switch | 08.0.10kT311 | Y | N | Y | Both | Validated |
| Brocade | ICX643048 | Switch | 08.0.10kT311 | Y | N | Y | Both | Validated |
| Brocade | ICX6430C12 | Switch | 08.0.10kT311 | Y | N | Y | Both | Validated |
| Brocade | ICX6430C12 | Switch | 08.0.30n.T311 | Y | SSH | N | NetMRI | Validated |
| Brocade | ICX661024F | Switch | 07.4.00fT7f1 ironware | Y | SSH | Y | Both | Validated |
| Brocade | ICX661024F | Switch | 08.0.10kT7f1 | Y | N | Y | Both | Validated |
| Brocade | ICX661048P | Switch-Router | 07.4.00fT7f3 | Y | Y | Y | Both | Validated |
| Brocade | ICX7250-48 | Switch-Router | 08.0.40bT213 | Y | SSH | N | NetMRI | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|------------|--|------------------|------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Brocade | ICX7450-24 | Switch-Router | 08.0.30cT213 | Y | Y | N | Both | Validated |
| Brocade | ICX7750 | Switch-Router | 08.0.30kaT203 | Y | SSH | Y | NetMRI | Validated |
| Brocade | FastIronSuperXPrem | Switch-Router | 07.2.02dT3e3 | Y | Y | N | Both | Validated |
| Brocade | FastIronStackFCX | Switch-Router | 07.4.00fT7f3 | Y | Y | N | Both | Validated |
| Brocade | BrocadeMLXe4 | Switch-Router | 5.4.0fT163 | Y | Y | N | Both | Validated |
| Brocade | vRouter 5415 | Router | VSE6.7R10 | Y | SSH | N/A | Both | Validated |
| Brocade | FastIronStackICX645 | Switch | 07.4.00fT311 | Y | SSH | Y | Both | Validated |
| Brocade | ICX725048 | Switch-Router | 08.0.40bT213 | Y | Y | Y | Both | Validated |
| Brocade | ICX6430C12 | Switch-Router | 08.0.30mbT311 | Y | Y | Y | Both | Validated |
| Brocade | ICX7450-48F | Switch-Router | 08.0.40aT213 | Y | Y | Y | Both | Validated |
| | | | | | | | | |
| CASA | C2000 Series CMTS | CMTS | | Y | SSH, Telnet | N/A | Both | Validated |
| CASA | C3000 Series CMTS | CMTS | | Y | SSH, Telnet | N/A | Both | Validated |
| | | | | | | | | |
| Checkpoint | Gaia | Security Manager | R75.40, R77.10 | Y | Not Supportable | N/A | Both | Validated |
| Checkpoint | IP690 / FireWall-1 | Firewall | 7.3/6.2-GA024 | Y | SSH, Telnet | N/A | Both | Validated |
| Checkpoint | IP560 / Firewall | Firewall | 9.7/6.2-GA055b01 | Y | SSH, Telnet | N/A | Both | Validated |
| Checkpoint | SecurePlatform (SPLAT) | Security Manager | R70 | Y | Not Supportable | N/A | Both | Validated |
| Checkpoint | VPN-1 / Firewall -1 Family | Firewall | | Y | SSH, Telnet | N/A | Both | Validated |
| | | | | | | | | |
| Cisco | 800 Series Integrated Services Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 1600 Series Integrated Services Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 1700 Series Integrated Services Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 1800 Series Integrated Services Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------|---|---------------------|----------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Cisco | 2500 Series Access Server | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 2500 Series | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 2600 Series | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 2800 Series Integrated Services Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 2811 | Router | 12.4(15)T1 | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 2921 | Router | IOS 15.2(4)M3 | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 3000 Series VPN Concentrator | VPN | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 3600 Series Multifunction Platform | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 3700 Series Multiservice Access Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 3800 Series Integrated Services Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 3945 Integrated Services Router | Router | 15.1(4)M5 | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 4400 Series Wireless LAN Controller | Wireless Controller | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 4507re | Switch-Router | 15.0(2)SG | Y | N/A | N/A | Both | Validated |
| Cisco | 4700 Series Modular Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | C68xx Virtual Switch | Switch-Router | v15.2(1)SY1 | Y | SSH, Telnet | N | Both | Validated |
| Cisco | 7200/7300 Series WAN Aggregation Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 7500 Series Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 7600 Series Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 8500 Series Multiservice Switch Router | Switch-Router | | Y | N | IOS 12.x | Both | Validated |
| Cisco | 12000 Series Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | 12406 | Router | 4.2.1[Default] | Y | SSH, Telnet | N/A | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------|---|---------------------|------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Cisco | ACE20K9 | Load Balancer | A2(3.5) | Y | SSH | N/A | Both | Validated |
| Cisco | ACE 4710 (ACE4710K9) | Load Balancer | A3 (2.7) | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | AIR-CT5508-K9 | Wireless Controller | 7.2.103.0 7.4.121.0 | Y | SSH | N/A | Both | Validated |
| Cisco | AIRAP1262 | Wireless AP | IOS 12.4(25d)JA1 | Y | SSH | N/A | Both | Validated |
| Cisco | AIRAP2602 | Wireless AP | IOS 15.2(4)JB4 | Y | SSH | N/A | Both | Validated |
| Cisco | Aironet 340 Series Access Point | Wireless AP | | Y | N | N/A | Both | Validated |
| Cisco | Aironet 350 Series Access Point | Wireless AP | | Y | N | N/A | Both | Validated |
| Cisco | Aironet 1100 Series Access Point | Wireless AP | | Y | N | N/A | Both | Validated |
| Cisco | Aironet1130 (AIRAP1130) | Wireless AP | 12.3(7)JA2 | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | Aironet 1200 Series Access Point | Wireless AP | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | Application Policy Infrastructure Controller (APIC) | SDN Controller | 2.2 | Y | N | N | Both | Validated |
| Cisco | AS5200 Family Universal Access Server | Comm Server | | Y | N | N/A | Both | Validated |
| Cisco | A5300 Series Universal Gateway | Comm Server | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | ASA5500 Series Adaptive Security Appliance | Firewall | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | ASA5506 | Firewall | 9.5(2)2 | Y | SSH | N/A | Both | Validated |
| Cisco | ASA5508sc | Firewall | 9.4(2)11 | Y | SSH | N/A | Both | Validated |
| Cisco | ASA5512 | Firewall | 8.6(1)2 | Y | SSH | N/A | Both | Validated |
| Cisco | ASA5516-X | Firewall | 9.4(2) | Y | SSH | N/A | Both | Validated |
| Cisco | ASA5520 | Firewall | 8.4(3), 9.1(2) | Y | SSH | N/A | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------|----------------------------------|-----------------------|--|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Cisco | ASA5585Ssp10sc | Firewall | 8.4(4)9 | Y | SSH | N/A | Both | Validated |
| Cisco | ASA5585Ssp40 | Firewall | 8.4(7)23 | Y | SSH | N/A | Both | Validated |
| Cisco | ASASm1sc | Firewall | 9.1(3) | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | ASR 1001 | Router | 15.1(3)S | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | ASR1001X | Router | 15.4(3)S4 | Y | SSH | N/A | Both | Validated |
| Cisco | ASR 1002 | Router | 15.0(1)S1 | Y | N | N/A | Both | Validated |
| Cisco | ASR 1004 | Router | 15.0(1)S, 15.1(1)S2 | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | ASR 9001 | Router | 4.2.1[Default] | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | ASR 9006 | Router | 3.9.1, 4.0.0 | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | ASR 9010 | Router | 4.2.1[Default] | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | CRS-4/S | Load Balancer | 3.8.4 | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | CRS8S | Router | 4.1.2[Default] | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | Call Managers Series | Call Server | 3,4,5,6, 8.5.1.12900-1 | Y | N/A | N/A | Both | Validated |
| Cisco | Catalyst 1900 Series Switch | Switch | | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | Catalyst 2900 Series Switch | Switch | | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | Catalyst 2950 Series Switch | Switch | | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | Catalyst2960 (catalyst296024) | Switch, Switch-Router | 15.0(1)SE2 | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | Catalyst 2970 Series Switch | Switch | | Y | N | IOS 12.x | Both | Validated |
| Cisco | Catalyst 3500 XL Series Switch | Switch | | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | Catalyst 3550 Series Switch | Switch | | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | Catalyst 3560 Series Switch | Switch | | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | Catalyst 3650 Series Switch | Switch-Router | IOS-XE v.03.03.03SE IOS-XE v.03.03.02SE | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | Catalyst 3750 Series Switch | Switch | | Y | SSH, Telnet | IOS 12.x | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------|---|---------------------|--------------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Cisco | Catalyst 3750 series Wireless Controller | Wireless Controller | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | Catalyst 3850 Series Switch | Switch-Router | IOS-XE 03.02.01.SE v15.0(1)EX2 | Y | SSH, Telnet | Y | Both | Validated |
| Cisco | Catalyst 4000 Series Switch | Switch | | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | Catalyst 4500 Series Switch | Switch | | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | Catalyst 4507re | Switch-Router | 15.0(2)SG | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | Catalyst 4900 Series Switch | Switch | | Y | N | IOS 12.x | Both | Validated |
| Cisco | Catalyst 5000 Series Switch | Switch | | Y | N | IOS 12.x | Both | Validated |
| Cisco | Catalyst 5500 Series Switch | Switch | | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | Catalyst 6000 Series Switch | Switch | | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | Catalyst 6500 Series Switch | Switch | | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | CSACS-1120 | Radius Server | 5.0 | Y | N | N/A | Both | Validated |
| Cisco | CCS 11000 Series Content Services Switch | Switch | | Y | N | IOS 12.x | Both | Validated |
| Cisco | DSC9513 | Storage Appliance | NX-OS 5.2 | Y | N | N/A | Both | Validated |
| Cisco | ISR4431 | Router | 15.4(3)S5 | Y | SSH | N/A | Both | Validated |
| Cisco | ISR4331 | Router | v15.4(3)S2 | Y | SSH | N/A | Both | Validated |
| Cisco | ISR4351 | Router | v15.4(3)S2 | Y | SSH | N/A | Both | Validated |
| Cisco | ISR4451 | Router | v15.4(3)S1 | Y | SSH | N/A | Both | Validated |
| Cisco | MDS9000 Series Multilayer SAN Switch | Switch | NX-OS 6.2(1) | Y | SSH, Telnet | IOS 12.x | Both | Validated |
| Cisco | Me3400eg12csM | Switch | 12.2(55)SE | Y | SSH, Telnet | N | Both | Validated |
| Cisco | Nexus 1000V Series Switch | Switch | 4.2 | Y | SSH, Telnet | Y | Both | Validated |
| Cisco | Nexus N1KV | Switch | 4.2(1)SV2(2.1) | Y | SSH, Telnet | Y | Both | Validated |
| Cisco | Nexus 2000 Series Fabric Extender (with Nexus 5000 Series Switch) | Switch | 5.0(2)N2(1) | Y | SSH, Telnet | Y | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------|-----------------------------------|------------------|-----------------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Cisco | N3kC3048TP1GE | Switch-Router | 5.0(3)U4(1), 6.0(2)U2(1) | Y | SSH | Y | Both | Validated |
| Cisco | N3kC3064PQ10GE | Switch-Router | 5.0(3)U5(1c) | Y | Telnet | Y | Both | Validated |
| Cisco | N5kC56128P | Switch | 7.0(7)N1(1) | | | | Both | Validated |
| Cisco | Nexus N3K-C3064PQ-GX10 | Switch | 5.0(3)U5(1e) | Y | SSH | Y | Both | Validated |
| Cisco | Nexus 4000 (N4KIBMEth) | Switch | 4.1 | Y | SSH, Telnet | N | Both | Validated |
| Cisco | Nexus 5k Family | Switch | 5.1 | Y | SSH, Telnet | Y | Both | Validated |
| Cisco | Nexus 5010 (N5kC5010pBf) | Switch | 5.1(3)N2(1b), 4.1, 5.0(2)N2(1) | Y | SSH, Telnet | Y | Both | Validated |
| Cisco | Nexus 5020 (N5kC5020pBf) | Switch | 4.1, 4.2, 5.0 | Y | SSH, Telnet | Y | Both | Validated |
| Cisco | Nexus 5548 (N5kC5548p) | Switch | 5.0 | Y | SSH, Telnet | Y | Both | Validated |
| Cisco | Nexus 5596Up (N5kC5596Up) | Switch | 5.0(3)N2(1), 5.1(3)N2(1a) | Y | SSH | Y | Both | Validated |
| Cisco | Nexus 6004 | Switch-Router | 7.2(1)N1(1) | Y | N/A for NI | Y | Both | Validated |
| Cisco | Nexus 7k Family | Switch-Router | 5.2 | Y | SSH, Telnet | Y | Both | Validated |
| Cisco | Nexus 7Kc7009 | Switch-Router | 5.2(3a) | Y | SSH, Telnet | Y | Both | Validated |
| Cisco | Nexus 7010 (N7Kc7010) | Switch-Router | 4.2, 5.0, 5.0(2a), 5.1(4) | Y | SSH, Telnet | Y | Both | Validated |
| Cisco | Nexus 7018 (N7Kc7018) | Switch-Router | 5.0 | Y | SSH, Telnet | Y | Both | Validated |
| Cisco | Nexus 9K in ACI Mode | SDN Element | APIC 2.2 | Y | N | N | Both | Validated |
| Cisco | PIX 500 Series Security Appliance | Firewall | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | Secure Access Control System | Security Manager | 5.6 | | | | Both | Validated |
| Cisco | SF300-24P | Switch | 1.2.7.76 | Y | SSH | Y | Both | Validated |
| Cisco | SF300-48P | Switch | 1.3.5.58 | Y | SSH | Y | Both | Validated |
| Cisco | SG300-10P | Switch | 1.2.7.76, 1.3.0.62 | Y | SSH | N | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------|--|---------------------|-------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Cisco | SG300-10P | Switch | | Y | SSH | N | Both | Validated |
| Cisco | uBR7100 Series Universal Broadband Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | VG200 Series VOIP Gateway | VoIP Gateway | | Y | N | N/A | Both | Validated |
| Cisco | VG224 | VoIP Gateway | 15.1(4)M5 | Y | N | N/A | Both | Validated |
| Cisco | Wide Area Application Engine (WAAS) Series | WOC | | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | Wireless Services Module (WiSM) Series | Wireless Controller | 7.4.121.0 | Y | SSH, Telnet | N/A | Both | Validated |
| Cisco | catWsC2960x24tsLL | Switch | 15.0(2a)EX5 | Y | SSH | N | Both | Validated |
| Cisco | cat4xxxVirtualSwitch | Switch-Router | 03.06.01.E | Y | SSH | N | Both | Validated |
| Cisco | 2911 | Router | 15.2(4)M9 | Y | SSH | N | Both | Validated |
| Cisco | AIR-CT2504-K9 | Wireless Controller | 8.0.120.0 | Y | SSH | N/A | Both | Validated |
| Cisco | AIR-CT2504-K9 | Wireless Controller | 8.0.121.0, | Y | SSH | | Both | Validated |
| Cisco | ASA5545sc | Firewall | 9.1(6)6 | Y | SSH | N/A | Both | Validated |
| Cisco | catalyst4948 | Switch-Router | 12.2(53)SG1 | Y | SSH | N/A | Both | Validated |
| Cisco | ISR4431 | Router | 15.4(3)S2 | Y | SSH | N/A | Both | Validated |
| Cisco | ISR4331, | Router | 15.4(3)S2 | Y | SSH | N/A | Both | Validated |
| Cisco | AIR-CT2504-K9 | Wireless Controller | 8.0.115.0 | Y | SSH | N/A | Both | Validated |
| Cisco | N9KC9372PX | Switch | 7.0(3)I2(2b) | Y | SSH | N | Both | Validated |
| Cisco | cat6509 | Switch-Router | 12.2(33)SXH4 | Y | SSH | Y | Both | Validated |
| Cisco | cat3560x48 | Switch | 12.2(58)SE2 | Y | SSH | Y | Both | Validated |
| Cisco | cat3560x48P | Switch | 12.2(58)SE2 | Y | SSH | Y | Both | Validated |
| Cisco | CatWSC3560CX12pcS | Switch | IOS 15.2(3)E1 | Y | SSH | Y | Both | Validated |
| Cisco | C385024S | Switch | IOS-XE 03.07.01.E | Y | SSH | Y | Both | Validated |
| Cisco | ASR1006 | Router | 15.4(3)S4 | Y | N | N/A | Both | Validated |
| Cisco | N5kC5596Up | Switch | 5.2(1)N1(7) | Y | SSH | Y | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------|--------------------|---------------------|---|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Cisco | N9Kc9504 | Switch-Router | 7.0(3)I4(5) | Y | N | N | Both | Validated |
| Cisco | ASR9010 | Router | IOS-XR 5.3.3[Default] and IOS-XR 5.1.3[Default] | Y | SSH | NA | Both | Validated |
| Cisco | MEC6524gt8s | Switch-Router | 12.2(33)SX17 | Y | SSH | N | Both | Validated |
| Cisco | catalyst295048T | Switch | 12.1(22)EA4a | Y | SSH | N | Both | Validated |
| Cisco | N7Kc7010 | Switch-Router | 7.2(0)D1(1) | Y | SSH, Telnet | Y | Both | Validated |
| Cisco | N9KC9396PX | Switch-Router | 6.1(2)I3(4b) | Y | N | N | Both | Validated |
| Cisco | ASR1006 | Router | 15.5(3)S4a | Y | N | N/A | Both | Validated |
| Cisco | 2911 | Router | 15.2(4)M9 | Y | N | N/A | Both | Validated |
| Cisco | ASA5580 | Firewall | 9.1(5) | Y | SSH | N/A | NetMRI | Validated |
| Cisco | ASA5580 | Firewall | 9.5(2)14 | Y | SSH | N/A | NetMRI | Validated |
| Cisco | WS-C3650-48PQ | Switch | IOS-XE 03.07.01 | Y | SSH | N | NetMRI | Validated |
| Cisco | C68xxVirtualSwitch | Switch-Router | 15.1(2)SY6 | Y | SSH | Y | NetMRI | Validated |
| Cisco | S380 | Proxy | 9.1.2-022 | Y | SSH | N/A | NetMRI | Validated |
| Cisco | S370 | Proxy | 9.1.2-022 | Y | SSH | N/A | NetMRI | Validated |
| Cisco | S190 | Proxy | 9.1.2-022 | Y | SSH | N/A | NetMRI | Validated |
| Cisco | 7500Wlc | Wireless Controller | 8.0.133.0 | Y | SSH | N/A | NetMRI | Validated |
| Cisco | S170 | Proxy | 10.1.1-230 | Y | SSH | N/A | NetMRI | Validated |
| Cisco | N77c7710 | Switch-Router | 7.2(2)D1(2) | Y | SSH | Y | NetMRI | Validated |
| Cisco | N77c7710 | Switch-Router | 6.2(14) | Y | SSH | Y | NetMRI | Validated |
| Cisco | ASA5585Ssp60sc | Firewall | 8.4(4)1 | Y | SSH | N/A | NetMRI | Validated |
| Cisco | 3925 | Router | 15.4(3)M4 | Y | SSH | N/A | NetMRI | Validated |
| Cisco | ASA5585Ssp40sc | Firewall | 8.4(7)30 | Y | SSH | N/A | NetMRI | Validated |
| Cisco | wsc2948g | Switch | 8.3(2)GLX | Y | SSH | N | NetMRI | Validated |
| Cisco | ASA5585Ssp40sc | Firewall | 8.4(7)26 | Y | SSH | N/A | NetMRI | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------|-------------------------------|---------------------|-------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Cisco | Nexus 6004 | Switch-Router | 7.2(1)N1(1) | Y | Y | Y | Both | Validated |
| Cisco | ASR9010 | Router | IOS-XR 4.3.2[Default] | Y | Y | N | Both | Validated |
| Cisco | ASR903 | Router | 15.3(3)S1 | Y | Y | N | Both | Validated |
| Cisco | N77c7706 | Switch | 7.2(2)D1(2) | Y | Y | Y | Both | Validated |
| Cisco | Nexus C7702 | Switch | 7.3(0) DX (1) | Y | Y | Y | Both | Validated |
| Cisco | ASA 5585 SSP-60 | Firewall | 9.2(4)17 | Y | Y | N | Both | Validated |
| Cisco | WSC6509ve | Switch-Router | 12.2(33)SXJ6 | Y | Y | N | Both | Validated |
| Cisco | WS-C2948G-GE-TX | Switch | 8.3(2)GLX | Y | Y | N | Both | Validated |
| Cisco | catalyst2924XLv | Switch | 12.0(5)XU | Y | Y | N | Both | Validated |
| Cisco | AIR-CT2504-K9 | Wireless Controller | 8.0.133.0 | Y | Y | N/A | Both | Validated |
| Cisco | N9K-C93180YC | Switch | FX 7.0(3)I7(2) | Y | Y | Y | Both | Validated |
| Cisco | IE20004T | Switch | 15.2(3)E3 | Y | Y | N | Both | Validated |
| Cisco | N7Kc7004 | Switch-Router | 7.2(1)D1(1) | Y | Y | N | Both | Best Effort |
| | | | | | | | | |
| Citrix | NetScaler 7000 Series | Load Balancer | | Y | SSH, Telnet | N/A | Both | Validated |
| Citrix | NetScaler 9000 Series | Load Balancer | | Y | N | N/A | Both | Validated |
| Citrix | MPX/SDX 11500 | Load Balancer | NS10.0 | Y | SSH, Telnet | N/A | Both | Validated |
| Citrix | NSMPX-7500 | Load Balancer | 9.2 | Y | SSH, Telnet | N/A | Both | Validated |
| Citrix | NSMPX-8000 | Load Balancer | NS10.1: Build123.9nc | N | SSH | N/A | Both | Validated |
| Citrix | NSMPX-8200 | Load Balancer | NS9.3:Build62.4nc | N | SSH | N/A | Both | Validated |
| Citrix | NSSDX-18500 | Load Balancer | NS10.1: Build 129.11.nc | N | SSH | N/A | Both | Validated |
| Citrix | Netscaler 10500 (NSMPX-10500) | Load Balancer | 9.1, 9.2 | N | SSH, Telnet | N/A | Both | Validated |
| Citrix | SDX 11515 | Load Balancer | 11.0 | Y | N | N/A | Both | Validated |
| Citrix | NSMPX-8000-10G | Load Balancer | NS11.0 Build 66.11nc | Y | SSH | N/A | Both | Validated |
| Citrix | SDX 11515 | Load Balancer | 11 | Y | Y | N/A | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|-------------------------|---------------------------------|---------------|---|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Citrix | SDX 22040 | Load Balancer | 11 | Y | Y | N/A | Both | Validated |
| Citrix | SDX 8015 | Load Balancer | 11 | Y | Y | N/A | Both | Validated |
| DCN | DCS-3650-26C | Switch | 6.1.50.2 | Y | SSH | Y | NetMRI | Validated |
| Dell | PowerConnect 5524 | Switch-Router | 4.1.0.5 | Y | SSH | Y | Both | Validated |
| Dell | PowerConnect 5548 | Switch | 4.1.0.5, 2.2.0.3, 3.2.1.3, 3.3.1.10, 3.3.3.3, 3.3.6.4, 3.3.7.2 | Y | SSH | Y | Both | Validated |
| Dell | PowerConnect 7048 | Switch | 4.2.0.4 | Y | Telnet | Y | Both | Validated |
| Dell | PowerConnect 8024F | Switch | 3.1.4.5, 4.1.0.9, 4.2.0.4, 5.1.2.3 | Y | Telnet | N | Both | Validated |
| Dell | PowerConnect M6220 | Switch | 2.2.0.3 | Y | Telnet | N | Both | Validated |
| Dell | PowerConnect M8024 | Switch | 3.1.3.9 | Y | Telnet | N | Both | Validated |
| Dell | N3024 | Switch-Router | 6.0.1.3 | Y | SSH | Y | Both | Validated |
| Dell | N3048 | Switch-Router | 6.0.1.3 | Y | SSH | Y | Both | Validated |
| Dell | PowerConnect 6248 | Switch-Router | 3.3.14.2 | Y | SSH | Y | Both | Validated |
| Dell | PowerConnect 8024F | Switch-Router | 5.1.9.4 | Y | SSH | Y | Both | Validated |
| D-link | DES-3200-28P | Switch | 4.36.B013 | Y | Y | Y | Both | Validated |
| Enterasys/ Cabletron | C3G124x48 | Switch-Router | 06.03.00.0022 | Y | SSH, Telnet | Y | Both | Validated |
| Enterasys | C5K125-48P2 | Switch-Router | 06.61.07.0010 | Y | SSH, Telnet | Y | Both | Validated |
| Enterasys | K10 | Switch-Router | 07.72.01.0021 | Y | SSH, Telnet | Y | Both | Validated |
| Enterasys/ Cabletron | Matrix E1 Series | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Enterasys/ Cabletron | Matrix N Series Platinum DFE | Switch | | Y | SSH, Telnet | N | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|---------------------|------------------------------------|---------------|---------------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Enterasys/Cabletron | MatrixN1 | Switch | 05.42.10 | Y | SSH, Telnet | N | Both | Validated |
| Enterasys | MatrixN1 | Switch-Router | 07.62.05.0001H | Y | SSH, Telnet | Y | Both | Validated |
| Enterasys | MatrixN3 | Switch | 07.62.05.0001H | Y | SSH, Telnet | Y | Both | Validated |
| Enterasys/Cabletron | MatrixN3Gold | Switch | 06.12.03.003 | Y | SSH, Telnet | N | Both | Validated |
| Enterasys | MatrixN7 | Switch | 07.62.05.0001H | Y | SSH, Telnet | Y | Both | Validated |
| Enterasys | MatrixN7Gold | Switch | 07.62.05.0001H | Y | SSH, Telnet | Y | Both | Validated |
| Enterasys | MatrixX4 | Switch-Router | 02.00.00.0008H 02.00.02.0001 | Y | SSH, Telnet | Y | Both | Validated |
| Enterasys | MatrixX16 | Switch-Router | 02.00.00.0008H 02.00.02.0001 | Y | SSH, Telnet | Y | Both | Validated |
| Enterasys/Cabletron | X-Pedition 8000/8600 Series Router | Router | | Y | SSH, Telnet | N | Both | Validated |
| Enterasys/Cabletron | RoamAbout 3000 Series Point | Wireless AP | | Y | N | N/A | Both | Validated |
| Enterasys | S1A | Switch-Router | 08.11.01.0014 | Y | SSH, Telnet | Y | Both | Validated |
| Enterasys | S8 | Switch-Router | 08.11.01.0014 | Y | SSH, Telnet | Y | Both | Validated |
| Enterasys/Cabletron | SmartSwitch 2000 Series Switch | Switch | | Y | N | N | Both | Validated |
| Enterasys/Cabletron | SmartSwitch 6000 Series Switch | Switch | | Y | N | N | Both | Validated |
| | | | | | | | | |
| Extreme | Alpine Series | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Extreme | Black Diamond Series | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Extreme | bd8810 | Switch | 12.3.3.6 | Y | SSH, Telnet | N | Both | Validated |
| Extreme | Summit Series | Switch-Router | | Y | SSH, Telnet | N | Both | Validated |
| Extreme | Summit X350-24t | Switch | 12.3.3.6 | Y | SSH, Telnet | Y | Both | Validated |
| Extreme | SummitX450a-48t | Switch | 12.3.3.6 | Y | SSH, Telnet | Y | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|---------|-----------------------------|----------------|----------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Extreme | Summit X480-24X | Switch-Router | 12.5.3.9 | Y | SSH, Telnet | N | Both | Validated |
| Extreme | Summit X450G2-48p | Switch | 16.1.2.14 | Y | SSH, Telnet | N | NetMRI | Validated |
| Extreme | Summit X440-48p-10G | Switch | 15.7.1.4 | Y | SSH, Telnet | N | NetMRI | Validated |
| Extreme | X460 G2 | Switch | 15.7.1.4 | Y | Y | Y | Both | Best Effort |
| | | | | | | | | |
| F5 | Big-IP 1600 | Load Balancer | 9.4.7 | Y | SSH, Telnet | N/A | Both | Validated |
| F5 | BIG-IP 3900 | Load Balancer | 10.2.2 11.2.0 11.3.0 | Y | SSH, Telnet | N/A | Both | Validated |
| F5 | Big-IP 6900 | Load Balancer | 10.2.0 | Y | SSH, Telnet | N/A | Both | Validated |
| F5 | BIG-IP 8400 | Load Balancer | 10.2.4 | Y | SSH | N/A | Both | Validated |
| F5 | Big-IP 8900 | Load Balancer | 10.2.0 | Y | SSH, Telnet | N/A | Both | Validated |
| F5 | Viprion-C2400 | Load Balancer | 11.3.0 | Y | SSH | N/A | Both | Validated |
| F5 | BIG-IP 4200 | Load Balancer | 11.6.0 | Y | SSH | N/A | Both | Validated |
| F5 | BIG-IP 5250 | Load Balancer | 11.5.4 | Y | SSH | N/A | Both | Validated |
| F5 | BIG IP 4000 | Load Balancer | 11.5.1 | Y | SSH | N/A | Both | Validated |
| F5 | Viprion-B2250 | Load Balancer | 12.1.2 | Y | SSH | N/A | Both | Validated |
| F5 | BIG-IP 5250 | Load Balancer | 12.1.2 | Y | Y | N/A | Both | Validated |
| F5 | BIG-IP vCMP Guest | Load Balancer | 11.5.4 | Y | Y | N/A | Both | Validated |
| F5 | Viprion-B2150 | Load Balancer | 11.5.4 | Y | Y | N/A | Both | Validated |
| F5 | A112 | Load Balancer | 11.4.1 | Y | Y | N/A | Both | Validated |
| | | | | | | | | |
| Force10 | E Series Core Switch/Router | Switch, Router | | Y | SSH, Telnet | N | Both | Validated |
| Force10 | m-IOA | Switch | 9.4(0.0P1) | Y | SSH | N | Both | Validated |
| Force10 | m-MXL | Switch | 8.3.16.4 | Y | SSH | N | Both | Validated |
| Force10 | s4810 | Switch, Router | 9.1(0.0) | Y | SSH | Y | Both | Validated |
| Force10 | s4810 | Switch, Router | 9.2(0.2) | Y | SSH | Y | Both | Validated |
| Force10 | s4810 | Switch, Router | 9.11(0.0P4) | Y | SSH | Y | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|----------|----------------------------|----------|------------------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Fortinet | Fortigate 60B (fgt60B) | Firewall | 4.0.2 4.0.3 | Y | SSH, Telnet | N/A | Both | Validated |
| Fortinet | Fortigate 60D (fgt60D) | Firewall | 5.00.6, 5.00.7, 5.0.9, 5.0.0.P9 | Y | SSH | N/A | Both | Validated |
| Fortinet | Fortigate 92D | Firewall | 5.2.4 | Y | SSH | N/A | Both | Validated |
| Fortinet | Fortigate 100D (fgt100D) | Firewall | 4.0MR3.P12 | Y | SSH | N/A | Both | Validated |
| Fortinet | Fortigate 110C (fgt110C) | Firewall | 4.0.1 | Y | SSH, Telnet | N/A | Both | Validated |
| Fortinet | Fortigate 111C (fgt111C) | Firewall | 4.0MR3.P12 | Y | SSH | N/A | Both | Validated |
| Fortinet | Fortigate 140D | Firewall | 5.2.5 | Y | SSH | N/A | Both | Validated |
| Fortinet | Fortigate 200B (fgt200B) | Firewall | 4.0.2 4.0.0 | Y | SSH, Telnet | N/A | Both | Validated |
| Fortinet | Fortigate 300A (fgt300A) | Firewall | 4.0.7 | Y | SSH, Telnet | N/A | Both | Validated |
| Fortinet | Fortigate 300C (fgt300C) | Firewall | 4.0.7 | Y | SSH, Telnet | N/A | Both | Validated |
| Fortinet | Fortigate 311B (fgt311B) | Firewall | 4.0.MR3.P12 | Y | SSH | N/A | Both | Validated |
| Fortinet | Fortigate 1000C (fgt1000C) | Firewall | 5.0.0.P3 | Y | SSH | N/A | Both | Validated |
| Fortinet | Fortigate 3040B (fgt3040B) | Firewall | 4.0.MR3.P11 | Y | SSH | N/A | Both | Validated |
| Fortinet | Fortigate 3600C (fgt3600C) | Firewall | 5.0.0 | Y | SSH, Telnet | N/A | Both | Validated |
| Fortinet | Fortigate 3810A (fgt3810A) | Firewall | 4.0.MR3.P11 | Y | SSH | N/A | Both | Validated |
| Fortinet | Fortigate FGT500D | Firewall | 5.2.7 | Y | SSH | N/A | Both | Validated |
| Fortinet | Fortigate FGT200D | Firewall | 5.2.7 | Y | SSH | N/A | Both | Validated |
| Fortinet | Fortigate fgt1240B | Firewall | 5.0.10 | Y | N | N/A | Both | Validated |
| Fortinet | Fortigate fgt3950B | Firewall | 5.0.10 | Y | N | N/A | Both | Validated |
| Fortinet | fgt600C | Firewall | 4.0.MR3.P11 | Y | SSH | N/A | NetMRI | Validated |
| Fortinet | fgt800C | Firewall | 5.2.10 | Y | N/A | N/A | Both | Validated |
| Fortinet | fgt1000C | Firewall | 5.2.10 | Y | N/A | N/A | Both | Validated |
| Fortinet | fg60dc | Firewall | 5.4.2 | Y | Y | N/A | NetMRI | Validated |
| Fortinet | fgt50E | Firewall | 5.4.3 | Y | SSH | N/A | NetMRI | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|-----------|---------------------------|----------|---|----------------------------|-------------------|-------------------------------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Fortinet | fgt3140B | Firewall | 5.0.7 | Y | SSH | N/A | NetMRI | Validated |
| Fortinet | fgt1500D | Firewall | 5.2.10 | Y | N/A | N/A | Both | Validated |
| Fortinet | fgt1500D | Firewall | 5.4.0 and 5.4.1 | Y | SSH | N/A | NetMRI | Validated |
| Fortinet | fgt3HD | Firewall | 5.2.4 | Y | SSH | N/A | NetMRI | Validated |
| Fortinet | fgt1500D | Firewall | 5.2.10 | Y | Y | N/A | Both | Validated |
| Fortinet | fgt1000c | Firewall | 5.2.10 | Y | Y | N/A | Both | Validated |
| Fortinet | fgt800c | Firewall | 5.2.10 | Y | Y | N/A | Both | Validated |
| Fortinet | FortiGate-VM64 | Firewall | 5.4.2 | Y | Y | N/A | Both | Validated |
| Fortinet | FGT-1200D | Firewall | 5.2.8 | Y | Y | N/A | Both | Validated |
| FireEye | wMPS4310 | Firewall | 7.2.1 | Y | SSH | N/A | Both | Validated |
| GarretCom | magnum6k25e | Switch | 14.1.9 | Y | SSH | SetIntfAdm in Status, SetIntfDesc r | Both | Validated |
| Gigamon | GigaVUE-HC2 | Switch | 4.4.02 | Y | N | N | Both | Validated |
| Gigamon | GigaVUE-HC2 | Switch | 4.8.01 | Y | Y | N | NetMRI | Validated |
| H3C (HP) | hpA360024V2EI | Switch | 5.20.99, Release 2101P01 | Y | SSH | Y | Both | Validated |
| H3C (HP) | hp7506 | Switch | 5.20, Release 6708P03 | Y | SSH | Y | Both | Validated |
| H3C | hpA512048GPoEPlusEI2SL OT | Switch | 5.20.99 Release 2220P09 5.20 Release 2208P01 | Y | SSH | N | Both | Validated |
| H3C (HP) | hpA512048GEI | Switch | 5.20 Release 2208P01 | Y | SSH | N | Both | Validated |
| H3C | hpA550024GPoEPlusEI2SL OT | Switch | 5.20.99 Release 2220P02 | Y | Telnet | Y | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------|------------------------|---------------|---------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| H3C | hpA5820X24XGSFPPlus | Switch | 5.20.105, Release 1808P15 | Y | SSH | N | Both | Validated |
| H3C | hp5900AF48XG4QSFPlus | Switch | 7.1.035, Release 2208P01 | Y | SSH | N | Both | Validated |
| H3C | hp6125XGXLG | Switch | 7.1.035, Release 2306 | Y | Telnet | N | Both | Validated |
| H3C | s2126-ei | Switch-Router | 3.10, Release 2102P01 | Y | Telnet | Y | Both | Validated |
| H3C | MSR930G | Router | v5.20 Release 2313 | Y | SSH | N | Both | Validated |
| H3C | s2403TP-EA | Switch-Router | 3.10, Release 2108P04 | Y | Telnet | Y | Both | Validated |
| H3C | s3552F-EA | Switch-Router | 5.20, Release 5309 | Y | Telnet | Y | Both | Validated |
| H3C | s5500-28C-PWR-EI | Switch-Router | 5.20 Release 2202P21 | Y | SSH | Y | Both | Validated |
| H3C | s5500-28F-ei | Switch-Router | 5.20 Release 2202 | Y | Telnet | Y | Both | Validated |
| H3C | s7502e | Switch-Router | 5.20 Release 6616P01 | Y | Telnet | Y | Both | Validated |
| H3C | A360048PoEPlusV2SI | Switch-Router | 5.20.99, Release 2101P01 | Y | SSH | N | Both | Validated |
| H3C | A512024GPoEPlusEI2SLOT | Switch | 5.20.99, Release 2221P02 | Y | SSH | N | Both | Validated |
| H3C | A512048GEI2SLOT | Switch | 5.20.99, Release 2215 | Y | SSH | N | Both | Validated |
| H3C | A512024GEI2SLOT | Switch | 5.20.99, Release 2221P02 | Y | SSH | N | Both | Validated |
| H3C | S5120-28C-PWR-EI | Switch-Router | 5.20, Release 2208 | Y | SSH | N | Both | Validated |
| H3C | s5500-28C-EI | Switch-Router | 5.20, Release 2208P01 | Y | SSH | N | Both | Validated |
| H3C | s3600-52P-PWR-EI | Switch-Router | 3.10, Release 1702P18 | Y | SSH | N | Both | Validated |
| H3C | s3600-28P-PWR-SI | Switch-Router | 3.10, Release 1702P18 | Y | SSH | N | Both | Validated |
| H3C | s3600-28P-PWR-EI | Switch-Router | 3.10, Release 1702P38 | Y | SSH | N | Both | Validated |
| H3C | S3100-26TP-EI | Switch-Router | 3.10, Release 2211P06 | Y | SSH | N | Both | Validated |
| H3C | s3600-52P-PWR-SI | Switch-Router | 3.10, Release 1702P18 | Y | SSH | N | Both | Validated |
| H3C | S5120-28C-EI | Switch-Router | 5.20, Release 2202P06 | Y | SSH | Y | Both | Validated |
| H3C | 513024G2SFPlus2XGTEI | Switch-Router | 7.1.045, Release 3108P01 | Y | SSH | Y | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|---------------|------------------------------------|-----------------------|--------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| H3C | 513048GPoEPlus4SFPPlus370WEI | Switch-Router | 7.1.045, Release 3111P07 | Y | SSH | Y | Both | Validated |
| H3C | 513024GPoEPlus4SFPPlus370WEI | Switch-Router | 7.1.045, Release 3111P07 | Y | SSH | Y | Both | Validated |
| H3C | 513048GPoEPlus4SFPPlus370WEI | Switch-Router | 7.1.045, Release 3115P05 | Y | SSH | Y | Both | Validated |
| H3C | s7510E | Switch-Router | 5.20 | Y | N | N | Both | Validated |
| H3C | 10512 | Switch-Router | 7.1.070, Release 7523P03 | Y | N | Y | Both | Validated |
| H3C | 10504 | Switch-Router | 5.20, Release 1201 | Y | N | Y | Both | Validated |
| H3C | 12518AC | Switch-Router | 12500-CMW710-R7374 | Y | Y | N | NetMRI | Validated |
| H3C | 12508AC | Switch-Router | 12500-CMW710-R7374 | Y | Y | N | NetMRI | Validated |
| H3C | hh3cS5820V252QF | Switch-Router | 7.1.045 | Y | Y | N | Both | Validated |
| H3C | S12508 | Switch | S12500-CMW710-R7375 | Y | Y | N | Both | Best Effort |
| | | | | | | | | |
| Harmonic | NSG 9000 Series edgeQAM | Video QAM | | Y | HTTP | N/A | Both | Validated |
| Harmonic | NMX Digital Service Manager Series | Video Encoder | | Y | HTTP | N/A | Both | Validated |
| | | | | | | | | |
| Hitachi Cable | Apresia 3424GT-SS | Switch, Switch-Router | 7.24.01 | Y | SSH, Telnet | N | Both | Validated |
| Hitachi Cable | Apresia 4224GT-PSR | Switch | 6.26.01 | Y | SSH, Telnet | N | Both | Validated |
| Hitachi Cable | Apresia 4348GT | Switch | 6.20.01 | Y | SSH, Telnet | N | Both | Validated |
| | | | | | | | | |
| HP Procurve | 1600m Series | Switch | | Y | SSH, Telnet | N | Both | Validated |
| HP Procurve | 2424m Series | Switch | | Y | SSH, Telnet | N | Both | Validated |
| HP Procurve | 2524m Series | Switch | | Y | SSH, Telnet | N | Both | Validated |
| HP | 3500YL (J8692A) | Switch | K.15.03.0005 | Y | SSH | Y | Both | Validated |
| HP | 3500zl (J8693A) | Switch-Router | K.15.04.0023m | Y | SSH | Y | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|-------------|-----------------------------------|---------------|---------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| HP Procurve | 4000m Series | Switch | | Y | SSH, Telnet | N | Both | Validated |
| HP Procurve | 8000m Series | Switch | | Y | SSH, Telnet | N | Both | Validated |
| HP Procurve | 4100gl Series Switch | Switch | | Y | SSH, Telnet | N | Both | Validated |
| HP Procurve | 5300xl Series Switch | Switch | | Y | SSH, Telnet | N | Both | Validated |
| HP | 5406ZL (J8697A) | Switch-Router | K.15.03.0005 | Y | SSH | Y | Both | Validated |
| HP Procurve | 6108 ProCurve Switch | Switch | | Y | SSH, Telnet | N | Both | Validated |
| HP ProCurve | 5412zl (J8698A) | Switch-Router | K.15.04.0023m | Y | SSH | Y | Both | Validated |
| HP | 6200yl (J8992A) | Switch | K.15.04.0023m | Y | SSH | Y | Both | Validated |
| HP | J4865A | Switch-Router | G.07.117 | Y | SSH | Y | Both | Validated |
| HP | J4887A | Switch-Router | G.07.117 | Y | SSH | Y | Both | Validated |
| HP | J4899A | Switch-Router | H.10.113 | Y | SSH | Y | Both | Validated |
| HP | J4899B | Switch-Router | H.10.113 | Y | SSH | Y | Both | Validated |
| HP | J4899C | Switch-Router | H.10.113 | Y | SSH | Y | Both | Validated |
| HP | J4900A | Switch-Router | H.10.113 | Y | SSH | Y | Both | Validated |
| HP | J4900B | Switch-Router | H.10.113 | Y | SSH | Y | Both | Validated |
| HP | J4900C | Switch-Router | H.10.113 | Y | SSH | Y | Both | Validated |
| HP | J9627A | Switch | RA.15.10.0010 | Y | SSH | Y | Both | Validated |
| HP | J9089A | Switch | R.11.44 | Y | SSH, Telnet | Y | Both | Validated |
| HP | J9148A | Switch | W.15.08.0012 | Y | SSH | Y | Both | Validated |
| HP | J9091A | Switch-Router | K.15.09.0012 | Y | SSH | Y | Both | Validated |
| HP | ProLiant-GbE2c-InterconnectSwitch | Switch | 5.2.9 | Y | Telnet | Y | Both | Validated |
| HP | VCEthernetModule | Switch | 4.01 | Y | Y | Y | Both | Validated |
| HP | J9850A | Switch-Router | KB.16.01.0006 | Y | Y | Y | Both | Validated |
| HP | J9726A | Switch | WB.16.01.000 | Y | Y | Y | Both | Validated |
| HP | J9729A | Switch | WB.15.18.0011 | Y | Y | Y | Both | Validated |
| HP | J9298A | Switch | J.15.09.0026 | Y | Y | Y | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------|----------------------|---------------|-----------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| HP | J9729A | Switch | WB.16.02.0015 | Y | Y | Y | Both | Validated |
| HP | Aruba-JL255A | Switch | WC.16.02.0003 | Y | SSH | Y | Both | Validated |
| HP | Aruba-JL074A | Switch | KB.16.01.0004 | Y | SSH | Y | Both | Validated |
| HP | J9773A | Switch | YA.15.17.0008 | Y | SSH | Y | Both | Validated |
| HP | J4813A | Switch | F.05.80 | Y | SSH | Y | Both | Validated |
| HP | J9298A | Switch | J.15.09.0022 | Y | Y | Y | Both | Validated |
| HP | J9088A | Switch | R.11.107 | Y | SSH | Y | Both | Validated |
| HP | J9623A | Switch | RA.15.15.0008 | Y | SSH | Y | Both | Validated |
| HP | J9584A | Switch | KA.15.09.0012 | Y | SSH | Y | Both | Validated |
| HP | J9626A | Switch | RA.15.17.0008 | Y | SSH | Y | Both | Validated |
| HP | J9299A | Switch | J.15.09.002 | Y | SSH | Y | Both | Validated |
| HP | J9279A | Switch | Y.11.44 | Y | SSH | Y | Both | Validated |
| HP | J9146A | Switch | W.15.14.0012 | Y | SSH | Y | Both | Validated |
| HP | J9085A | Switch | R.11.107 | Y | SSH | Y | Both | Validated |
| HP | VCFlex-10-10D-Module | Switch | 4.20 | Y | SSH | N | Both | Validated |
| HP | VCEthernetModule | Switch | 3.30 | Y | N | N | Both | Validated |
| HP | ProCurve J9280A, s/w | Switch | Y.11.47 | Y | SSH | Y | Both | Validated |
| HP | J9850A | Switch | KB.16.02.0013 | Y | SSH | Y | NetMRI | Validated |
| HP | J9851A | Switch | 5412Rzl2 | Y | Y | N | Both | Validated |
| HP | Aruba-Stack2930 | Switch-Router | WC.16.04.0008 | Y | Y | Y | Both | Validated |
| | | | | | | | | |
| Huawei | ar28-10 | Router | VRP3.40-RT-0103(L031) | Y | Telnet | N/A | Both | Validated |
| Huawei | cX600-X8 | Router | 5.70 | Y | Telnet | N/A | Both | Validated |
| Huawei | cX600-X3 | Router | v5.70 | Y | Telnet | N/A | Both | Validated |
| Huawei | Eudemon1000E-U5 | Firewall | v3.30 | Y | Telnet | N/A | Both | Validated |
| Huawei | ME60-X16 | Router | v5.150 | Y | Telnet | N/A | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------|----------------------|---------------|-----------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Huawei | ne40E-X8 | Router | 5.70 | Y | Telnet | N/A | Both | Validated |
| Huawei | ne40E-X16 | Router | 5.90 | Y | SSH, Telnet | N/A | Both | Validated |
| Huawei | s2326TP-EI | Switch | 5.70 | Y | Telnet | Y | Both | Validated |
| Huawei | s2403H-EI | Switch | 3.10, Release 0023P11 | Y | Telnet | Y | Both | Validated |
| Huawei | s3026 | Switch | 3.10, Release 0034P01 | Y | Telnet | Y | Both | Validated |
| Huawei | s3352P-EI | Switch | 5.70 | Y | Telnet | Y | Both | Validated |
| Huawei | s3526 | Switch | 3.10 | Y | Telnet | Y | Both | Validated |
| Huawei | s3952P-EI | Switch-Router | 3.10, Release 1510P02 | Y | Telnet | Y | Both | Validated |
| Huawei | s5328C-SI | Switch | 5.30 | Y | SSH | Y | Both | Validated |
| Huawei | s5700-28C-EI-24S | Switch-Router | 5.130 | Y | SSH | N | Both | Validated |
| Huawei | s5700-28C-PWR-SI | Switch-Router | 5.130 | Y | SSH | N | Both | Validated |
| Huawei | s5710-28C-PWR-EI | Switch-Router | 5.130 | Y | SSH | N | Both | Validated |
| Huawei | s9303 | Switch | 5.70 | Y | SSH | Y | Both | Validated |
| Huawei | ce6850-52Q-EI-48T | Switch-Router | 8.100 | Y | SSH | N | Both | Validated |
| Huawei | s5700-52P-PWR-LI-AC | Switch-Router | 5.130 | Y | SSH | Y | Both | Validated |
| Huawei | s2751-28TP-PWR-EI-AC | Switch-Router | 5.130 | Y | SSH | Y | Both | Validated |
| Huawei | s5701-28TP-PWR-LI-AC | Switch-Router | 5.160 | Y | SSH | Y | Both | Validated |
| Huawei | s5700-28X-PWR-LI-AC | Switch-Router | 5.160 | Y | SSH | N | Both | Validated |
| Huawei | s12708lsw | Switch-Router | 5.160 | Y | SSH | N | Both | Validated |
| Huawei | s5700-28TP-LI-AC | Switch-Router | V200R006C00SPC500 | Y | Y | Y | Both | Validated |
| Huawei | ar2220 | Router | V200R007C00SPC900 | Y | SSH | N/A | NetMRI | Validated |
| Huawei | ce5810-48T4S-EI | Switch-Router | V100R005C10SPC200 | Y | SSH | Y | NetMRI | Validated |
| Huawei | ce6851-48S6Q-HI | Switch-Router | V100R005C10SPC200 | Y | SSH | Y | NetMRI | Validated |
| Huawei | ce6850-48T6Q-HI | Switch-Router | V100R005C10SPC200 | Y | SSH | Y | NetMRI | Validated |
| Huawei | ar3260 | Router | V200R007C00SPC900 | Y | SSH | N/A | NetMRI | Validated |
| Huawei | ce6850U-48S6Q-HI | Switch-Router | V100R005C10SPC200 | Y | SSH | Y | NetMRI | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|------------|--|---------------|------------------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Huawei | CE12804S | Switch-Router | V100R005C10SPC200 | Y | Y | N | Both | Best Effort |
| Huawei | CE12808S | Switch-Router | V200R001C00SPC700 | Y | Y | N | Both | Best Effort |
| Huawei | s5700-52P-PWR-LI-AC | Switch-Router | V200R009C00SPC500 | Y | Y | Y | Both | Validated |
| Huawei | ar2220e | Router | V200R006C10SPC300 | Y | Y | N/A | Both | Validated |
| Infoblox | Network Services Appliance Series with NIOS v5.1r1 and later | NIOS | 5.1r1 and later | Y | N | N/A | Both | Validated |
| ibmnetwork | EN4093 | Switch | 7.8.10 | Y | Y | N | Both | Validated |
| Juniper | ACX1100 | Router | 12.2R7.1 12.3R6.6 | Y | SSH | N/A | Both | Validated |
| Juniper | EX Series Switch | Switch | | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | EX 2200 | Switch-Router | 10.4R6.5 | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | EX 3300 | Switch-Router | 12.3R3.4 | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | EX 4200 | Switch-Router | 10.2R1.8, 12.3R3.4 11.1R3.5 | Y | SSH, Telnet | Y | Both | Validated |
| Juniper | EX 4300 | Switch-Router | 14.1X53-D25.2 | Y | SSH | N | Both | Validated |
| Juniper | J Series Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | J2320 | Firewall | 9.3R4.4 | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | M Series Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | MX Series Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | MX80 | Router | 12.1R2.9 | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | SRX 100 | Firewall | 10.2R3.10 11.4R1.6, 12.1R6.5 | Y | SSH | N/A | Both | Validated |
| Juniper | SRX 110 | Firewall | 12.1X46 | Y | SSH | N/A | Both | Validated |
| Juniper | SRX220 | Firewall | 11.4R7.5, 12.1X46 | Y | SSH | N/A | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|---------|---|---------------|-------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Juniper | SRX 240 | Firewall | 10.2R3.10 | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | SRX 3400 | Firewall | 12.1R2.9 | Y | SSH | N/A | Both | Validated |
| Juniper | SRX 3600 | Firewall | 10.2R3.10, 10.4R10.7 | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | SRX 5600 | Firewall | 10.2R3.10 | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | SRX 5800 | Firewall | 10.2R3.10 | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | VSRX | Firewall | v12.1X46 | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | T1600 | Router | v10.4X23.1 | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | QFX510048S6Q | Switch-Router | 13.2X51 | Y | SSH | N | Both | Validated |
| Juniper | QFX510024Q | Switch-Router | 4.1X53-D30-3 | Y | SSH | N | Both | Validated |
| Juniper | WX Series Application Acceleration Platform | WOC | | Y | SSH, Telnet | N/A | Both | Validated |
| Juniper | EX3200 | Switch-Router | 14.1X53-D40.8 | Y | SSH | N | Both | Validated |
| Juniper | EX8208 | Switch-Router | 12.3R12.4 | Y | N | N | Both | Validated |
| Juniper | EX2200 | Switch-Router | 12.3R6.6 and 12.3R4.6 | Y | SSH | N | NetMRI | Validated |
| Juniper | EX4300 | Switch-Router | 14.1X53-D40.8 | Y | SSH | N | NetMRI | Validated |
| Juniper | MX104 | Switch-Router | 13.3R9.13 | Y | SSH | Y | NetMRI | Validated |
| Juniper | MX960 | Switch-Router | 14.1R7.4z | Y | SSH | N | NetMRI | Validated |
| Juniper | SRX340 | Firewall | 15.1X49 | Y | SSH | N/A | NetMRI | Validated |
| Juniper | SRX345 | Firewall | 15.1X49-D40.6 | Y | SSH | N/A | NetMRI | Validated |
| Juniper | SRX1400 | Firewall | 12.1X46 | Y | SSH | N/A | NetMRI | Validated |
| Juniper | SRX1400 | Firewall | 12.3X48-D35.7 | Y | N/A for NI | N/A | Both | Validated |
| Juniper | QFX510048C6Q | Switch-Router | 14.1X53-D40.8 | Y | SSH | Y | NetMRI | Validated |
| Juniper | QFX520032C32Q | Switch-Router | 15.1X53-D205.2 | Y | SSH | Y | NetMRI | Validated |
| Juniper | QFX1000236Q | Switch-Router | 15.1X53-D61.7 | Y | SSH | Y | NetMRI | Validated |
| Juniper | EX9214 | Switch-Router | 13.3R5.9 | Y | Y | N | Both | Validated |
| Juniper | EX4550 | Switch-Router | 12.3R9.4 | Y | Y | N | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|-----------|---|----------------|---------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Juniper | SRX 1400 | Firewall | 12.3X48-D35.7 | Y | Y | N/A | Both | Validated |
| Juniper | EX2300 | Switch-Router | 15.1X53-D56 | Y | Y | N | Both | Validated |
| Juniper | SRX300 | Firewall | 15.0(1)M1 | Y | Y | N/A | Both | Validated |
| Juniper | SRX300 | Firewall | 15.1X49-D75.5 | Y | Y | N/A | Both | Validated |
| Juniper | SRX1500 | Firewall | 15.1X49-D120.3 | Y | Y | N/A | Both | Validated |
| Juniper | SRX320-POE | Firewall | 15.1X49-D70.3 | Y | Y | N/A | Both | Validated |
| | | | | | | | | |
| Mcafee | WBG-5500C | Web Gateway | 7.6.2.6.0 | Y | N | N/A | Both | Validated |
| | | | | | | | | |
| Motorola | Vanguard 320 Series Router | Router | | Y | N | N/A | Both | Validated |
| Motorola | Vanguard 340 Series Router | Router | | Y | N | N/A | Both | Validated |
| Motorola | Vanguard 6400 Series Router | Router | | Y | N | N/A | Both | Validated |
| Motorola | BSR1000 Series Broadband Services CMTS/Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Motorola | BSR64000 Series CMTS/Edge Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Motorola | SEMV8 Series Encryptor Modulator | Video QAM | | Y | SNMP | N/A | Both | Validated |
| | | | | | | | | |
| Moxa | edsg512epoe | Switch | 4.1 build 15010918 | Y | SSH | Y | Both | Validated |
| Moxa | NP6650-16 | Console Server | 1.12 Build 15063014 | Y | Y | N/A | Both | Validated |
| | | | | | | | | |
| NEC | NEC IX Series IX2105 | Router | 9.0.54 | Y | SSH, Telnet | N/A | Both | Validated |
| | | | | | | | | |
| Netscreen | Netscreen Firewall Family | Firewall | | Y | SSH, Telnet | N/A | Both | Validated |
| Netscreen | ISG1000 | Firewall | 6.3.0r3.0 | Y | SSH, Telnet | N/A | Both | Validated |
| Netscreen | SSG140 | Firewall | 6.2.0r15.0 | Y | SSH, Telnet | N/A | Both | Validated |
| Netscreen | SSG520 | Firewall | 6.3.0r6-cgv1.0 | Y | SSH | N/A | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------------|-------------------------------------|---------------|-------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Netscreen | SSG550 | Firewall | 6.2, 6.3 | Y | SSH | N/A | Both | Validated |
| Netscreen | SSG5 | Firewall | 6.3.0r21.0 | Y | SSH | N/A | Both | Validated |
| Nortel/Avaya | 4500 Series Ethernet Routing Switch | Switch-Router | | Y | N | N | Both | Validated |
| Nortel/Avaya | 5500 Series Ethernet Routing Switch | Switch-Router | | Y | SSH, Telnet | N | Both | Validated |
| Nortel/Avaya | Alteon Application Switch Family | Switch | | Y | N | N | Both | Validated |
| Nortel/Avaya | BayStack ARN Series Router | Router | | Y | SSH, Telnet | N/A | Both | Validated |
| Nortel/Avaya | BayStack 350 Series Switch | Switch | | Y | N | N | Both | Validated |
| Nortel/Avaya | BayStack 380 Series Switch | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Nortel/Avaya | BayStack 420 Series Switch | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Nortel/Avaya | BayStack 425 Series Switch | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Nortel/Avaya | BayStack 450 Series Switch | Switch | | Y | N | N | Both | Validated |
| Nortel/Avaya | BayStack 460 Series Switch | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Nortel/Avaya | BayStack 470 Series Switch | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Nortel/Avaya | BayStack BPS2000 Series Switch | Switch | | Y | SSH, Telnet | N | Both | Validated |
| Nortel/Avaya | Contivity 1000 Series VPN Switch | VPN | | Y | N | N/A | Both | Validated |
| Nortel | ERS-4526T | Switch | 5.3.2.007 | Y | SSH | N | Both | Validated |
| Nortel/Avaya | ERS-4526T-PWR | Switch-Router | 5.3.3.010 | Y | SSH, Telnet | Y | Both | Validated |
| Nortel | ERS-4548GT-PWR | Switch | 5.7.0.009 | Y | SSH | Y | Both | Validated |
| Nortel | ERS-4550T | Switch | 5.3.2.007 | Y | SSH | N | Both | Validated |
| Nortel | ERS-4850GTS-PWR-PLUS | Switch | 5.6.3.025 | Y | Telnet | Y | Both | Validated |
| Nortel | ERS-5650-TD-PWR | Switch-Router | 6.2.6.034 | Y | Telnet | Y | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------------|--|---------------|------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Nortel | ERS-5698-TFD-PWR | Switch-Router | 6.2.6.034 6.2.6.035 | Y | Telnet | Y | Both | Validated |
| Nortel | ERS-8306 | Switch-Router | 4.2.3.0 | Y | Telnet | Y | Both | Validated |
| Nortel | ERS-8310 | Switch-Router | 4.2.3.2 | Y | SSH | N/A | Both | Validated |
| Nortel | ERS-8606 | Switch-Router | 5.1.8.1 | Y | SSH, Telnet | N | Both | Validated |
| Nortel/Avaya | EthernetRoutingSwitch5530-24TFD | Switch-Router | 6.1.5.014 | Y | SSH, Telnet | N | Both | Validated |
| Nortel/Avaya | Optical Metro 1000 Series Ethernet Services Module | Switch | | Y | N | N | Both | Validated |
| Nortel/Avaya | Passport 1000 Routing Switch Series | Switch-Router | | Y | SSH, Telnet | N | Both | Validated |
| Nortel/Avaya | Passport 1600 Routing Switch Series | Switch-Router | | Y | SSH, Telnet | N | Both | Validated |
| Nortel/Avaya | Passport 8600 Routing Switch Series | Switch-Router | | Y | SSH, Telnet | N | Both | Validated |
| Nortel | VSP-7024XLS | Switch-Router | 10.2.0.006 | Y | Telnet | N | Both | Validated |
| Nortel | VSP9012 | Switch-Router | 3.3.2.1, 3.4.0.1 | Y | Telnet | N | Both | Validated |
| Nortel | VSP4450GSXPWRPLUS | Switch-Router | 5.0.0.0 | Y | Y | Y | Both | Validated |
| Nortel/Avaya | VPN Router 5000 Series | VPN | | Y | N | N/A | Both | Validated |
| Nortel | VSP4850GTS | Switch-Router | 5.1.1.4 | Y | SSH | Y | Both | Validated |
| Nortel | ERS-8606 | Switch-Router | 7.2.24.0 | Y | SSH, Telnet | N | NetMRI | Validated |
| Nortel | BayStack5520-48T-PWR | Switch-Router | 6.3.5.025 | Y | SSH | Y | NetMRI | Validated |
| Nortel | BayStack5510-48T | Switch-Router | 6.3.5.025 | Y | SSH | Y | NetMRI | Validated |
| Nortel | ERS-3510GT-PWR-PLUS | Switch-Router | 5.2.0.004 | Y | SSH | Y | NetMRI | Validated |
| Nortel | ERS5952GTS-PWR-PLUS | Switch-Router | 7.3.0.241 | Y | SSH | Y | NetMRI | Validated |
| Nortel | VSP7254XSQ | Switch-Router | 5.1.1.1 | Y | SSH | Y | NetMRI | Validated |
| Nortel | VSP8404 | Switch-Router | 4.2.2.0 | Y | Y | Y | Both | Validated |
| Nortel | VSP8404 | Switch-Router | 5.1.1.3 | Y | SSH | Y | NetMRI | Validated |
| Nortel | VSP8284XSQ | Switch-Router | 5.1.1.3 | Y | SSH | Y | NetMRI | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------------------|---------------------|----------------|----------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Nortel | VSP4850GTS | Switch-Router | 5.1.1.1 | Y | SSH | Y | NetMRI | Validated |
| Nortel | VSP4850GTSPWRPLUS | Switch-Router | 5.1.1.4 | Y | SSH | Y | NetMRI | Validated |
| Nortel | ERS-8810 | Switch-Router | 7.2.22.0 | Y | SSH | Y | NetMRI | Validated |
| Nortel | 4850GTS-PWR+ | Switch-Router | 5.10.0.207 | Y | Y | N | Both | Validated |
| Nortel | VSP7254XSQ | Switch-Router | 5.1.1.1 | Y | Y | N | Both | Validated |
| Nortel | VSP4850GTS-PWR-PLUS | Switch-Router | 5.1.1.0 | Y | Y | N | Both | Validated |
| Nortel | VSP7024XLS | Switch-Router | 10.4.0.003 | Y | Y | N | Both | Validated |
| Nortel | VSP4450GSX-PWR-PLUS | Switch-Router | 5.1.1.3 | Y | Y | N | Both | Validated |
| Nortel | ERS-8806 | Switch-Router | 7.2.24.0 | Y | Y | N | Both | Validated |
| Nortel | VSP7254XTQ | Switch-Router | 5.1.1.3 | Y | Y | Y | Both | Validated |
| Nortel | VSP4850GTSPWRPLUS | Switch-Router | 5.10.0.207 | Y | Y | N | Both | Validated |
| Nortel | ERS-8810 | Switch-Router | 7.2.11.0 | Y | Y | N | Both | Validated |
| Nortel | VSP-8404 | Switch-Router | 4.2.2.0 | Y | Y | Y | Both | Validated |
| Nortel | VSP-8404 | Switch-Router | 5.1.1.3 | Y | Y | Y | Both | Validated |
| Nortel | VSP4450GSXPWRPLUS | Switch-Router | 4.2.2.0 | Y | Y | Y | Both | Validated |
| Nortel | VSP-8284XSQ | Switch-Router | 4.2.1.0 | Y | Y | Y | Both | Validated |
| Nortel | ERS5952GTS-PWR-PLUS | Switch-Router | 7.0.1.017 | Y | Y | Y | Both | Validated |
| Nortel | ERS4950GTS-PWR-PLUS | Switch-Router | 7.4.0.215 | Y | Y | N | Both | Validated |
| Nortel | ERS-5530-24TFD | Switch-Router | 6.3.5.025 and 5.0.6.027 | Y | Y | Y | Both | Validated |
| Nortel | ERS-5698-TFD | Switch-Router | 6.6.3.015 | Y | Y | Y | Both | Validated |
| Nortel | VSP4850GTSPWRPLUS | Switch-Router | 5.1.1.3 | Y | Y | Y | Both | Validated |
| Opengear | IM7248-2-DAC-LMV | Console Server | 3.10.0-uc0 | Y | SSH | N/A | NetMRI | Validated |
| Palo Alto Networks | PA-3050 | Firewall | 5.0.9 | Y | SSH | N/A | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------------------|---|--------------------------|---------------------------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Palo Alto Networks | PS-4000 Enterprise Firewall Series | Firewall | | Y | SSH, Telnet | N/A | Both | Validated |
| Palo Alto Networks | PA-5020 | Firewall | 5.0.12 | Y | SSH | N/A | Both | Validated |
| Palo Alto Networks | PA-200 | Firewall | 4.1.6 | Y | SSH, Telnet | N/A | Both | Validated |
| Palo Alto Networks | PA-5050 | Firewall | 6.1.3 | Y | SSH | N/A | Both | Validated |
| Palo Alto Networks | PA-5060 | Firewall | 6.1.10 | Y | Y | N/A | Both | Validated |
| Palo Alto Networks | PA-7050 | Firewall | 8.0.2 | Y | Y | N/A | Both | Best Effort |
| Palo Alto Networks | PA-5060 | Firewall | 7.1.8 | Y | Y | N/A | Both | Best Effort |
| Palo Alto Networks | PA-5020 | Firewall | 8.0.2 | Y | Y | N/A | Both | Best Effort |
| | | | | | | | | |
| Proxim | ORINOCO AP2000 Series Access Point | Wireless AP | | N | N | N/A | Both | Validated |
| | | | | | | | | |
| Raisecom | rc551E-4GE | Switch | ROS_4.14.1461.RC551 E-4GE.36.20110317 | Y | SSH | N | NetMRI | Validated |
| Raisecom | RAX711 | Switch | REAP_1.2.1434 | Y | SSH | N | NetMRI | Validated |
| Raisecom | RAX711-AC_DC | Switch | REAP_1.2.1434 | Y | Y | N | Both | Validated |
| | | | | | | | | |
| Riverbed | Steelhead Series WAN Optimization Appliance | WOC | | Y | SSH, Telnet | N/A | Both | Validated |
| | | | | | | | | |
| Riverstone | ES Series Switch | Switch | | Y | N | N | Both | Validated |
| | | | | | | | | |
| Ruggedcom | RS900 | Switch | 3.12.2 | Y | SSH | N | Both | Validated |
| Ruggedcom | RS416 | Switch (Terminal Server) | v3.11.0, v3.12.2, v3.12.4 | Y | SSH | N | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|--------------------|---|----------------|------------------|----------------------------|-------------------|--------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Ruggedcom | RSG2100 | Switch | 3.12.1 3.12.2 | Y | SSH | N | Both | Validated |
| Ruggedcom | RS416 | Console Server | 4.3.3 | Y | Y | N/A | Both | Validated |
| Ruggedcom | RSG2100 | Switch | 4.3.3 | Y | Y | N | Both | Validated |
| Ruggedcom | RSG2288 | Switch | 4.3.3 | Y | Y | N | Both | Validated |
| Scientific Atlanta | 9000 Series Encoders | Video Encoder | | Y | SSH, Telnet | N/A | Both | Validated |
| Scientific Atlanta | D9479 GQAM Modulator | Video QAM | | Y | SNMP | N/A | Both | Validated |
| Scientific Atlanta | D9477 MQAM Modulator | Video QAM | | Y | SNMP | N/A | Both | Validated |
| SeaChange | VOD Server Family | Video Monitor | | Y | N | N/A | Both | Validated |
| SEL | SEL-3610 | Console Server | R203 | Y | SSH | N/A | Both | Validated |
| SEL | SEL-3620 | Console Server | R203 | Y | SSH | N/A | Both | Validated |
| Sencore | MRD 3187 Series Decoders | Video Receiver | | Y | HTTP | N/A | Both | Validated |
| Sonicwall | SRA EX-7000 VPN Appliance | VPN | 10.5.4-041 | Y | N | N/A | Both | Validated |
| Sonicwall | PRO 2040 Series UTM/ Firewall/VPN Appliance | Firewall | | Y | N | N/A | Both | Validated |
| Sonicwall | TZ 190 Series Appliance | Firewall | | Y | HTTP | N/A | Both | Validated |
| Stonesoft | StoneGate FW5000 | Firewall | 5.1.3 | Y | N | N/A | Both | Validated |
| Symbol | ap5131 | Wireless AP | 2.2.2.0-001R | Y | SSH | N/A | Both | Validated |
| Tandberg | RX8300 Series Decoder | Video Receiver | | Y | HTTP | N/A | Both | Validated |
| Tandberg | ViPENC_006 | Video Encoder | 2.3.3 | Y | SSH | N/A | Both | Validated |

| Vendor | Model | Type | OS/Firmware | Capabilities | | | Product (NetMRI, Network Insight, or Both) | Support Level |
|---------|-------------------------------------|---------------|-------------|----------------------------|-------------------|------------------|--|---------------|
| | | | | Data Collection (SNMP/API) | Config Collection | Port Control | | |
| Terayon | CherryPicker Series Video Processor | Video Groomer | | Y | SSH, Telnet | N/A | Both | Validated |
| Terayon | CP-7600 Series Decoder | Video Decoder | | Y | SNMP | N/A | Both | Validated |
| Vecima | CableVista CV1100 Series Decoder | Video Decoder | | Y | HTTP | N/A | Both | Validated |
| Xirrus | XN8 | Switch | 5.1.2-1639 | Y | SSH | Set Admin Status | Both | Validated |
| Yamaha | RTX 810 | Router | 11.01.04 | Y | SSH, Telnet | N/A | Both | Validated |
| Yamaha | RTX 1200 | Router | 10.01.38 | Y | SSH, Telnet | N/A | Both | Validated |