



NetMRI 7.4.2 NIOS 8.5 Device Support List

Contents

Device Model and Version Support	3
Infoblox Feature Support	4
Device Support Table Field Descriptions	5
Device Support Bundles	6
Notes on VRF Support	7
About Known Issues	8
Specific Known Issues	8
Infoblox Network Infrastructure Complete Device Support List	9

Device Model And Version Support

The Device Support table lists the specifically verified hardware model and OS/Firmware versions and these are classified as Verified. Infoblox confirms support for these versions by testing against the make and model of a device that is listed in this document. For devices that have not been verified against a specific OS/Firmware or if the device was developed towards a specific OS/Firmware but never validated, then it is classified as Best Effort. If a Best Effort device shows a limitation or deviation in device support, a support ticket should be submitted to Infoblox for troubleshooting.

As part of the verification process, simulations are created based on the data gathered from the device when it was verified. This data is used in automated testing from release to release. As the Infoblox feature set changes, some devices are verified prior to Infoblox collecting data and testing for later features (e.g. a device that was verified against NetMRI 6.2 may never have been verified for Port Control). In some cases, a device running in an alternative mode or configuration may create a limitation or deviation in device support. For example, a device may have been verified while running as a switch, but may also run in a switch-router mode that is not verified. In such cases, a support ticket should be submitted to Infoblox to troubleshoot the issue. If you observe limitations in device support for a specific instance, configuration, or version of the device model or family; we recommend submitting a device support request RFE to have the different version supported and verified. If you have a device that is on this list that is working, but has not been verified, Infoblox welcomes your input to allow data collection from the device, to verify it, and to add it to the Infoblox testing environment.

Infoblox Feature Support

Infoblox NetMRI and Network Insight products support many discovery and management features, some of which are not supported on all devices. In some cases this is due to limitations in the managed device. In some cases, Infoblox added device support prior to the feature being developed.

The Device Support Table lists the fundamental feature support levels; in each case some detailed sub-features may not be supported for a specific device. In such cases, we indicate "Not Supported" status with an **N** in a category under the **Capabilities** column in the Device Support table. As an example, the **Configuration Collection** capability may not have been implemented due to the requesting customer not requiring support beyond SNMP identification of the device; the record for a specific device will list an **N** in that field. Infoblox software will also indicate specific data collection support for each managed infrastructure device. For example, certain SNMP data types may not be collected from a given device. In some additional cases, the specific feature may not be supportable due to limitations in vendor implementation or support of standard data collection or device interaction methods; the record for those sub-features is indicated with a "Not Supportable" label.

Device Support Table Field Descriptions

The table comprising most of this document provides a number of data columns of support information for each listed device. Explanations for values are the following:

Table 1 Device Support List Data Fields

Device Data Column	Explanation
Vendor	The manufacturer of the device.
Model	The manufacturer's model name and number of the device.
Device Type	The type of networking device, categorized by NetMRI or Network Insight ("Switch," "Switch-Router," "Router," "Firewall," and so on).
OS/Firmware	This field lists the OS/Firmware Versions that have been Verified based on the Device Model and Version support levels described above. If the field is blank, no specific versions have been verified, and the device model, family, or series must be treated as Best Effort as described above.
Capabilities	Provides three key sets of data for each listed device: SNMP: Successful collection of most inventory and discovery-related information. Not all SNMP data types are supported on all devices; PortControl: A "Y" in this column indicates that the Infoblox product supports this device for VLAN assignment, setting a port to administratively Up/Down, and defining an interface Description. In cases where the device does not allow all three settings to be changed, the record for that device indicates the allowed settings in this field. Config Management (NetMRI only): This column indicates the protocols that NetMRI can use to collect the device configuration. The possible supported protocols are SSH, Telnet, and HTTP. In cases where the device allows or supports only specific protocols for data collection, the record for that device indicates it in this field.
Product	Indicates whether the listed device is supported by NetMRI, Network Insight, or both platforms. Devices supported by the NetMRI product line are supported by both NetMRI and by Automation Change Manager (ACM).

Global items include:

- An "N" in any column indicates that NetMRI/Network Insight does not yet directly support a given feature, conferring the status of "Not Supported." In some cases, the feature may not be supportable due to limitations in device capabilities or device-reported data.
- An "N/A" in any column indicates a particular feature does not apply to the device *type* (for example, L3 data collection is not applicable to devices of type "Switch," and port control functions apply only to switches and switch-routers.)
- A "Not Supportable" entry in the **Capabilities** column indicates a particular feature cannot be executed with the device due to adherence to non-standard methods or models that do not enable NetMRI to operate with that device feature, and is hence 'not supportable.' This value differs from "Not Supported" (**N**) described above.

If a product family or model you are interested in is not listed in this document, please contact Infoblox Technical Support for further information.

Device Support Bundles

NetMRI and Network Insight products also support a feature called Device Support Bundles (DSBs), that allows technically advanced users to support a device that is not in this list through utilization of SNMP and CLI techniques. The device itself must meet certain criteria for supportability; Infoblox recommends that customers work with Infoblox field representatives and Infoblox Professional Services to enable full support of a device using these techniques. More information on Device Support Bundles is available in the Device Support Guide feature documentation that accompanies the NetMRI and Network Insight products.

Notes On VRF Support

NetMRI 7.3.x and further releases provide virtual routing and forwarding (VRF) support for select releases of the following operating systems:

- Cisco IOS 12.x, 13.x, 14.x, and 15.x
- Cisco Nexus 5K NX-OS 5.x and 6.x
- Cisco Nexus 7K NX-OS 5.x and 6.x
- Juniper JunOS: all applicable releases

Infoblox NetMRI also supports virtual contexts in the following:

- Cisco IOS 12.x, 13.x, 14.x, and 15.x
- Cisco ASA: all applicable releases
- Cisco FWSM: all applicable releases
- Cisco Nexus 5K NX-OS 5.x and 6.x
- Cisco Nexus 7K NX-OS 5.x and 6.x
- Juniper JunOS: all applicable releases

About Known Issues

Vendor SNMP (and SSH/Telnet) support is commonly affected by, or limited by, vendor implementation of the protocol. Upgrading network infrastructure incurs costs, as does upgrading to a version that is newer than the version directly supported by Infoblox. Conversely, certain vendor firmware versions may be affected by known issues or defects that are addressed in more recent vendor releases, potentially allowing more complete support by Infoblox products. In some cases, upgrading to versions newer than those listed as supported in this document may also lead to problems with device support. Infoblox recommends consulting with Support prior to firmware upgrades to ensure continued device support, and consult your device vendor for recommendations on the latest available OS/Firmware version and their SNMP MIB and/or SSH and Telnet support.

Infoblox continuously identifies many different Vendor OS/Firmware versions that present significant issues with SNMP. That list is not presented as part of this document, owing to these issues being tied to other vendors' products. If you have questions about particular Vendor OS/Firmware versions that are not addressed in the subsections above, contact Infoblox Support and/or device vendor support for assistance.

Specific Known Issues

Some devices impose policy restrictions or licensing restrictions, preventing verification of config collection and/or port control support:

- HP VCEthernetModule (unable to verify config collection and port control)
- Nortel VSP9012 Switch-Router (unable to verify port control)
- Nortel ERS-8606 Switch-Router (unable to verify port control)
- H3C hpA512048GEI Switch (unable to verify port control)
- Force10 m-IOA Switch (unable to verify port control)
- Ruggedcom RS900 Switch (port control is not supported due to the device's CLI being menu-driven) Beginning with NetMRI 6.9.4, NetMRI supports ARP data collection through the CLI for all Juniper devices.

Infoblox Network Infrastructure Complete Device Support List

This document provides the Infoblox Network Infrastructure Complete Device Support List to describe device support for Infoblox Network Insight and NetMRI, including platforms licensed with a feature subset (e.g. Automation Change Manager).

All devices are listed as of NetMRI Release 7.4.2 and Network Insight 8.5.

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
3Com	SuperStack 4400 Series Switches	Switch, Switch-Router		Y	SSH, Telnet	N	Both	Validated	N
3Com	4120-26	Switch	v3.01.11.s56	Y		Y	Both	Validated	
3Com	5500 Series Switches	Switch		Y	SSH, Telnet	N	Both	Validated	
3Com	juSwitch5500-eipwr-28	Switch-Router	V3.03.02s168ep10	Y	N	N	Both	Validated	
3Com	juSwitch5500G-ei-48	Switch-Router	V3.03.02s168ep18	Y	N	N	Both	Validated	
3Com	8800 Series Switches	Switch		Y	SSH, Telnet	N	Both	Validated	
3Com	juSwitch8810	Switch-Router	3.01.32s256re	Y	N	N	Both	Validated	
3Com	juSwitch4500-pwr-26	Switch-Router	V3.03.02s168p11	Y	SSH	Y	Both	Validated	
3Com	juSwitch5500-ei-28	Switch-Router	V3.03.02s56ep04	Y	SSH	Y	Both	Validated	
A10	AX1000	Load Balancer	2.7.0-P6	Y	SSH	N/A	Both	Validated	N
A10	AX2500	Load Balancer	2.4.3	Y	SSH, Telnet	N/A	Both	Validated	
A10	AX2600	Load Balancer	2.6.1	Y	SSH	N/A	Both	Validated	
A10	AX3000	Load Balancer	2.6.1-GR1-P5	Y	SSH	N/A	Both	Validated	
A10	TH1030S	Load Balancer	2.7.1-P6	Y	SSH	N/A	Both	Validated	
A10	TH4430S	Load Balancer	4.1.0(build: 454)	Y	SSH	N/A	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
A10	TH840	Load Balancer	4.1.1-P1(build: 38)	Y	SSH	N/A	Both	Validated	
A10	TH3230S	Load Balancer	4.0.1(build: 214)	Y	Y	N	Both	Validated	
A10	TH1030S	Unified Application Service Gateway	2.7.2-P10 (build: 86)	Y	Y	N	Both	Validated	
A10	TH3030S	Load Balancer	4.1.0-P9	Y	Y	N	Both	Validated	
Acme Packet	3820	VOIP Gateway	SCX6.4.0 MR-3 Patch 2 (Build 341)	Y	SSH	N/A	Both	Validated	N
Acme Packet	4500	VOIP Gateway	ECZ7.3.0 MR-1 Patch 1 (Build 134)	Y	SSH	N/A	Both	Validated	
Alaxala	AX3640S-24T	Switch-Router	11.5.B	Y	Telnet	N	Both	Validated	N
Alaxala	AX6708S	Switch-Router	11.5	Y	Telnet	N	Both	Validated	
Alcatel	OmniStack6024	Switch	v2.51.05	Y	N	N	Both	Validated	N
Alcatel	OmniStack6124	Switch	v3.30.03	Y	N	N	Both	Validated	
Alcatel	OmniStack6148	Switch	v3.30.03 v3.30.08	Y	N	N	Both	Validated	
Alcatel/Xylan	OmniStack 6248P	Switch	1.0.1.27	Y	SSH, Telnet	N	Both	Validated	
Alcatel/Xylan	OmniStack 6224	Switch	1.7.0.18	Y	SSH, Telnet	N	Both	Validated	
Alcatel/Xylan	OmniStack 6300-24	Switch	2.2.0.15	Y	SSH, Telnet	N	Both	Validated	
Alcatel/Xylan	OmniStack/PizzaSwitch Family	Switch		Y	N	N	Both	Validated	
Alcatel/Xylan	OmniSwitch 9 Switch Family	Switch		Y	N	N	Both	Validated	
Alcatel/Xylan	OmniSwitch 4024 Series Switch	Switch		Y	SSH, Telnet	N	Both	Validated	
Alcatel/Xylan	OmniSwitch 5024 Series Switch	Switch		Y	SSH, Telnet	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Alcatel/Xylan	OmniSwitch 6024 Series Switch	Switch		Y	SSH, Telnet	N	Both	Validated	
Alcatel	OS10000	Switch-Router	7.3.1.748.R01	Y	SSH	N	Both	Validated	
Alcatel	OS6400P48	Switch-Router	6.4.3.717.R01 6.4.3.907.R01 6.4.4.530.R01	Y	SSH	Y	Both	Validated	
Alcatel	OS6450-24	Switch-Router	6.6.4.177.R01 GA	Y	SSH	Y	Both	Validated	
Alcatel	OS6450P10	Switch-Router	6.6.3.451.R01	Y	SSH	Y	Both	Validated	
Alcatel	OS6400P24	Switch-Router	6.4.4.530.R01	Y	SSH	Y	Both	Validated	
Alcatel	OS6400U24	Switch-Router	6.4.4.530.R01	Y	SSH	Y	Both	Validated	
Alcatel	OS6450P24	Switch-Router	6.6.3.438.R01	Y	SSH	Y	Both	Validated	
Alcatel	OS6450P48	Switch-Router	6.6.3.520.R01 6.6.4.177.R01 GA	Y	SSH	Y	Both	Validated	
Alcatel/Xylan	OS660248	Switch-Router	5.1.6.474.R02	Y	SSH	Y	Both	Validated	
Alcatel	OS6624PoE	Switch-Router	5.1.6.424.R01	Y	SSH	Y	Both	Validated	
Alcatel	OS685024X	Switch-Router	6.3.4.569.R01 6.4.3.907.R01	Y	SSH	Y	Both	Validated	
Alcatel	OS6850P24X	Switch-Router	6.4.3.907.R01	Y	SSH	Y	Both	Validated	
Alcatel/Xylan	OmniSwitch 6850-48	Switch	6.4.2.968.R01	Y	SSH, Telnet	N	Both	Validated	
Alcatel/XylanValidated	OmniSwitch 6850EP-48	Switch-Router	6.4.4.343.R01GA	Y	SSH, Telnet	Y	Both	Validated	
Alcatel/Xylan	OmniSwitch 6850-P24L	Switch	6.1.3.805.R01	Y	SSH, Telnet	N	Both	Validated	
Alcatel	OS6900-X20/X40	Switch-Router	7.3.2.469.R01	Y	SSH	Y	Both	Validated	
Alcatel/Xylan	OmniSwitch 7700 Series	Switch		Y	SSH, Telnet	N	Both	Validated	
Alcatel/Xylan	OmniSwitch 7800 Series	Switch		Y	SSH, Telnet	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Alcatel	OS9600	Switch-Router	6.4.3.907.R01	Y	SSH	Y	Both	Validated	
Alcatel/Xylan	OS9700	Switch-Router	6.3.4.621.R01	Y	SSH, Telnet	Y	Both	Validated	
Alcatel/Xylan	OmniSwitch 8008 Series Switch	Switch		Y	SSH, Telnet	N	Both	Validated	
Alcatel/Xylan	PR5200 Series Switch Router	Switch-Router		Y	N	N	Both	Validated	
Alcatel/Xylan	Service Aggregation Router 7705 SAR-8	Router	TiMOS-B-2.1.R3	Y	SSH, Telnet	N/A	Both	Validated	
Alcatel	7705 SAR-f	Router	TiMOS-B-4.0.R5	Y	SSH, Telnet	N/A	Both	Validated	
Alcatel/Xylan	Service Router 7750	Router	TiMOS-C-7.0.R3	Y	SSH, Telnet	N/A	Both	Validated	
Alcatel	7210 SAS-M	Switch-Router	TiMOS-B-6.0.R6	Y	SSH	Y	Both	Validated	
Alcatel	7210 SAS-M24F2XP	Switch-Router	TiMOS-B-6.0.R6	Y	SSH	Y	Both	Validated	
Alcatel	OS6450C48	Switch-Router	6.6.4.244.R01 GA	Y	SSH	N	Both	Validated	
Alcatel	7750 SR-12e	Router	TiMOS-C-14.0.R4	Y	Y	N	Both	Validated	
Alcatel	OmniSwitch 6250-24	Switch-Router	6.6.3.520.R01	Y	Y	N	Both	Validated	
Alcatel	OmniSwitch 6850E-24	Switch		Y	Y	N	Both	Validated	
Alcatel	OmniSwitch 9700E	Switch-Router		Y	Y	N	Both	Validated	
Alcatel	OmniSwitch 9800E	Switch-Router		Y	Y	N	Both	Validated	
Alcatel	OS6860E-P48	Switch-Router	8.4.1.141.R03 GA	Y	Y	N	Both	Validated	
Alcatel	OS6860-P48	Switch-Router	8.5.255.R02	Y	Y	N	Both	Validated	
Alcatel	OS6860E-P24	Switch-Router	8.5.255.R02	Y	Y	N	Both	Validated	
Alcatel	OS6860E-P48	Switch-Router	8.5.255.R02	Y	Y	N	Both	Validated	
Alcatel	OS6860E-U28	Switch-Router	8.5.255.R02	Y	Y	N	Both	Validated	
Allied Telesyn	AT-8200 Series Switches	Switch		Y	SSH, Telnet	N	Both	Validated	N
Allied Telesyn	AT-8000-24POE	Switch	3.0.0.45	P	SSH	Y	Both	Validated	
Allied Telesyn	x610_24Ts	Switch-Router	5.4.1-2.8 5.4.2-3.14	Y	SSH	Y	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Allied Telesyn	x610_24Ts	Switch-Router	5.4.2-3.14	Y	SSH	Y	Both	Validated	
Alteon	copperModule	Switch	1.0.1.4	Y	Telnet	N	Both	Validated	N
Alteon	NnVPNGw3050	VPN	v9.0.13.0	Y	N	N	Both	Validated	
Anue	5236	NTO	3.11.0.6	Y	N	N	Both	Validated	N
APCON	ACI-3036-AC	Switch	4.35.6	Y	Y	N	Both	Validated	N
APCON	ACI-3072-XE-AC	Switch	4.35.6	Y	Y	N	Both	Validated	
APCON	ACI-3072-XE-AC-R	Switch	4.35.6	Y	Y	N	Both	Validated	
APCON	ACI-3144-XR-AC	Switch	4.35.6	Y	Y	N	Both	Validated	
Apple	Airport Extreme Wireless Base Station Family	Wireless AP		N	SSH, Telnet	N/A	Both	Validated	N
Arista	DCS7280SE72	Switch-Router	4.15.1F	Y	SSH	Y	Both	Validated	Y
Arista	DCS7124S	Switch	4.7.7	Y	SSH, Telnet	N	Both	Validated	
Arista	DCS7124S	Switch	4.9.1	Y	SSH, Telnet	N	Both	Validated	
Arista	DCS7048TA	Switch-Router	4.8.3 4.9.5	Y	SSH, Telnet	Y	Both	Validated	
Arista	DCS7050S52	Switch	4.7.7	Y	SSH, Telnet	N	Both	Validated	
Arista	DCS-7050T-52	Switch	EOS v4.11.5.1	Y	SSH, Telnet	Y	Both	Validated	
Arista	DCS7504	Switch-Router	4.10.4	Y	SSH, Telnet	Y	Both	Validated	
Arista	DCS7508	Switch	4.8.3	Y	SSH, Telnet	Y	Both	Validated	
Arista	vEOS	Switch-Router	4.13.5F	Y	SSH, Telnet	Y	Both	Validated	
Arista	DCS7150S24	Switch-Router	4.13.5F	Y	SSH	N	Both	Validated	
Arista	DCS7050SX128	Switch-Router	4.15.3F	Y	SSH	Y	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Arista	DCS7050SX64	Switch-Router	4.15.2F	Y	SSH	Y	Both	Validated	
Arista	DCS7050SX64	Switch-Router	4.15.3F	Y	SSH	Y	Both	Validated	
Arista	DCS-7050TX-128	Switch-Router	4.15.5M	Y	N/A for NI	N	Both	Validated	
Arista	DCS-7050QX-32S	Switch-Router	4.14.3F	Y	Y	N	Both	Validated	
Arista	DCS-7048T-A-F	Switch-Router	4.14.6M	Y	Y	N	Both	Validated	
Arista	DCS-7050T-64	Switch-Router	4.14.10M	Y	Y	N	Both	Validated	
Arista	DCS-7010T-48	Switch-Router	4.15.5M	Y	Y	N	Both	Validated	
Arista	DCS-7050SX-72Q	Switch-Router	4.15.5M	Y	Y	N	Both	Validated	
Arista	DCS-7250QX-64	Switch-Router	4.15.5M	Y	Y	N	Both	Validated	
Arista	DCS-7050TX-128	Switch-Router	4.15.5M	Y	Y	N	Both	Validated	
Arista	DCS-7050T-64-F	Switch-Router	4.14.10M	Y	Y	N	Both	Validated	
Arista	DCS-7048T	Switch-Router	4.14.6M	Y	Y	N	Both	Validated	
Arista	DCS-7050SX-128	Switch-Router	4.15.5M	Y	Y	N	Both	Validated	
Arista	DCS-7050TX-72Q-F	Switch-Router	4.15.5M	Y	Y	N	Both	Validated	
Array Networks	APV3600	Load Balancer	8.6.1.37	Y	Y	N	Both	Validated	N
Arris	C-Series CMTS	Router		Y	SSH, Telnet	N/A	Both	Validated	N
Arris	D-Series Universal Edge QAM	Video QAM		Y	SSH, Telnet	N/A	Both	Validated	
Aruba	6000 Series Wireless Controller	Wireless Controller		Y	SSH, Telnet	N/A	Both	Validated	Y – NetMRI
Aruba	A620-US	Wireless Controller	6.1.2.4	Y	SSH, Telnet	N/A	Both	Validated	No – Network Insight
Aruba	S3500-24P-US	Switch	7.1.3.3	Y	SSH	AdminStatus, Description	Both	Validated	
Aruba	A7240	Wireless Controller	6.4.2.6-4.1.1.10_51810	Y	SSH	N/A	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Aruba	ap225	Wireless AP	6.4.2.6-4.1.1.10_51810	Y	SSH	N/A	Both	Validated	
Aruba	A7205	Wireless Controller	6.4.3.1	Y	SSH	N/A	NetMRI	Validated	
Aruba	A5000-US	Wireless Controller	5.0.4.3	Y	SSH	N/A	NetMRI	Validated	
Aruba	7240-US	Wireless Controller	6.4.4.16	Y	Y	N/A	Both	Validated	
Aruba	7210 (US)	Mobility Controller	6.4.4.16	Y	Y	N	Both	Validated	
Aruba	AP-105	Wireless AP	6.4.4.8-4.2.4.5	Y	Y	N	Both	Best Effort	
Aruba	A7005	Wireless Controller	8.2.1.0	Y	Y	N	Both	Validated	
Aruba	A7005-US	Wireless Controller	8.2.1.0	Y	Y	N	Both	Validated	
Aruba	Aruba-Stack2930M	Switch-Router	22.5.1.7	Y	Y	N	Both	Validated	
Aruba	A7240XM-US	Wireless Controller	8.3.0.5	Y	Y	N	Both	Validated	
Aruba	A7205	Wireless Controller	8.3.0.6	Y	Y	N	Both	Validated	
Aruba	A7205-US	Wireless Controller	8.3.0.6	Y	Y	N	Both	Validated	
Aruba	A7210	Wireless Controller	6.5.4.7	Y	Y	N	Both	Validated	
Aruba	A7210-US	Wireless Controller	6.5.4.7	Y	Y	N	Both	Validated	
Aruba	A7240XM-US	Wireless Controller	8.2.1.0	Y	Y	N	Both	Validated	
Aruba	A7220	Wireless Controller	8.2.1.0	Y	Y	N	Both	Validated	
Aruba	A7030	Wireless Controller	8.2.1.0	Y	Y	N	Both	Validated	
Aruba	A7030-US	Wireless Controller	8.2.1.0	Y	Y	N	Both	Validated	
Aruba	MM-HW-1K	Wireless Controller	8.3.0.2	Y	Y	N	Both	Validated	
Aruba	A7210-US	Wireless Controller	6.5.3.6	Y	Y	N	Both	Validated	
Aruba	A7210	Wireless Controller	6.5.4.3	Y	Y	N	Both	Validated	
Aruba	MM-HW-10K	Wireless Controller	8.3.0.6	Y	Y	N	Both	Validated	
Aruba	A7010-US	Wireless Controller	8.2.1.0	Y	Y	N	Both	Validated	
Aruba	A7010	Wireless Controller	8.2.1.0	Y	Y	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Avaya	S8700 Series Media Server	Call Server		Y	N	N/A	Both	Validated	Y – NetMRI
Avaya	1600 Series IP Phone	IP Phone		Y	N	N/A	Both	Validated	No – Network Insight
Avaya	4600 Series IP Phone	IP Phone		Y	N	N/A	Both	Validated	
Avaya	9600 Series IP Phone	IP Phone		Y	N	N/A	Both	Validated	
Avocent	ASC6048	Console Server	2.4.0.11	N	SSH	N/A	Both	Validated	N
Avocent	ASC6048	Console Server	3.1.0.8	Y	Y	N	Both	Validated	
Avocent	ASC6048	Console Server	3.3.0.10	Y	Y	N	Both	Validated	
Avocent	ASC6048	Console Server	3.5.0.10	Y	Y	N	Both	Validated	
Avocent	ASC6048	Console Server	3.6.0.8	Y	Y	N	Both	Validated	
BigBand	BRE Encoder Family	Video Encoder		N	SSH, Telnet	N/A	Both	Validated	N
BigBand	BMR 1200 Series Video Networking Platform	Video Groomer		N	SSH, Telnet	N/A	Both	Validated	
BlueCoat	sg300	Proxy	6.2.6.1	Y	SSH, Telnet	N/A	Both	Validated	Y – NetMRI
BlueCoat	sg600	Proxy	6.4.4.1	Y	SSH	N/A	Both	Validated	No – Network Insight
BlueCoat	sg900	Proxy	6.5.2.3	Y	SSH	N/A	Both	Validated	
BlueCoat	sg9000	Proxy	6.4.4.1	Y	SSH, Telnet	N/A	Both	Validated	
BlueCoat	SG-S500	Proxy	6.6.5.13	Y	Y	N	Both	Validated	
BNT	g8000-RS	Switch-Router	6.8.6	Y	SSH, Telnet	Y	Both	Validated	N
BNT	g8124	Switch-Router	1.1.4.0	Y	SSH, Telnet	Y	Both	Validated	
BNT	g8124	Switch-Router	6.8.12 6.8.19	Y	SSH, Telnet	Y	Both	Validated	
BNT	gbESM-10G-L2L3	Switch	6.5.3, 6.8.14	Y	SSH, Telnet	Y	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Brocade	FastIron Series	Switch-Router		Y	SSH, Telnet	N	Both	Validated	N
Brocade	BigIron Series	Switch, Router		Y	SSH, Telnet	N	Both	Validated	
Brocade	BrocadeMLXe32	Switch-Router	5.2.0aT163	Y	SSH, Telnet	N	Both	Validated	
Brocade	NetIron Series	Switch-Router		Y	SSH, Telnet	N	Both	Validated	
Brocade	Edgelron 4802CF (Foundry)	Switch	v2.2.7.33	Y	SSH, Telnet	N	Both	Validated	
Brocade	NIXMR16000	Switch-Router	5.2.0dT163	Y	SSH, Telnet	N	Both	Validated	
Brocade	ServerIron Series	Switch-Router		Y	SSH, Telnet	N	Both	Validated	
Brocade	6510	Switch-Router	7.3.1	Y	SSH, Telnet	N	Both	Validated	
Brocade	vdx6720	Switch-Router	3.0.0b	Y	SSH, Telnet	N	Both	Validated	
Brocade	vdx6720P24	Switch-Router	3.0.0b	Y	SSH, Telnet	N	Both	Validated	
Brocade	vdx6730P32	Switch-Router	4.2.1ac	Y	SSH, Telnet	N	Both	Validated	
Brocade	vdx6740	Switch-Router	4.2.1ac	Y	SSH, Telnet	N	Both	Validated	
Brocade	vdx8770S4	Switch-Router	4.2.1ac	Y	SSH, Telnet	N	Both	Validated	
Brocade	FastIronStackICX7450	Switch	08.0.30gT211	Y	SSH	Y	Both	Validated	
Brocade	FES12GCF	Switch	04.1.00Tc1	Y	Y	Y	Both	Validated	
Brocade	FCX648SHPOE	Switch	08.0.10kT7f1	Y	N	Y	Both	Validated	
Brocade	FCX624SHPOE	Switch	08.0.10kT7f1	Y	N	Y	Both	Validated	
Brocade	FastIronStackFCX	Switch	08.0.10kT7f1	Y	N	Y	Both	Validated	
Brocade	FLS624	Switch	07.2.02nT7e1	Y	N	Y	Both	Validated	
Brocade	FLS648	Switch	07.2.02nT7e1	Y	N	Y	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Brocade	ICX643024HPOE	Switch	08.0.10kT311	Y	N	Y	Both	Validated	
Brocade	ICX643048HPOE	Switch	08.0.10kT311	Y	N	Y	Both	Validated	
Brocade	ICX643048	Switch	08.0.10kT311	Y	N	Y	Both	Validated	
Brocade	ICX6430C12	Switch	08.0.10kT311	Y	N	Y	Both	Validated	
Brocade	ICX661024F	Switch	08.0.10kT7f1	Y	N	Y	Both	Validated	
Brocade	ICX7450-24	Switch-Router	08.0.30cT213	Y	Y	N	Both	Validated	
Brocade	FastIronSuperXPrem	Switch-Router	07.2.02dT3e3	Y	Y	N	Both	Validated	
Brocade	FastIronStackFCX	Switch-Router	07.4.00fT7f3	Y	Y	N	Both	Validated	
Brocade	BrocadeMLXe4	Switch-Router	5.4.0fT163	Y	Y	N	Both	Validated	
Brocade	ICX661048P	Switch-Router	07.4.00fT7f3	Y	Y	Y	Both	Validated	
Brocade	ICX7250-48	Switch-Router	08.0.40bT213	Y	SSH	N	NetMRI	Validated	
Brocade	ICX6430C12	Switch-Router	08.0.30n.T311	Y	SSH	N	NetMRI	Validated	
Brocade	vdx6740	Switch-Router	7.0.1	Y	SSH	N	NetMRI	Validated	
Brocade	ICX7750	Switch-Router	08.0.30kaT203	Y	SSH	Y	NetMRI	Validated	
Brocade	ICX725048	Switch-Router	08.0.40bT213	Y	Y	Y	Both	Validated	
Brocade	ICX6430C12	Switch-Router	08.0.30mbT311	Y	Y	Y	Both	Validated	
Brocade	ICX7450-48F	Switch-Router	08.0.40aT213	Y	Y	Y	Both	Validated	
Brocade	vdx6720P60	Switch-Router	3.0.1a	Y	Y	N	Both	Validated	
Brocade	vdx6720P60	Switch-Router	3.0.1a	Y	Y	N	Both	Validated	
Brocade	ASA5585Ssp60sc	Firewall	9.6(2)	Y	Y	N	Both	Best Effort	
CASA	C2000 Series CMTS	CMTS		Y	SSH, Telnet	N/A	Both	Validated	N
CASA	C3000 Series CMTS	CMTS		Y	SSH, Telnet	N/A	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Check Point	Gaia	Security Manager	R75.40, R77.10	Y	Not Supportable	N/A	Both	Validated	Y – NetMRI
Check Point	IP690 / FireWall-1	Firewall	7.3/6.2-GA024	Y	SSH, Telnet	N/A	Both	Validated	N – Network Insight
Check Point	IP560 / Firewall	Firewall	9.7/6.2-GA055b01	Y	SSH, Telnet	N/A	Both	Validated	
Check Point	SecurePlatform (SPLAT)	Security Manager	R70	Y	Not Supportable	N/A	Both	Validated	
Check Point	VPN-1 / Firewall -1 Family	Firewall		Y	SSH, Telnet	N/A	Both	Validated	
Check Point	Smart-1 3050	Security Management Appliance	Gaia R77.30	Y	Y	N	Both	Validated	
Check Point	5600	Firewall	Gaia R80.10	Y	Y	N	Both	Validated	
Check Point	23500	Firewall	Gaia R77.30	Y	Y	N	Both	Validated	

NOTE:

NetMRI for Check Point models Smart-1 3050, 5600, and 23500: To enable Advisor support, create the following file in the specified directory: /var/home/admin/Backup/useCheckPointAdvisor.

Network Insight: Advisor support is disabled by default, but you can contact [Infoblox support](#) to enable it.

Ciena	3926m	Service Delivery Platform	saos-06-17-01-0149	Y	Y	N	NetMRI	Validated	N
Cisco	800 Series Integrated Services Router	Router		Y	SSH, Telnet	N/A	Both	Validated	Y
Cisco	1600 Series Integrated Services Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	1700 Series Integrated Services Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	1800 Series Integrated Services Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	2500 Series Access Server	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	2500 Series	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	2600 Series	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	2800 Series Integrated Services Router	Router		Y	SSH, Telnet	N/A	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Cisco	2811	Router	12.4(15)T1	Y	SSH, Telnet	N/A	Both	Validated	
Cisco	2921	Router	IOS 15.2(4)M3	Y	SSH, Telnet	N/A	Both	Validated	
Cisco	3000 Series VPN Concentrator	VPN		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	3600 Series Multifunction Platform	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	3700 Series Multiservice Access Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	3800 Series Integrated Services Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	3945 Integrated Services Router	Router	15.1(4)M5	Y	SSH, Telnet	N/A	Both	Validated	
Cisco	4400 Series Wireless LAN Controller	Wireless Controller		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	4507re	Switch-Router	15.0(2)SG	Y	N/A	N/A	Both	Validated	
Cisco	4700 Series Modular Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	C68xx Virtual Switch	Switch-Router	v15.2(1)SY1	Y	SSH, Telnet	N	Both	Validated	
Cisco	7200/7300 Series WAN Aggregation Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	7500 Series Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	7600 Series Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	8500 Series Multiservice Switch Router	Switch-Router		Y	N	IOS 12.x	Both	Validated	
Cisco	12000 Series Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	12406	Router	4.2.1[Default]	Y	SSH, Telnet	N/A	Both	Validated	
Cisco	ACE20K9	Load Balancer	A2(3.5)	Y	SSH	N/A	Both	Validated	
Cisco	ACE 4710 (ACE4710K9)	Load Balancer	A3 (2.7)	Y	SSH, Telnet	N/A	Both	Validated	
Cisco	AIR-CT5508-K9	Wireless Controller	7.2.103.0 7.4.121.0	Y	SSH	N/A	Both	Validated	
Cisco	AIRAP1262	Wireless AP	IOS 12.4(25d)JA1	Y	SSH	N/A	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Cisco	AIRAP2602	Wireless AP	IOS 15.2(4)JB4	Y	SSH	N/A	Both	Validated	
Cisco	Aironet 340 Series Access Point	Wireless AP		Y	N	N/A	Both	Validated	
Cisco	Aironet 350 Series Access Point	Wireless AP		Y	N	N/A	Both	Validated	
Cisco	Aironet 1100 Series Access Point	Wireless AP		Y	N	N/A	Both	Validated	
Cisco	Aironet1130 (AIRAP1130)	Wireless AP	12.3(7)JA2	Y	SSH, Telnet	N/A	Both	Validated	
Cisco	Aironet 1200 Series Access Point	Wireless AP		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	AS5200 Family Universal Access Server	Comm Server		Y	N	N/A	Both	Validated	
Cisco	A5300 Series Universal Gateway	Comm Server		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	ASA5500 Series Adaptive Security Appliance	Firewall		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	ASA5506	Firewall	9.5(2)2	Y	SSH	N/A	Both	Validated	
Cisco	ASA5508sc	Firewall	9.4(2)11	Y	SSH	N/A	Both	Validated	
Cisco	ASA5512	Firewall	8.6(1)2	Y	SSH	N/A	Both	Validated	
Cisco	ASA5516-X	Firewall	9.4(2)	Y	SSH	N/A	Both	Validated	
Cisco	ASA5520	Firewall	8.4(3), 9.1(2)	Y	SSH	N/A	Both	Validated	
Cisco	ASA5585Ssp10sc	Firewall	8.4(4)9	Y	SSH	N/A	Both	Validated	
Cisco	ASA5585Ssp40	Firewall	8.4(7)23	Y	SSH	N/A	Both	Validated	
Cisco	ASASm1sc	Firewall	9.1(3)	Y	SSH, Telnet	N/A	Both	Validated	
Cisco	ASR 1001	Router	15.1(3)S	Y	SSH, Telnet	N/A	Both	Validated	
Cisco	ASR1001X	Router	15.4(3)S4	Y	SSH	N/A	Both	Validated	
Cisco	ASR 1002	Router	15.0(1)S1	Y	N	N/A	Both	Validated	
Cisco	ASR 1004	Router	15.0(1)S, 15.1(1)S2	Y	SSH, Telnet	N/A	Both	Validated	
Cisco	ASR 9001	Router	4.2.1[Default]	Y	SSH, Telnet	N/A	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Cisco	ASR 9006	Router	3.9.1, 4.0.0	Y	SSH, Telnet	N/A	Both	Validated	
Cisco	ASR 9010	Router	4.2.1[Default]	Y	SSH, Telnet	N/A	Both	Validated	
Cisco	CRS-4/S	Load Balancer	3.8.4	Y	SSH, Telnet	N/A	Both	Validated	
Cisco	CRS8S	Router	4.1.2[Default]	Y	SSH, Telnet	N/A	Both	Validated	
Cisco	Call Managers Series	Call Server	3.4,5,6, 8.5.1.12900-1	Y	N/A	N/A	Both	Validated	
Cisco	Catalyst 1900 Series Switch	Switch		Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Catalyst 2900 Series Switch	Switch		Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Catalyst 2950 Series Switch	Switch		Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Catalyst2960 (catalyst296024)	Switch, Switch-Router	15.0(1)SE2	Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Catalyst 2970 Series Switch	Switch		Y	N	IOS 12.x	Both	Validated	
Cisco	Catalyst 3500 XL Series Switch	Switch		Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Catalyst 3550 Series Switch	Switch		Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Catalyst 3560 Series Switch	Switch		Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Catalyst 3650 Series Switch	Switch-Router	IOS-XE v. 03.03.03SE IOS-XE v. 03.03.02SE	Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Catalyst 3750 Series Switch	Switch		Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Catalyst 3750 series Wireless Controller	Wireless Controller		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	Catalyst 3850 Series Switch	Switch-Router	IOS-XE 03.02.01.SE v15.0(1)EX2	Y	SSH, Telnet	Y	Both	Validated	
Cisco	Catalyst 4000 Series Switch	Switch		Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Catalyst 4500 Series Switch	Switch		Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Catalyst 4507re	Switch-Router	15.0(2)SG	Y	SSH, Telnet	N/A	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Cisco	Catalyst 4900 Series Switch	Switch		Y	N	IOS 12.x	Both	Validated	
Cisco	Catalyst 5000 Series Switch	Switch		Y	N	IOS 12.x	Both	Validated	
Cisco	Catalyst 5500 Series Switch	Switch		Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Catalyst 6000 Series Switch	Switch		Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Catalyst 6500 Series Switch	Switch		Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	CSACS-1120	Radius Server	5.0	Y	N	N/A	Both	Validated	
Cisco	CCS 11000 Series Content Services Switch	Switch		Y	N	IOS 12.x	Both	Validated	
Cisco	DSC9513	Storage Appliance	NX-OS 5.2	Y	N	N/A	Both	Validated	
Cisco	ISR4431	Router	15.4(3)S5	Y	SSH	N/A	Both	Validated	
Cisco	ISR4331	Router	v15.4(3)S2	Y	SSH	N/A	Both	Validated	
Cisco	ISR4351	Router	v15.4(3)S2	Y	SSH	N/A	Both	Validated	
Cisco	ISR4451	Router	v15.4(3)S1	Y	SSH	N/A	Both	Validated	
Cisco	MDS9000 Series Multilayer SAN Switch	Switch	NX-OS 6.2(1)	Y	SSH, Telnet	IOS 12.x	Both	Validated	
Cisco	Me3400eg12csM	Switch	12.2(55)SE	Y	SSH, Telnet	N	Both	Validated	
Cisco	Nexus 1000V Series Switch	Switch	4.2	Y	SSH, Telnet	Y	Both	Validated	
Cisco	Nexus N1KV	Switch	4.2(1)SV2(2.1)	Y	SSH, Telnet	Y	Both	Validated	
Cisco	Nexus 2000 Series Fabric Extender (with Nexus 5000 Series Switch)	Switch	5.0(2)N2(1)	Y	SSH, Telnet	Y	Both	Validated	
Cisco	N3kC3048TP1GE	Switch-Router	5.0(3)U4(1), 6.0(2)U2(1)	Y	SSH	Y	Both	Validated	
Cisco	N3kC3064PQ10GE	Switch-Router	5.0(3)U5(1c)	Y	Telnet	Y	Both	Validated	
Cisco	N5KC56128P	Switch	7.0(7)N1(1)				Both	Validated	
Cisco	Nexus N3K-C3064PQ-GX10	Switch	5.0(3)U5(1e)	Y	SSH	Y	Both	Validated	
Cisco	Nexus 4000 (N4KIBMEth)	Switch	4.1	Y	SSH, Telnet	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Cisco	Nexus 5k Family	Switch	5.1	Y	SSH, Telnet	Y	Both	Validated	
Cisco	Nexus 5010 (N5kC5010pBf)	Switch	5.1(3)N2(1b), 4.1, 5.0(2)N2(1)	Y	SSH, Telnet	Y	Both	Validated	
Cisco	Nexus 5020 (N5kC5020pBf)	Switch	4.1, 4.2, 5.0	Y	SSH, Telnet	Y	Both	Validated	
Cisco	Nexus 5548 (N5kC5548p)	Switch	5.0	Y	SSH, Telnet	Y	Both	Validated	
Cisco	Nexus 5596Up (N5kC5596Up)	Switch	5.0(3)N2(1), 5.1(3)N2(1a)	Y	SSH	Y	Both	Validated	
Cisco	Nexus 7k Family	Switch-Router	5.2	Y	SSH, Telnet	Y	Both	Validated	
Cisco	Nexus 7Kc7009	Switch-Router	5.2(3a)	Y	SSH, Telnet	Y	Both	Validated	
Cisco	Nexus 7010 (N7Kc7010)	Switch-Router	4.2, 5.0, 5.0(2a), 5.1(4)	Y	SSH, Telnet	Y	Both	Validated	
Cisco	Nexus 7018 (N7Kc7018)	Switch-Router	5.0	Y	SSH, Telnet	Y	Both	Validated	
Cisco	PIX 500 Series Security Appliance	Firewall		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	Secure Access Control System	Security Manager	5.6				Both	Validated	
Cisco	SF300-24P	Switch	1.2.7.76	Y	SSH	Y	Both	Validated	
Cisco	SF300-48P	Switch	1.3.5.58	Y	SSH	Y	Both	Validated	
Cisco	SG300-10P	Switch	1.2.7.76, 1.3.0.62	Y	SSH	N	Both	Validated	
Cisco	SG300-10P	Switch		Y	SSH	N	Both	Validated	
Cisco	uBR7100 Series Universal Broadband Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	VG200 Series VOIP Gateway	VoIP Gateway		Y	N	N/A	Both	Validated	
Cisco	VG224	VoIP Gateway	15.1(4)M5	Y	N	N/A	Both	Validated	
Cisco	Wide Area Application Engine (WAAS) Series	WOC		Y	SSH, Telnet	N/A	Both	Validated	
Cisco	Wireless Services Module (WiSM) Series	Wireless Controller	7.4.121.0	Y	SSH, Telnet	N/A	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Cisco	catWsC2960x24tsLL	Switch	15.0(2a)EX5	Y	SSH	N	Both	Validated	
Cisco	cat4xxxVirtualSwitch	Switch-Router	03.06.01.E	Y	SSH	N	Both	Validated	
Cisco	2911	Router	15.2(4)M9	Y	SSH	N	Both	Validated	
Cisco	AIR-CT2504-K9	Wireless Controller	8.0.120.0	Y	SSH	N/A	Both	Validated	
Cisco	AIR-CT2504-K9	Wireless Controller	8.0.121.0,	Y	SSH		Both	Validated	
Cisco	ASA5545sc	Firewall	9.1(6)6	Y	SSH	N/A	Both	Validated	
Cisco	catalyst4948	Switch-Router	12.2(53)SG1	Y	SSH	N/A	Both	Validated	
Cisco	ISR4431	Router	15.4(3)S2	Y	SSH	N/A	Both	Validated	
Cisco	ISR4331,	Router	15.4(3)S2	Y	SSH	N/A	Both	Validated	
Cisco	AIR-CT2504-K9	Wireless Controller	8.0.115.0	Y	SSH	N/A	Both	Validated	
Cisco	N9KC9372PX	Switch	7.0(3)I2(2b)	Y	SSH	N	Both	Validated	
Cisco	ASR1006	Router	15.5(3)S4a	Y	N	N/A	Both	Validated	
Cisco	2911	Router	15.2(4)M9	Y	N	N/A	Both	Validated	
Cisco	ASA5580	Firewall	9.1(5)	Y	SSH	N/A	NetMRI	Validated	
Cisco	ASA5580	Firewall	9.5(2)14	Y	SSH	N/A	NetMRI	Validated	
Cisco	WS-C3650-48PQ	Switch	IOS-XE 03.07.01	Y	SSH	N	NetMRI	Validated	
Cisco	C68xxVirtualSwitch	Switch-Router	15.1(2)SY6	Y	SSH	Y	NetMRI	Validated	
Cisco	S380	Proxy	9.1.2-022	Y	SSH	N/A	NetMRI	Validated	
Cisco	S370	Proxy	9.1.2-022	Y	SSH	N/A	NetMRI	Validated	
Cisco	S190	Proxy	9.1.2-022	Y	SSH	N/A	NetMRI	Validated	
Cisco	7500Wlc	Wireless Controller	8.0.133.0	Y	SSH	N/A	NetMRI	Validated	
Cisco	S170	Proxy	10.1.1-230	Y	SSH	N/A	NetMRI	Validated	
Cisco	N77c7710	Switch-Router	7.2(2)D1(2)	Y	SSH	Y	NetMRI	Validated	
Cisco	N77c7710	Switch-Router	6.2(14)	Y	SSH	Y	NetMRI	Validated	
Cisco	ASA5585Ssp60sc	Firewall	8.4(4)1	Y	SSH	N/A	NetMRI	Validated	
Cisco	3925	Router	15.4(3)M4	Y	SSH	N/A	NetMRI	Validated	
Cisco	ASA5585Ssp40sc	Firewall	8.4(7)30	Y	SSH	N/A	NetMRI	Validated	
Cisco	wsc2948g	Switch	8.3(2)GLX	Y	SSH	N	NetMRI	Validated	
Cisco	ASA5585Ssp40sc	Firewall	8.4(7)26	Y	SSH	N/A	NetMRI	Validated	
Cisco	Nexus 6004	Switch-Router	7.2(1)N1(1)	Y	Y	Y	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Cisco	ASR9010	Router	IOS-XR 4.3.2[Default]	Y	Y	N	Both	Validated	
Cisco	ASR903	Router	15.3(3)S1	Y	Y	N	Both	Validated	
Cisco	N77c7706	Switch	7.2(2)D1(2)	Y	Y	Y	Both	Validated	
Cisco	Nexus C7702	Switch	7.3(0) DX (1)	Y	Y	Y	Both	Validated	
Cisco	ASA 5585 SSP-60	Firewall	9.2(4)17	Y	Y	N	Both	Validated	
Cisco	WSC6509ve	Switch-Router	12.2(33)SXJ6	Y	Y	N	Both	Validated	
Cisco	WS-C2948G-GE-TX	Switch	8.3(2)GLX	Y	Y	N	Both	Validated	
Cisco	catalyst2924XLv	Switch	12.0(5)XU	Y	Y	N	Both	Validated	
Cisco	AIR-CT2504-K9	Wireless Controller	8.0.133.0	Y	Y	N/A	Both	Validated	
Cisco	N9K-C93180YC	Switch	FX 7.0(3)I7(2)	Y	Y	Y	Both	Validated	
Cisco	IE20004T	Switch	15.2(3)E3	Y	Y	N	Both	Validated	
Cisco	N7Kc7004	Switch-Router	7.2(1)D1(1)	Y	Y	N	Both	Best Effort	
Cisco	6004-96Q	Switch-Router	7.3(0)N1(1)	Y	Y	N	Both	Best Effort	
Cisco	AIR-CT5520-K9	Wireless Controller	8.2.130.0	Y	Y	N	Both	Validated	
Cisco	AIR-CT5520-K9	Wireless Controller	8.2.151.0	Y	Y	N	Both	Best Effort	
Cisco	ASR 1002-HX	Router	16.3.3	Y	Y	N	Both	Validated	
Cisco	ASR 1002-HX	Router	16.3.4	Y	Y	N	Both	Validated	
Cisco	ASR 1002-HX	Router	16.6.2	Y	Y	N	Both	Validated	
Cisco	ASR1009-X	Router	16.6.4	Y	Y	N	Both	Validated	
Cisco	ASR 9010 IOS-XR	Switch-Router	5.1.3[Default]	Y	Y	N	Both	Validated	
Cisco	C899G-LTE-LA-K9	Router	15.5(1)T1	Y	Y	N	Both	Best Effort	
Cisco	DSC9710	Storage Appliance	6.2(7)	Y	Y	N	Both	Validated	
Cisco	ISE-VM-K9	Security manager	2.3.0.187	Y	Y	N	NetMRI	Validated	
Cisco	ISR 4331	Router	15.5(3)S3	Y	Y	N	Both	Validated	
Cisco	N77-C7706	Switch-Router	8.2(2)	Y	Y	N	Both	Validated	
Cisco	N77-C7710	Switch-Router	6.2(12)	Y	Y	N	Both	Validated	
Cisco	N3K-C3232C	Switch-Router	7.0(3)I7(2)	Y	Y	N	Both	Validated	
Cisco	N6K-C6001-64P	Switch-Router	7.0(7)N1(1)	Y	Y	N	Both	Validated	
Cisco	N7k7010	Switch-Router	6.2(16)	Y	Y	N	Both	Validated	
Cisco	N9K-C93108TC-FX	Switch-Router	7.0(3)I7(1)	Y	Y	N	Both	Validated	
Cisco	Nexus 3548-X	Switch-Router	6.0(2)A7(2)	Y	Y	N	Both	Validated	
Cisco	Nexus 3548-X	Switch-Router	6.0(2)A8(2)	Y	Y	N	Both	Validated	
Cisco	Nexus 5648Q	Switch-Router	7.1(4)N1(1)	Y	Y	N	Both	Validated	
Cisco	Nexus 6004	Switch-Router	7.0(6)N1(1)	Y	Y	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Cisco	Nexus 92160YC	Switch	7.0(3)I5(1)	Y	Y	N	Both	Validated	
Cisco	Nexus 92304QC	Switch-Router	7.0(3)I4(7)	Y	Y	N	Both	Validated	
Cisco	Nexus 93180LC-EX	Switch-Router	7.0(3)I7(1)	Y	Y	N	Both	Validated	
Cisco	Nexus 93180YC-EX	Switch-Router	7.0(3)I4(2)	Y	Y	N	Both	Validated	
Cisco	Nexus 93180YC-EX	Switch-Router	7.0(3)I5(2)	Y	Y	N	Both	Validated	
Cisco	Nexus 93180YC-EX	Switch-Router	7.0(3)I7(1)	Y	Y	N	Both	Validated	
Cisco	Nexus 93180YC-EX	Switch-Router	7.0(3)I7(3)	Y	Y	N	Both	Validated	
Cisco	Nexus 9332PQ	Switch-Router	7.0(3)I5(2)	Y	Y	N	Both	Validated	
Cisco	WS-C2960X-24TS-L	Switch-Router	15.0(2)EX4	Y	Y	N	Both	Validated	
Cisco	Cat9407R	Switch-Router	16.6.4	Y	Y	N	Both	Validated	
Cisco	C9300-24UX	Switch-Router	16.8.20180420:143806	Y	Y	N	Both	Validated	
Cisco	C9300-48P	Switch-Router	16.6.4	Y	Y	N	Both	Validated	
Cisco	C9300-48U	Switch	16.9.1	Y	Y	N	Both	Validated	
Cisco	N5kC5548UP	Switch-Router	7.0(3)N1(1)	Y	Y	N	Both	Validated	
Cisco	N7Kc7010	Switch-Router	8.1(1)	Y	Y	N	Both	Best Effort	
Cisco	WS-C2960X-48FPD-L	Switch-Router	15.2(2)E7	Y	Y	N	Both	Validated	
Cisco	WS-C6506-E	Switch-Router	15.2(1)SY5	Y	Y	N	Both	Validated	
Cisco	ASAv	Firewall	9.9(1)2	Y	Y	N	Both	Validated	
Cisco	UCSFI6248UP	Switch	5.0(3)N2(3.22d)	Y	Y	N	Both	Validated	
Cisco	SNS-3495-K9	Security Manager	2.4.0.357	Y	Y	N	Both	Validated	
Cisco	NCS5501	Router	IOS-XR 6.3.3	Y	Y	N	Both	Validated	
Cisco	AIR-CT5508-K9	Wireless Controller	8.0.152.0	Y	Y	N	Both	Best Effort	
Cisco	SNS3595K9	Security Manager	2.2.0.470	Y	Y	N	Both	Validated	
Cisco	Fpr2110td	Firewall	2.3(1.84)	Y	Y	N	Both	Validated	
Cisco	SG300-28PP	Switch	1.4.1.3	Y	Y	N	Both	Validated	
Cisco	AIR-CT2504-K9	Wireless Controller	8.3.143.0	Y	Y	N	Both	Best Effort	
Cisco	6870XL	Switch-Router	15.4(1)SY2	Y	Y	N	Both	Validated	
Cisco	ISR 4221	Router	16.06.02	Y	Y	N	Both	Validated	
Cisco	SG500-28	Switch	1.4.1.3	Y	Y	N	Both	Validated	
Cisco	WS-C3560X-48PF-E	Switch-Router	12.2(55)SE9	Y	Y	N	Both	Validated	
Cisco	N9KC93180YCEX	Switch-Router	9.2(1)	Y	Y	N	Both	Validated	
Cisco	N3kC3548P10G	Switch-Router	7.0(3)I7(3)	Y	Y	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Cisco	N5KC5596UP	Switch-Router	6.0(2)N2(5)	Y	Y	N	Both	Validated	
Cisco	N5kC5596UP	Switch-Router	6.0(2)N2(1)	Y	Y	N	Both	Validated	
Cisco	N5kC5596UP	Switch-Router	6.0(2)N2(4)	Y	Y	N	Both	Validated	
Cisco	N5kC5596UP	Switch-Router	7.0(5)N1(1)	Y	Y	N	Both	Validated	
Cisco	N5KC56128P	Switch-Router	7.0(5)N1(1)	Y	Y	N	Both	Validated	
Cisco	C9300-24UX	Switch-Router	16.6.3	Y	Y	N	Both	Best Effort	
Cisco	N9Kc9508	Switch-Router	7.0(3)I7(1)	Y	Y	N	Both	Validated	
Cisco	N77c7706	Switch	8.1(2a)	Y	Y	N	Both	Validated	
Cisco	AIR-CT3504-K9	Wireless Controller	8.5.110.0	Y	Y	N	Both	Validated	
Cisco	AIR-CT8540-K9	Wireless Controller	8.2.166.0	Y	Y	N	Both	Validated	
Cisco	WS-C3650-48PS	Switch-Router	16.6.3	Y	Y	N	Both	Best Effort	
Cisco	N9KC9332PQ	Switch-Router	7.0(3)I4(2)	Y	Y	N	Both	Validated	
Cisco	ASR-907	Router	15.6(2)SP2	Y	Y	N	Both	Validated	
Cisco	C385024XS	Switch-Router	IOS-XE 03.07.02.E	Y	Y	N	Both	Validated	
Cisco	WS-C3850-24XS-E	Switch-Router	16.6.1	Y	Y	N	Both	Validated	
Cisco	N5KC5672UP	Switch-Router	7.1(0)N1(1a)	Y	Y	N	Both	Best Effort	
Cisco	N7Kc7009	Switch-Router	7.2(2)D1(2)	Y	Y	N	Both	Best Effort	
Cisco	N5kC5548UP	Switch-Router	7.0(8)N1(1)	Y	Y	N	Both	Validated	
Cisco	N9KC93180YCEX	Switch-Router	7.0(3)I5(1)	Y	Y	N	Both	Validated	
Cisco	Fpr4110K9	Firewall	5.0(3)N2(4.11)	Y	Y	N	Both	Best Effort	
Cisco	ASR9910	Router	IOS-XR 6.4.2[Default]	Y	Y	N	Both	Best Effort	
Cisco	ISR4351	Router	15.5(3)S4b	Y	Y	N	Both	Validated	
Cisco	UCSFI6296UP	Switch-Router	5.2(3)N2(2.25c)	Y	Y	N	Both	Validated	
Cisco	WS-C3850-24T-S	Switch-Router	IOS-XE 03.06.06E	Y	Y	N	Both	Validated	

NOTE: OpenSSH disabled certain legacy vulnerable ciphers that some Cisco devices and versions relied on for CLI collection. To ensure successful CLI collection for such devices, download and install the hotfix referenced as NIOS-69328 in the Infoblox Knowledge Base article 10068 at <https://support.infoblox.com>.

Citrix	NetScaler 7000 Series	Load Balancer		Y	SSH, Telnet	N/A	Both	Validated	N
Citrix	NetScaler 9000 Series	Load Balancer		Y	N	N/A	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Citrix	MPX/SDX 11500	Load Balancer	NS10.0	Y	SSH, Telnet	N/A	Both	Validated	
Citrix	NSMPX-7500	Load Balancer	9.2	Y	SSH, Telnet	N/A	Both	Validated	
Citrix	NSMPX-8000	Load Balancer	NS10.1: Build123.9nc	N	SSH	N/A	Both	Validated	
Citrix	NSMPX-8200	Load Balancer	NS9.3:Build62.4nc	N	SSH	N/A	Both	Validated	
Citrix	NSSDX-18500	Load Balancer	NS10.1: Build 129.11.nc	N	SSH	N/A	Both	Validated	
Citrix	Netscaler 10500 (NSMPX-10500)	Load Balancer	9.1, 9.2	N	SSH, Telnet	N/A	Both	Validated	
Citrix	SDX 11515	Load Balancer	11.0	Y	N	N/A	Both	Validated	
Citrix	NSMPX-8000-10G	Load Balancer	NS11.0 Build 66.11nc	Y	SSH	N/A	Both	Validated	
Citrix	SDX 11515	Load Balancer	11.0	Y	Y	N/A	Both	Validated	
Citrix	SDX 22040	Load Balancer	11.0	Y	Y	N/A	Both	Validated	
Citrix	SDX 8015	Load Balancer	11.0	Y	Y	N/A	Both	Validated	
Citrix	NSMPX-14000	Load Balancer	NS11.1: build 55.13.nc	Y	Y	N	Both	Validated	
Citrix	NSMPX-11500	Load Balancer	NS12.0: Build 60.10.nc	Y	Y	N	Both	Validated	
CumulusNetworks	DELL-S4048T-ON	Switch	3.5.1	Y	Y	N	Both	Validated	N
DCN	DCS-3650-26C	Switch	6.1.50.2	Y	SSH	Y	NetMRI	Validated	N
Dell	PowerConnect 5524	Switch-Router	4.1.0.5	Y	SSH	Y	Both	Validated	N
Dell	PowerConnect 5548	Switch	4.1.0.5, 2.2.0.3, 3.2.1.3, 3.3.1.10, 3.3.3.3, 3.3.6.4, 3.3.7.2	Y	SSH	Y	Both	Validated	
Dell	PowerConnect 7048	Switch	4.2.0.4	Y	Telnet	Y	Both	Validated	
Dell	PowerConnect 8024F	Switch	3.1.4.5, 4.1.0.9, 4.2.0.4, 5.1.2.3	Y	Telnet	N	Both	Validated	
Dell	PowerConnect M6220	Switch	2.2.0.3	Y	Telnet	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Dell	PowerConnect M8024	Switch	3.1.3.9	Y	Telnet	N	Both	Validated	
Dell	N3024	Switch-Router	6.0.1.3	Y	SSH	Y	Both	Validated	
Dell	N3048	Switch-Router	6.0.1.3	Y	SSH	Y	Both	Validated	
Dell	PowerConnect 6248	Switch-Router	3.3.14.2	Y	SSH	Y	Both	Validated	
Dell	Powerconnect 8024F	Switch-Router	5.1.9.4	Y	SSH	Y	Both	Validated	
Dell	N3048EP-ON	Switch	6.5.3.34	Y	Y	N	Both	Validated	
Dell	N3048EP-ON	Switch	6.5.1.1	Y	Y	N	Both	Validated	
D-Link	DES-3200-28P	Switch	4.36.B013	Y	Y	Y	Both	Validated	N
Emerson	GXT3-1500RT120	Power Controller	5.300.0	Y	N	N	Both	Validated	N
Enterasys/ Cabletron	C3G124x48	Switch-Router	06.03.00.0022	Y	SSH, Telnet	Y	Both	Validated	N
Enterasys	C5K125-48P2	Switch-Router	06.61.07.0010	Y	SSH, Telnet	Y	Both	Validated	
Enterasys	K10	Switch-Router	07.72.01.0021	Y	SSH, Telnet	Y	Both	Validated	
Enterasys/ Cabletron	Matrix E1 Series	Switch		Y	SSH, Telnet	N	Both	Validated	
Enterasys/ Cabletron	Matrix N Series Platinum DFE	Switch		Y	SSH, Telnet	N	Both	Validated	
Enterasys/ Cabletron	MatrixN1	Switch	05.42.10	Y	SSH, Telnet	N	Both	Validated	
Enterasys	MatrixN1	Switch-Router	07.62.05.0001H	Y	SSH, Telnet	Y	Both	Validated	
Enterasys	MatrixN3	Switch	07.62.05.0001H	Y	SSH, Telnet	Y	Both	Validated	
Enterasys/ Cabletron	MatrixN3Gold	Switch	06.12.03.003	Y	SSH, Telnet	N	Both	Validated	
Enterasys	MatrixN7	Switch	07.62.05.0001H	Y	SSH, Telnet	Y	Both	Validated	
Enterasys	MatrixN7Gold	Switch	07.62.05.0001H	Y	SSH, Telnet	Y	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Enterasys	MatrixX4	Switch-Router	02.00.00.0008H 02.00.02.0001	Y	SSH, Telnet	Y	Both	Validated	
Enterasys	MatrixX16	Switch-Router	02.00.00.0008H 02.00.02.0001	Y	SSH, Telnet	Y	Both	Validated	
Enterasys/ Cabletron	X-Pedition 8000/8600 Series Router	Router		Y	SSH, Telnet	N	Both	Validated	
Enterasys/ Cabletron	RoamAbout 3000 Series Point	Wireless AP		Y	N	N/A	Both	Validated	
Enterasys	S1A	Switch-Router	08.11.01.0014	Y	SSH, Telnet	Y	Both	Validated	
Enterasys	S8	Switch-Router	08.11.01.0014	Y	SSH, Telnet	Y	Both	Validated	
Enterasys/ Cabletron	SmartSwitch 2000 Series Switch	Switch		Y	N	N	Both	Validated	
Enterasys/ Cabletron	SmartSwitch 6000 Series Switch	Switch		Y	N	N	Both	Validated	
Extreme	Alpine Series	Switch		Y	SSH, Telnet	N	Both	Validated	N
Extreme	Black Diamond Series	Switch		Y	SSH, Telnet	N	Both	Validated	
Extreme	bd8810	Switch	12.3.3.6	Y	SSH, Telnet	N	Both	Validated	
Extreme	Summit Series	Switch-Router		Y	SSH, Telnet	N	Both	Validated	
Extreme	Summit X350-24t	Switch	12.3.3.6	Y	SSH, Telnet	Y	Both	Validated	
Extreme	SummitX450a-48t	Switch	12.3.3.6	Y	SSH, Telnet	Y	Both	Validated	
Extreme	Summit X480-24X	Switch-Router	12.5.3.9	Y	SSH, Telnet	N	Both	Validated	
Extreme	Summit X450G2-48p	Switch	16.1.2.14	Y	SSH, Telnet	N	NetMRI	Validated	
Extreme	Summit X440-48p-10G	Switch	15.7.1.4	Y	SSH, Telnet	N	NetMRI	Validated	
Extreme	X460 G2	Switch	15.7.1.4	Y	Y	N	Both	Best Effort	
Extreme	x690-48x-4q-2c	Switch	22.5.1.7	Y	Y	N	Both	Validated	
Extreme	summitX450G2-48p	Switch-Router	22.3.1.4	Y	Y	N	Both	Validated	
F5	Big-IP 1600	Load Balancer	9.4.7	Y	SSH, Telnet	N/A	Both	Validated	N

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
F5	BIG-IP 3900	Load Balancer	10.2.2 11.2.0 11.3.0	Y	SSH, Telnet	N/A	Both	Validated	
F5	Big-IP 6900	Load Balancer	10.2.0	Y	SSH, Telnet	N/A	Both	Validated	
F5	BIG-IP 8400	Load Balancer	10.2.4	Y	SSH	N/A	Both	Validated	
F5	Big-IP 8900	Load Balancer	10.2.0	Y	SSH, Telnet	N/A	Both	Validated	
F5	Viprion-C2400	Load Balancer	11.3.0	Y	SSH	N/A	Both	Validated	
F5	BIG-IP 4200	Load Balancer	11.6.0	Y	SSH	N/A	Both	Validated	
F5	BIG-IP 5250	Load Balancer	11.5.4	Y	SSH	N/A	Both	Validated	
F5	BIG IP 4000	Load Balancer	11.5.1	Y	SSH	N/A	Both	Validated	
F5	BIG-IP 5250	Load Balancer	12.1.2	Y	Y	N/A	Both	Validated	
F5	BIG-IP vCMP Guest	Load Balancer	11.5.4	Y	Y	N/A	Both	Validated	
F5	Viprion-B2150	Load Balancer	11.5.4	Y	Y	N/A	Both	Validated	
F5	A112	Load Balancer	11.4.1	Y	Y	N/A	Both	Validated	
F5	BIG-IP 10350	Load Balancer	12.1.0	Y	Y	N	Both	Validated	
F5	BIG-IP 2000	Load Balancer	11.6.0	Y	Y	N	Both	Validated	
F5	BIG-IP 8900F	Load Balancer	11.5.4	Y	Y	N	Both	Validated	
F5	vCMP Guest	Load Balancer	11.6.2	Y	Y	N	Both	Validated	
F5	BIG-IP Virtual Edition	Load Balancer	12.1.3.3	Y	Y	N	Both	Validated	
F5	C109	Load Balancer	11.6.0	Y	Y	N	Both	Validated	
F5	BIG-IP 1600	Load Balancer	10.2.4	Y	Y	N	Both	Best Effort	
F5	BIG-IP 1600	Load Balancer	11.5.3	Y	Y	N	Both	Best Effort	
F5	BIG-IP 3600	Load Balancer	11.5.3	Y	Y	N	Both	Best Effort	
F5	BIG-IP 3900	Load Balancer	11.5.3	Y	Y	N	Both	Best Effort	
F5	BIG-IP 3900	Load Balancer	11.5.4	Y	Y	N	Both	Best Effort	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
F5	BIG-IP 3900	Load Balancer	12.1.3	Y	Y	N	Both	Best Effort	
F5	BIG-IP 5250	Load Balancer	11.5.4	Y	Y	N	Both	Best Effort	
F5	BIG-IP 6900F	Load Balancer	12.1.3	Y	Y	N	Both	Best Effort	
F5	BIG-IP 8900	Load Balancer	11.5.4	Y	Y	N	Both	Best Effort	
F5	BIG-IP vCMP	Load Balancer	11.5.4	Y	Y	N	Both	Best Effort	
F5	BIG-IP Virtual Edition	Load Balancer	11.6.1	Y	Y	N	Both	Best Effort	
F5	BIG-IP i4600	Load Balancer	12.1.3.3	Y	Y	N	Both	Validated	
F5	BIG-IP vCMP	Load Balancer	13.1.1.2	Y	Y	N	Both	Best Effort	
F5	BIG-IP i5800	Load Balancer	12.1.2	Y	Y	N	Both	Validated	
F5	BIG-IP 3900	Load Balancer	11.4.0	Y	Y	N	Both	Best Effort	
F5	BIG-IP vCMP Guest	Load Balancer	12.1.2	Y	Y	N	Both	Best Effort	
F5	BIG-IP 7200	Load Balancer	11.5.4	Y	Y	N	Both	Validated	
F5	BIG-IP 1600	Load Balancer	11.6.3	Y	Y	N	Both	Validated	
F5	BIG-IP-i2800	Load Balancer	13.1.0.7	Y	Y	N	Both	Best Effort	
Force10	E Series Core Switch/Router	Switch, Router		Y	SSH, Telnet	N	Both	Validated	N
Force10	m-IOA	Switch	9.4(0.0P1)	Y	SSH	N	Both	Validated	
Force10	m-MXL	Switch	8.3.16.4	Y	SSH	N	Both	Validated	
Force10	s4810	Switch, Router	9.1(0.0)	Y	SSH	Y	Both	Validated	
Force10	s4810	Switch, Router	9.2(0.2)	Y	SSH	Y	Both	Validated	
Force10	s3148p	Switch-Router	9.14(0.1)	Y	Y	N	Both	Validated	
Force10	S-IOA	Switch-Router	9.13(0.2)	Y	Y	N	Both	Validated	
Force10	S4048-ON	Switch-Router	9.14(0.1)	Y	Y	N	Both	Validated	
Force10	e610	Switch-Router	8.3.1.5	Y	Y	N	Both	Validated	
Force10	s3048on	Switch-Router	9.11(0.0P6)	Y	Y	N	Both	Validated	
Force10	s3148	Switch-Router	9.13(0.2)	Y	Y	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Force10	s4048on	Switch-Router	9.11(2.6)	Y	Y	N	Both	Best Effort	
Force10	s3148	Switch-Router	9.11(2.6)	Y	Y	N	Both	Validated	
Force10	s4048on	Switch-Router	9.11(2.1)	Y	Y	N	Both	Validated	
Force10	s55	Switch-Router	8.3.5.6	Y	Y	N	Both	Validated	
Force10	s25n	Switch-Router	8.2.1.2	Y	Y	N	Both	Validated	
Force10	s4810	Switch-Router	9.11(0.0P4)	Y	Y	N	Both	Validated	
Fortinet	Fortigate 60B (fgt60B)	Firewall	4.0.2 4.0.3	Y	SSH, Telnet	N/A	Both	Validated	N
Fortinet	Fortigate 60D (fgt60D)	Firewall	5.00.6, 5.00.7, 5.0.9, 5.0.0.P9	Y	SSH	N/A	Both	Validated	
Fortinet	Fortigate 92D	Firewall	5.2.4	Y	SSH	N/A	Both	Validated	
Fortinet	Fortigate 100D (fgt100D)	Firewall	4.0MR3.P12	Y	SSH	N/A	Both	Validated	
Fortinet	Fortigate 110C (fgt110C)	Firewall	4.0.1	Y	SSH, Telnet	N/A	Both	Validated	
Fortinet	Fortigate 111C (fgt111C)	Firewall	4.0MR3.P12	Y	SSH	N/A	Both	Validated	
Fortinet	Fortigate 140D	Firewall	5.2.5	Y	SSH	N/A	Both	Validated	
Fortinet	Fortigate 200B (fgt200B)	Firewall	4.0.2 4.0.0	Y	SSH, Telnet	N/A	Both	Validated	
Fortinet	Fortigate 300A (fgt300A)	Firewall	4.0.7	Y	SSH, Telnet	N/A	Both	Validated	
Fortinet	Fortigate 300C (fgt300C)	Firewall	4.0.7	Y	SSH, Telnet	N/A	Both	Validated	
Fortinet	Fortigate 311B (fgt311B)	Firewall	4.0.MR3.P12	Y	SSH	N/A	Both	Validated	
Fortinet	Fortigate 1000C (fgt1000C)	Firewall	5.0.0.P3	Y	SSH	N/A	Both	Validated	
Fortinet	Fortigate 3040B (fgt3040B)	Firewall	4.0.MR3.P11	Y	SSH	N/A	Both	Validated	
Fortinet	Fortigate 3600C (fgt3600C)	Firewall	5.0.0	Y	SSH, Telnet	N/A	Both	Validated	
Fortinet	Fortigate 3810A (fgt3810A)	Firewall	4.0.MR3.P11	Y	SSH	N/A	Both	Validated	
Fortinet	Fortigate FGT500D	Firewall	5.2.7	Y	SSH	N/A	Both	Validated	
Fortinet	Fortigate FGT200D	Firewall	5.2.7	Y	SSH	N/A	Both	Validated	
Fortinet	fgt600C	Firewall	4.0.MR3.P11	Y	SSH	N/A	NetMRI	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Fortinet	fgt800C	Firewall	5.2.10	Y	N/A	N/A	Both	Validated	
Fortinet	fgt1000C	Firewall	5.2.10	Y	N/A	N/A	Both	Validated	
Fortinet	fg60dc	Firewall	5.4.2	Y	Y	N/A	NetMRI	Validated	
Fortinet	fgt50E	Firewall	5.4.3	Y	SSH	N/A	NetMRI	Validated	
Fortinet	fgt3140B	Firewall	5.0.7	Y	SSH	N/A	NetMRI	Validated	
Fortinet	fgt1500D	Firewall	5.2.10	Y	N/A	N/A	Both	Validated	
Fortinet	fgt1500D	Firewall	5.4.0 and 5.4.1	Y	SSH	N/A	NetMRI	Validated	
Fortinet	fgt3HD	Firewall	5.2.4	Y	SSH	N/A	NetMRI	Validated	
Fortinet	fgt1500D	Firewall	5.2.10	Y	Y	N/A	Both	Validated	
Fortinet	fgt1000c	Firewall	5.2.10	Y	Y	N/A	Both	Validated	
Fortinet	fgt800c	Firewall	5.2.10	Y	Y	N/A	Both	Validated	
Fortinet	FortiGate-VM64	Firewall	5.4.2	Y	Y	N/A	Both	Validated	
Fortinet	FGT-1200D	Firewall	5.2.8	Y	Y	N/A	Both	Validated	
Fortinet	fgt1500D	Firewall	5.4.4	Y	Y	N	Both	Validated	
Fortinet	fgt3000	Firewall	5.4.5	Y	Y	N	Both	Validated	
Fortinet	fgt61E	Firewall	5.6.3	Y	Y	N	Both	Validated	
Fortinet	fgt1500D	Firewall	5.2.5	Y	Y	N	Both	Validated	
Fortinet	fgt1500D	Firewall	5.2.6	Y	Y	N	Both	Validated	
Fortinet	FortiManager-200D	Security Appliance	5.4.5-build1235(GA)	Y	Y	N	Both	Validated	
Fortinet	FortiManager-1000D	Security Appliance	5.2.10-build0786(GA)	Y	Y	N	Both	Validated	
Fortinet	FortiAnalyzer-3000E	Security Appliance	5.2.10-build0786(GA)	Y	Y	N	Both	Validated	
Fortinet	fgt1000D	Firewall	5.4.5	Y	Y	N	Both	Best Effort	
Fortinet	fgt3700D	Firewall	5.2.10	Y	Y	N	Both	Validated	
Fortinet	fgt3240C	Firewall	5.2.3	Y	Y	N	Both	Best Effort	
Fortinet	fgt90DPOE	Firewall	5.6.2	Y	Y	N	Both	Best Effort	
Fortinet	fgt1500D	Firewall	5.2.9	Y	Y	N	Both	Best Effort	
Fortinet	fgt600D	Firewall	5.6.6	Y	Y	N	Both	Validated	
Fortinet	fgt500E	Firewall	5.6.6	Y	Y	N	Both	Validated	
FireEye	wMPS4310	Firewall	7.2.1	Y	SSH	N/A	Both	Validated	N
GarretCom	magnum6k25e	Switch	14.1.9	Y	SSH	SetIntfAdmin Status, SetIntfDescr	Both	Validated	N
Gigamon	GigaVUE-HC2	Switch	4.4.02	Y	N	N	Both	Validated	N
Gigamon	GigaVUE-HC2	Switch	4.8.01	Y	Y	N	NetMRI	Validated	
Gigamon	GigaVUE-GV420	Visibility Appliance	v8.6.11	Y	Y	N	Both	Validated	
Gigamon	GigaVUE-HB1	Visibility Appliance	4.7.01	Y	Y	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Gigamon	GigaVUE-HC2	Visibility Appliance	4.4.01	Y	Y	N	Both	Validated	
Gigamon	GigaVUE-HC2	Visibility Appliance	4.4.02	Y	Y	N	Both	Validated	
Gigamon	GigaVUE-HC2	Visibility Appliance	4.7.00	Y	Y	N	Both	Validated	
Gigamon	GigaVUE-HC2	Visibility Appliance	5.1.03	Y	Y	N	Both	Validated	
Gigamon	GigaVUE-TA10	Visibility Appliance	4.7.00	Y	Y	N	Both	Validated	
H3C (HP)	hpA360024V2EI	Switch	5.20.99, Release 2101P01	Y	SSH	Y	Both	Validated	N
H3C (HP)	hp7506	Switch	5.20, Release 6708P03	Y	SSH	Y	Both	Validated	
H3C	hpA512048GPoEPlusEI2SLO T	Switch	5.20.99 Release 2220P09 5.20 Release 2208P01	Y	SSH	N	Both	Validated	
H3C (HP)	hpA512048GEI	Switch	5.20 Release 2208P01	Y	SSH	N	Both	Validated	
H3C	hpA550024GPoEPlusEI2SLO T	Switch	5.20.99 Release 2220P02	Y	Telnet	Y	Both	Validated	
H3C	hpA5820X24XGSFPPlus	Switch	5.20.105, Release 1808P15	Y	SSH	N	Both	Validated	
H3C	hp5900AF48XG4QSFPPlus	Switch	7.1.035, Release 2208P01	Y	SSH	N	Both	Validated	
H3C	hp6125XGXLG	Switch	7.1.035, Release 2306	Y	Telnet	N	Both	Validated	
H3C	s2126-ei	Switch-Router	3.10, Release 2102P01	Y	Telnet	Y	Both	Validated	
H3C	MSR930G	Router	v5.20 Release 2313	Y	SSH	N	Both	Validated	
H3C	s2403TP-EA	Switch-Router	3.10, Release 2108P04	Y	Telnet	Y	Both	Validated	
H3C	s3552F-EA	Switch-Router	5.20, Release 5309	Y	Telnet	Y	Both	Validated	
H3C	s5500-28C-PWR-EI	Switch-Router	5.20 Release 2202P21	Y	SSH	Y	Both	Validated	
H3C	s5500-28F-ei	Switch-Router	5.20 Release 2202	Y	Telnet	Y	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
H3C	s7502e	Switch-Router	5.20 Release 6616P01	Y	Telnet	Y	Both	Validated	
H3C	A360048PoEPlusV2SI	Switch-Router	5.20.99, Release 2101P01	Y	SSH	N	Both	Validated	
H3C	A512024GPoEPlusEI2SLOT	Switch	5.20.99, Release 2221P02	Y	SSH	N	Both	Validated	
H3C	A512048GEI2SLOT	Switch	5.20.99, Release 2215	Y	SSH	N	Both	Validated	
H3C	A512024GEI2SLOT	Switch	5.20.99, Release 2221P02	Y	SSH	N	Both	Validated	
H3C	S5120-28C-PWR-EI	Switch-Router	5.20, Release 2208	Y	SSH	N	Both	Validated	
H3C	s5500-28C-EI	Switch-Router	5.20, Release 2208P01	Y	SSH	N	Both	Validated	
H3C	s3600-52P-PWR-EI	Switch-Router	3.10, Release 1702P18	Y	SSH	N	Both	Validated	
H3C	s3600-28P-PWR-SI	Switch-Router	3.10, Release 1702P18	Y	SSH	N	Both	Validated	
H3C	s3600-28P-PWR-EI	Switch-Router	3.10, Release 1702P38	Y	SSH	N	Both	Validated	
H3C	S3100-26TP-EI	Switch-Router	3.10, Release 2211P06	Y	SSH	N	Both	Validated	
H3C	s3600-52P-PWR-SI	Switch-Router	3.10, Release 1702P18	Y	SSH	N	Both	Validated	
H3C	S5120-28C-EI	Switch-Router	5.20, Release 2202P06	Y	SSH	Y	Both	Validated	
H3C	513024G2SFPPPlus2XGTEI	Switch-Router	7.1.045, Release 3108P01	Y	SSH	Y	Both	Validated	
H3C	513048GPoEPlus4SFPPPlus370W EI	Switch-Router	7.1.045, Release 3111P07	Y	SSH	Y	Both	Validated	
H3C	513024GPoEPlus4SFPPPlus370W EI	Switch-Router	7.1.045, Release 3111P07	Y	SSH	Y	Both	Validated	
H3C	12518AC	Switch-Router	12500-CMW710-R7374	Y	Y	N	NetMRI	Validated	
H3C	12508AC	Switch-Router	12500-CMW710-R7374	Y	Y	N	NetMRI	Validated	
H3C	hh3cS5820V252QF	Switch	S12500-CMW710-R7375	Y	Y	N	Both	Validated	
H3C	S12508	Switch	5412RzI2	Y	Y	Y	Both	Best Effort	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
H3C	S550058CHID	Switch-Router	5.20 Release 5501	Y	Y	N	Both	Validated	
H3C	s5500-58C-HI	Switch-Router	5.20 Release 5206	Y	Y	N	Both	Validated	
H3C	S7606-S	Switch-Router	5.20 Release 6708P03	Y	Y	N	Both	Validated	
H3C	eFF594048SFPPPlus6QSFP28	Switch-Router	7.1.070	Y	Y	N	Both	Best Effort	
H3C	513048GPoEPlus4SFPPPlus1SlotHI	Switch-Router	7.1.045 Release 1121	Y	Y	N	Both	Validated	
H3C	513048GPoEPlus4SFPPPlus1SlotHI	Switch-Router	7.1.045 Release 1121P03	Y	Y	N	Both	Validated	
H3C	550024GPoEPlus4SFPHI	Switch-Router	7.1.045 Release 1121P03	Y	Y	N	Both	Validated	
H3C	550048GPoEPlus4SFPHI	Switch-Router	5.20.99 Release 5206	Y	Y	N	Both	Validated	
H3C	FF594048SFPPPlus6QSFP28	Switch-Router	7.1.070, Release 2510P02	Y	Y	N	Both	Validated	
Harmonic	NSG 9000 Series edgeQAM	Video QAM		Y	HTTP	N/A	Both	Validated	N
Harmonic	NMX Digital Service Manager Series	Video Encoder		Y	HTTP	N/A	Both	Validated	
Hitachi Cable	Apresia 3424GT-SS	Switch, Switch-Router	7.24.01	Y	SSH, Telnet	N	Both	Validated	N
Hitachi Cable	Apresia 4224GT-PSR	Switch	6.26.01	Y	SSH, Telnet	N	Both	Validated	
Hitachi Cable	Apresia 4348GT	Switch	6.20.01	Y	SSH, Telnet	N	Both	Validated	
HP Procurve	1600m Series	Switch		Y	SSH, Telnet	N	Both	Validated	N
HP Procurve	2424m Series	Switch		Y	SSH, Telnet	N	Both	Validated	
HP Procurve	2524m Series	Switch		Y	SSH, Telnet	N	Both	Validated	
HP	3500YL (J8692A)	Switch	K.15.03.0005	Y	SSH	Y	Both	Validated	
HP	3500zl (J8693A)	Switch-Router	K.15.04.0023m	Y	SSH	Y	Both	Validated	
HP Procurve	4000m Series	Switch		Y	SSH, Telnet	N	Both	Validated	
HP Procurve	8000m Series	Switch		Y	SSH, Telnet	N	Both	Validated	
HP Procurve	4100gl Series Switch	Switch		Y	SSH, Telnet	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
HP Procurve	5300xl Series Switch	Switch		Y	SSH, Telnet	N	Both	Validated	
HP	5406ZL (J8697A)	Switch-Router	K.15.03.0005	Y	SSH	Y	Both	Validated	
HP Procurve	6108 ProCurve Switch	Switch		Y	SSH, Telnet	N	Both	Validated	
HP ProCurve	5412zl (J8698A)	Switch-Router	K.15.04.0023m	Y	SSH	Y	Both	Validated	
HP	6200yl (J8992A)	Switch	K.15.04.0023m	Y	SSH	Y	Both	Validated	
HP	J4865A	Switch-Router	G.07.117	Y	SSH	Y	Both	Validated	
HP	J4887A	Switch-Router	G.07.117	Y	SSH	Y	Both	Validated	
HP	J4899A	Switch-Router	H.10.113	Y	SSH	Y	Both	Validated	
HP	J4899B	Switch-Router	H.10.113	Y	SSH	Y	Both	Validated	
HP	J4899C	Switch-Router	H.10.113	Y	SSH	Y	Both	Validated	
HP	J4900A	Switch-Router	H.10.113	Y	SSH	Y	Both	Validated	
HP	J4900B	Switch-Router	H.10.113	Y	SSH	Y	Both	Validated	
HP	J4900C	Switch-Router	H.10.113	Y	SSH	Y	Both	Validated	
HP	J9627A	Switch	RA.15.10.0010	Y	SSH	Y	Both	Validated	
HP	J9089A	Switch	R.11.44	Y	SSH, Telnet	Y	Both	Validated	
HP	J9148A	Switch	W.15.08.0012	Y	SSH	Y	Both	Validated	
HP	J9091A	Switch-Router	K.15.09.0012	Y	SSH	Y	Both	Validated	
HP	ProLiant-GbE2c-InterconnectSwitch	Switch	5.2.9	Y	Telnet	Y	Both	Validated	
HP	VCEthernetModule	Switch	4.01	Y	Y	Y	Both	Validated	
HP	J9850A	Switch-Router	KB.16.01.0006	Y	Y	Y	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
HP	J9726A	Switch	WB.16.01.000	Y	Y	Y	Both	Validated	
HP	J9729A	Switch	WB.15.18.0011	Y	Y	Y	Both	Validated	
HP	J9298A	Switch	J.15.09.0026	Y	Y	Y	Both	Validated	
HP	J9729A	Switch	WB.16.02.0015	Y	Y	Y	Both	Validated	
HP	Aruba-JL255A	Switch	WC.16.02.0003	Y	SSH	Y	Both	Validated	
HP	Aruba-JL074A	Switch	KB.16.01.0004	Y	SSH	Y	Both	Validated	
HP	J9773A	Switch	YA.15.17.0008	Y	SSH	Y	Both	Validated	
HP	J4813A	Switch	F.05.80	Y	SSH	Y	Both	Validated	
HP	J9298A	Switch	J.15.09.0022	Y	Y	Y	Both	Validated	
HP	J9088A	Switch	R.11.107	Y	SSH	Y	Both	Validated	
HP	J9623A	Switch	RA.15.15.0008	Y	SSH	Y	Both	Validated	
HP	J9584A	Switch	KA.15.09.0012	Y	SSH	Y	Both	Validated	
HP	J9626A	Switch	RA.15.17.0008	Y	SSH	Y	Both	Validated	
HP	J9299A	Switch	J.15.09.002	Y	SSH	Y	Both	Validated	
HP	J9279A	Switch	Y.11.44	Y	SSH	Y	Both	Validated	
HP	J9146A	Switch	W.15.14.0012	Y	SSH	Y	Both	Validated	
HP	J9085A	Switch	R.11.107	Y	SSH	Y	Both	Validated	
HP	J9850A	Switch	KB.16.02.0013	Y	SSH	Y	NetMRI	Validated	
HP	J9851A	Switch	5412RzI2	Y	Y	N	Both	Validated	
HP	Aruba-Stack2930	Switch-Router	WC.16.04.0008	Y	Y	Y	Both	Validated	
HP	Aruba-Stack2930M	Switch-Router	WC.16.05.0004	Y	Y	N	Both	Validated	
HP	Aruba-JL357A	Switch	YC.16.05.0007	Y	Y	N	Both	Validated	
HP	Aruba-JL357A	Switch	YC.16.05.0007	Y	Y	Y	Both	Validated	
HP	Aruba-JL258A	Switch	WC.16.08.0001	Y	Y	Y	Both	Validated	
HP	Aruba-Stack3810	Switch-Router	KB.16.05.0007	Y	Y	Y	Both	Validated	
HP	Aruba-Stack3810	Switch-Router	KB.16.06.0006	Y	Y	Y	Both	Validated	
HP	Aruba-JL322A	Switch-Router	WC.16.04.0008	Y	Y	N	Both	Validated	
HP	Aruba-JL322A	Switch-Router	WC.16.05.0007	Y	Y	N	Both	Validated	
HP	Aruba-JL322A	Switch-Router	WC.16.05.0009	Y	Y	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
HP	Aruba-JL322A	Switch-Router	WC.16.06.0006	Y	Y	N	Both	Validated	
HP	Aruba-JL322A	Switch-Router	WC.16.07.0002	Y	Y	N	Both	Validated	
HP	Aruba-JL322A	Switch-Router	WC.16.08.0001	Y	Y	N	Both	Validated	
HP	Aruba-JL074A	Switch-Router	KB.16.04.0008	Y	Y	N	Both	Validated	
HP	Aruba-JL074A	Switch-Router	KB.16.08.0001	Y	Y	N	Both	Validated	
HP	Aruba-JL074A	Switch-Router	KB.16.04.0008	Y	Y	N	Both	Validated	
HP	Aruba-JL074A	Switch-Router	KB.16.08.0001	Y	Y	N	Both	Validated	
HP	Aruba-JL074A	Switch-Router	WC.16.02.0018	Y	Y	N	Both	Validated	
HP	J9850A	Switch-Router	KB.16.02.0018	Y	Y	N	Both	Validated	
Huawei	ar28-10	Router	VRP3.40-RT-0103(L031)	Y	Telnet	N/A	Both	Validated	N
Huawei	cX600-X8	Router	5.70	Y	Telnet	N/A	Both	Validated	
Huawei	cX600-X3	Router	v5.70	Y	Telnet	N/A	Both	Validated	
Huawei	Eudemon1000E-U5	Firewall	v3.30	Y	Telnet	N/A	Both	Validated	
Huawei	ME60-X16	Router	v5.150	Y	Telnet	N/A	Both	Validated	
Huawei	ne40E-X8	Router	5.70	Y	Telnet	N/A	Both	Validated	
Huawei	ne40E-X16	Router	5.90	Y	SSH, Telnet	N/A	Both	Validated	
Huawei	s2326TP-EI	Switch	5.70	Y	Telnet	Y	Both	Validated	
Huawei	s2403H-EI	Switch	3.10, Release 0023P11	Y	Telnet	Y	Both	Validated	
Huawei	s3026	Switch	3.10, Release 0034P01	Y	Telnet	Y	Both	Validated	
Huawei	s3352P-EI	Switch	5.70	Y	Telnet	Y	Both	Validated	
Huawei	s3526	Switch	3.10	Y	Telnet	Y	Both	Validated	
Huawei	s3952P-EI	Switch-Router	3.10, Release 1510P02	Y	Telnet	Y	Both	Validated	
Huawei	s5328C-SI	Switch	5.30	Y	SSH	Y	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Huawei	s5700-28C-EI-24S	Switch-Router	5.130	Y	SSH	N	Both	Validated	
Huawei	s5700-28C-PWR-SI	Switch-Router	5.130	Y	SSH	N	Both	Validated	
Huawei	s5710-28C-PWR-EI	Switch-Router	5.130	Y	SSH	N	Both	Validated	
Huawei	s9303	Switch	5.70	Y	SSH	Y	Both	Validated	
Huawei	ce6850-52Q-EI-48T	Switch-Router	8.100	Y	SSH	N	Both	Validated	
Huawei	s5700-52P-PWR-LI-AC	Switch-Router	5.130	Y	SSH	Y	Both	Validated	
Huawei	s2751-28TP-PWR-EI-AC	Switch-Router	5.130	Y	SSH	Y	Both	Validated	
Huawei	s5701-28TP-PWR-LI-AC	Switch-Router	5.160	Y	SSH	Y	Both	Validated	
Huawei	s5700-28X-PWR-LI-AC	Switch-Router	5.160	Y	SSH	N	Both	Validated	
Huawei	s12708lsw	Switch-Router	5.160	Y	SSH	Y	Both	Validated	
Huawei	ar2220	Router	V200R007C00SPC900	Y	SSH	N/A	NetMRI	Validated	
Huawei	ce5810-48T4S-EI	Switch-Router	V100R005C10SPC200	Y	SSH	Y	NetMRI	Validated	
Huawei	ce6851-48S6Q-HI	Switch-Router	V100R005C10SPC200	Y	SSH	Y	NetMRI	Validated	
Huawei	ce6850-48T6Q-HI	Switch-Router	V100R005C10SPC200	Y	SSH	Y	NetMRI	Validated	
Huawei	ar3260	Router	V200R007C00SPC900	Y	SSH	N/A	NetMRI	Validated	
Huawei	ce6850U-48S6Q-HI	Switch-Router	V100R005C10SPC200	Y	SSH	Y	NetMRI	Validated	
Huawei	ce12808S	Switch-Router	V200R001C00SPC700	Y	Y	N	Both	Best Effort	
Huawei	ce12804S	Switch-Router	V100R005C10SPC200	Y	Y	N	Both	Best Effort	
Huawei	s5700-52P-PWR-LI-AC	Switch-Router	V200R009C00SPC500	Y	Y	Y	Both	Validated	
Huawei	ar2220e	Router	V200R006C10SPC300	Y	Y	N/A	Both	Validated	
Huawei	5700-28TP-LI-AC	Switch-Router	V200R006C00SPC500	Y	Y	N	Both	Validated	
Huawei	9712	Switch-Router	V200R008C00SPC500	Y	Y	N	Both	Validated	
Huawei	ne40E-X16A	Router	V800R007C00SPC100	Y	Y	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Huawei	ne40E-X2-M8	Router	V800R007C10SPC100	Y	Y	N	Both	Validated	
Huawei	ne40E-X8A	Router	V800R007C00SPC100	Y	Y	N	Both	Validated	
Huawei	nt20E-S4	Switch-Router	V800R008C10SPC500	Y	Y	N	Both	Validated	
Huawei	s5720-28X-PWR-SI-AC	Switch-Router	V200R008C00SPC500	Y	Y	N	Both	Validated	
Huawei	ar3260	Router	V200R007C00SPC900	Y	Y	N	Both	Validated	
Huawei	cX600-X8A	Router	V800R010C10SPC500	Y	Y	N	Both	Validated	
Huawei	ce12816	Switch-Router	V100R003C00SPC600	Y	Y	N	Both	Validated	
Huawei	ce12812	Switch-Router	V100R003C00SPC600	Y	Y	N	Both	Validated	
Huawei	ce12808	Switch-Router	V100R003C00SPC600	Y	Y	N	Both	Validated	
Huawei	atn910	Router	V200R003C20SPC200	Y	Y	N	Both	Validated	
Huawei	s5720-36PC-EI-AC	Switch-Router	V200R010C00SPC600	Y	Y	N	Both	Validated	
Infoblox	Network Services Appliance Series with NIOS v5.1r1 and later	NIOS	5.1r1 and later	Y	N	N/A	Both	Validated	Y – NetMRI No – Network Insight
Juniper	ACX1100	Router	12.2R7.1 12.3R6.6	Y	SSH	N/A	Both	Validated	Y
Juniper	EX Series Switch	Switch		Y	SSH, Telnet	N/A	Both	Validated	
Juniper	EX 2200	Switch-Router	10.4R6.5	Y	SSH, Telnet	N/A	Both	Validated	
Juniper	EX 3300	Switch-Router	12.3R3.4	Y	SSH, Telnet	N/A	Both	Validated	
Juniper	EX 4200	Switch-Router	10.2R1.8, 12.3R3.4 11.1R3.5	Y	SSH, Telnet	Y	Both	Validated	
Juniper	EX 4300	Switch-Router	14.1X53-D25.2	Y	SSH	N	Both	Validated	
Juniper	J Series Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Juniper	J2320	Firewall	9.3R4.4	Y	SSH, Telnet	N/A	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Juniper	M Series Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Juniper	MX Series Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Juniper	MX80	Router	12.1R2.9	Y	SSH, Telnet	N/A	Both	Validated	
Juniper	SRX 100	Firewall	10.2R3.10 11.4R1.6, 12.1R6.5	Y	SSH	N/A	Both	Validated	
Juniper	SRX 110	Firewall	12.1X46	Y	SSH	N/A	Both	Validated	
Juniper	SRX220	Firewall	11.4R7.5, 12.1X46	Y	SSH	N/A	Both	Validated	
Juniper	SRX 240	Firewall	10.2R3.10	Y	SSH, Telnet	N/A	Both	Validated	
Juniper	SRX 3400	Firewall	12.1R2.9	Y	SSH	N/A	Both	Validated	
Juniper	SRX 3600	Firewall	10.2R3.10, 10.4R10.7	Y	SSH, Telnet	N/A	Both	Validated	
Juniper	SRX 5600	Firewall	10.2R3.10	Y	SSH, Telnet	N/A	Both	Validated	
Juniper	SRX 5800	Firewall	10.2R3.10	Y	SSH, Telnet	N/A	Both	Validated	
Juniper	VSRX	Firewall	v12.1X46	Y	SSH, Telnet	N/A	Both	Validated	
Juniper	T1600	Router	v10.4X23.1	Y	SSH, Telnet	N/A	Both	Validated	
Juniper	QFX510048S6Q	Switch-Router	13.2X51	Y	SSH	N	Both	Validated	
Juniper	QFX510024Q	Switch-Router	4.1X53-D30-3	Y	SSH	N	Both	Validated	
Juniper	WX Series Application Acceleration Platform	WOC		Y	SSH, Telnet	N/A	Both	Validated	
Juniper	EX3200	Switch-Router	14.1X53-D40.8	Y	SSH	N	Both	Validated	
Juniper	EX8208	Switch-Router	12.3R12.4	Y	N	N	Both	Validated	
Juniper	EX2200	Switch-Router	12.3R6.6 and 12.3R4.6	Y	SSH	N	NetMRI	Validated	
Juniper	EX4300	Switch-Router	14.1X53-D40.8	Y	SSH	N	NetMRI	Validated	
Juniper	MX104	Switch-Router	13.3R9.13	Y	SSH	Y	NetMRI	Validated	
Juniper	MX960	Switch-Router	14.1R7.4z	Y	SSH	N	NetMRI	Validated	
Juniper	SRX340	Firewall	15.1X49	Y	SSH	N/A	NetMRI	Validated	
Juniper	SRX345	Firewall	15.1X49-D40.6	Y	SSH	N/A	NetMRI	Validated	
Juniper	SRX1400	Firewall	12.1X46	Y	SSH	N/A	NetMRI	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Juniper	SRX1400	Switch-Router	14.1X53-D40.8	Y	SSH	Y	NetMRI	Validated	
Juniper	SRX1400	Firewall	12.3X48-D35.7	Y	N/A for NI	N/A	Both	Validated	
Juniper	QFX520032C32Q	Switch-Router	15.1X53-D205.2	Y	SSH	Y	NetMRI	Validated	
Juniper	QFX1000236Q	Switch-Router	15.1X53-D61.7	Y	SSH	Y	NetMRI	Validated	
Juniper	EX9214	Switch-Router	13.3R5.9	Y	Y	N	Both	Validated	
Juniper	EX4550	Switch-Router	12.3R9.4	Y	Y	N	Both	Validated	
Juniper	SRX 1400	Firewall	12.3X48-D35.7	Y	Y	N/A	Both	Validated	
Juniper	EX2300	Switch-Router	15.1X53-D56	Y	Y	N	Both	Validated	
Juniper	SRX300	Firewall	15.0(1)M1	Y	Y	N/A	Both	Validated	
Juniper	SRX300	Firewall	15.1X49-D75.5	Y	Y	N/A	Both	Validated	
Juniper	SRX1500	Firewall	15.1X49-D120.3	Y	Y	N/A	Both	Validated	
Juniper	SRX320-POE	Firewall	15.1X49-D70.3	Y	Y	N/A	Both	Validated	
Juniper	EX3400-48P	Switch-Router	15.1X53-D58.3	Y	Y	N	Both	Validated	
Juniper	EX4300	Switch-Router	17.2R2.8	Y	Y	N	Both	Validated	
Juniper	EX4600	Switch-Router	17.3R3-S1.5	Y	Y	Y	NetMRI	Validated	
Juniper	MX204	Router	18.1R2.5	Y	Y	N	Both	Validated	
Juniper	MX480	Router	16.1R6.7	Y	Y	N	Both	Validated	
Juniper	SRX1500	Firewall	15.1X49-D70.3	Y	Y	N	Both	Validated	
Juniper	SSG-350M	Firewall	6.3.0r25.0	Y	Y	N	Both	Validated	
Juniper	QFX3000-G	Switch	14.1X53-D121.4	Y	Y	N	Both	Validated	
Juniper	SRX550	Router	12.3X48-D40.5	Y	Y	N	Both	Validated	
Juniper	EX3400-48T	Switch-Router	15.1X53-D55	Y	Y	N	Both	Validated	
Juniper	EX4600	Switch-Router	14.1X53-D35.3	Y	Y	N	Both	Best Effort	
Motorola	Vanguard 320 Series Router	Router		Y	N	N/A	Both	Validated	N
Motorola	Vanguard 340 Series Router	Router		Y	N	N/A	Both	Validated	
Motorola	Vanguard 6400 Series Router	Router		Y	N	N/A	Both	Validated	
Motorola	BSR1000 Series Broadband Services CMTS/Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Motorola	BSR64000 Series CMTS/Edge Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Motorola	SEMV8 Series Encryptor Modulator	Video QAM		Y	SNMP	N/A	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Moxa	edsg512epoe	Switch	4.1 build 15010918	Y	SSH	Y	Both	Validated	N
Moxa	NP6650-16	Console Server	1.12 Build 15063014	Y	Y	N/A	Both	Validated	
Moxa	iks6728apoe	Switch	4.1	Y	Y	N	Both	Validated	
Moxa	eds510a	Switch-Router	V3.8.6 build 17111610	Y	Y	N	Both	Validated	
Moxa	eds516a	Switch-Router	V3.8.10 build 18041008	Y	Y	N	Both	Validated	
Moxa	edsp510	Switch-Router	V3.8.6 build 17111610	Y	Y	N	Both	Validated	
NEC	NEC IX Series IX2105	Router	9.0.54	Y	SSH, Telnet	N/A	Both	Validated	N
Netscreen	Netscreen Firewall Family	Firewall		Y	SSH, Telnet	N/A	Both	Validated	Y – NetMRI
Netscreen	ISG1000	Firewall	6.3.0r3.0	Y	SSH, Telnet	N/A	Both	Validated	No – Network Insight
Netscreen	SSG140	Firewall	6.2.0r15.0	Y	SSH, Telnet	N/A	Both	Validated	
Netscreen	SSG520	Firewall	6.3.0r6-cgv1.0	Y	SSH	N/A	Both	Validated	
Netscreen	SSG550	Firewall	6.2, 6.3	Y	SSH	N/A	Both	Validated	
Netscreen	SSG5	Firewall	6.3.0r21.0	Y	SSH	N/A	Both	Validated	
Nortel/Avaya	4500 Series Ethernet Routing Switch	Switch-Router		Y	N	N	Both	Validated	N
Nortel/Avaya	5500 Series Ethernet Routing Switch	Switch-Router		Y	SSH, Telnet	N	Both	Validated	
Nortel/Avaya	Alteon Application Switch Family	Switch		Y	N	N	Both	Validated	
Nortel/Avaya	BayStack ARN Series Router	Router		Y	SSH, Telnet	N/A	Both	Validated	
Nortel/Avaya	BayStack 350 Series Switch	Switch		Y	N	N	Both	Validated	
Nortel/Avaya	BayStack 380 Series Switch	Switch		Y	SSH, Telnet	N	Both	Validated	
Nortel/Avaya	BayStack 420 Series Switch	Switch		Y	SSH, Telnet	N	Both	Validated	
Nortel/Avaya	BayStack 425 Series Switch	Switch		Y	SSH, Telnet	N	Both	Validated	
Nortel/Avaya	BayStack 450 Series Switch	Switch		Y	N	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Nortel/Avaya	BayStack 460 Series Switch	Switch		Y	SSH, Telnet	N	Both	Validated	
Nortel/Avaya	BayStack 470 Series Switch	Switch		Y	SSH, Telnet	N	Both	Validated	
Nortel/Avaya	BayStack BPS2000 Series Switch	Switch		Y	SSH, Telnet	N	Both	Validated	
Nortel/Avaya	Contivity 1000 Series VPN Switch	VPN		Y	N	N/A	Both	Validated	
Nortel	ERS-4526T	Switch	5.3.2.007	Y	SSH	N	Both	Validated	
Nortel/Avaya	ERS-4526T-PWR	Switch-Router	5.3.3.010	Y	SSH, Telnet	Y	Both	Validated	
Nortel	ERS-4548GT-PWR	Switch	5.7.0.009	Y	SSH	Y	Both	Validated	
Nortel	ERS-4550T	Switch	5.3.2.007	Y	SSH	N	Both	Validated	
Nortel	ERS-4850GTS-PWR-PLUS	Switch	5.6.3.025	Y	Telnet	Y	Both	Validated	
Nortel	ERS-5650-TD-PWR	Switch-Router	6.2.6.034	Y	Telnet	Y	Both	Validated	
Nortel	ERS-5698-TFD-PWR	Switch-Router	6.2.6.034 6.2.6.035	Y	Telnet	Y	Both	Validated	
Nortel	ERS-8306	Switch-Router	4.2.3.0	Y	Telnet	Y	Both	Validated	
Nortel	ERS-8310	Switch-Router	4.2.3.2	Y	SSH	N/A	Both	Validated	
Nortel	ERS-8606	Switch-Router	5.1.8.1	Y	SSH, Telnet	N	Both	Validated	
Nortel/Avaya	EthernetRoutingSwitch5530-24TFD	Switch-Router	6.1.5.014	Y	SSH, Telnet	N	Both	Validated	
Nortel/Avaya	Optical Metro 1000 Series Ethernet Services Module	Switch		Y	N	N	Both	Validated	
Nortel/Avaya	Passport 1000 Routing Switch Series	Switch-Router		Y	SSH, Telnet	N	Both	Validated	
Nortel/Avaya	Passport 1600 Routing Switch Series	Switch-Router		Y	SSH, Telnet	N	Both	Validated	
Nortel/Avaya	Passport 8600 Routing Switch Series	Switch-Router		Y	SSH, Telnet	N	Both	Validated	
Nortel	VSP-7024XLS	Switch-Router	10.2.0.006	Y	Telnet	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Nortel	VSP9012	Switch-Router	3.3.2.1, 3.4.0.1	Y	Telnet	N	Both	Validated	
Nortel	VSP4450GSXPWRPLUS	Switch-Router	5.0.0.0	Y	Y	Y	Both	Validated	
Nortel/Avaya	VPN Router 5000 Series	VPN		Y	N	N/A	Both	Validated	
Nortel	VSP4850GTS	Switch-Router	5.1.1.4	Y	SSH	Y	Both	Validated	
Nortel	ERS-8606	Switch-Router	7.2.24.0	Y	SSH, Telnet	N	NetMRI	Validated	
Nortel	BayStack5520-48T-PWR	Switch-Router	6.3.5.025	Y	SSH	Y	NetMRI	Validated	
Nortel	BayStack5510-48T	Switch-Router	6.3.5.025	Y	SSH	Y	NetMRI	Validated	
Nortel	ERS-3510GT-PWR-PLUS	Switch-Router	5.2.0.004	Y	SSH	Y	NetMRI	Validated	
Nortel	ERS5952GTS-PWR-PLUS	Switch-Router	7.3.0.241	Y	SSH	Y	NetMRI	Validated	
Nortel	VSP7254XSQ	Switch-Router	5.1.1.1	Y	SSH	Y	NetMRI	Validated	
Nortel	VSP8404	Switch-Router	5.1.1.3	Y	SSH	Y	NetMRI	Validated	
Nortel	VSP8284XSQ	Switch-Router	5.1.1.3	Y	SSH	Y	NetMRI	Validated	
Nortel	VSP4850GTS	Switch-Router	5.1.1.1	Y	SSH	Y	NetMRI	Validated	
Nortel	VSP4850GTSPWRPLUS	Switch-Router	5.1.1.4	Y	SSH	Y	NetMRI	Validated	
Nortel	ERS-8810	Switch-Router	7.2.22.0	Y	SSH	Y	NetMRI	Validated	
Nortel	ERS-4850GTS-PWR-PLUS	Switch-Router	5.10.0.207	Y	Y	N	Both	Validated	
Nortel	VSP7254XSQ	Switch-Router	5.1.1.1	Y	Y	N	Both	Validated	
Nortel	VSP4850GTS-PWR-PLUS	Switch-Router	5.1.1.0	Y	Y	N	Both	Validated	
Nortel	VSP-7024XLS	Switch-Router	10.4.0.003	Y	Y	N	Both	Validated	
Nortel	VSP4450GSXPWRPLUS	Switch-Router	5.1.1.3	Y	Y	N	Both	Validated	
Nortel	ERS-8806	Switch-Router	7.2.24.0	Y	Y	N	Both	Validated	
Nortel	VSP7254XTQ	Switch-Router	5.1.1.3	Y	Y	Y	Both	Validated	
Nortel	ERS-4850GTS-PWR-PLUS	Switch-Router	5.10.0.207	Y	Y	N	Both	Validated	
Nortel	ERS-8810	Switch-Router	7.2.11.0	Y	Y	N	Both	Validated	
Nortel	VSP8404	Switch-Router	4.2.2.0	Y	Y	Y	Both	Validated	
Nortel	VSP8404	Switch-Router	5.1.1.3	Y	Y	Y	Both	Validated	
Nortel	VSP4450GSXPWRPLUS	Switch-Router	4.2.2.0	Y	Y	Y	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Nortel	VSP8284XSQ	Switch-Router	4.2.1.0	Y	Y	Y	Both	Validated	
Nortel	ERS5952GTS-PWR-PLUS	Switch-Router	7.0.1.017	Y	Y	Y	Both	Validated	
Nortel	ERS4950GTS-PWR-PLUS	Switch-Router	7.4.0.215	Y	Y	N	Both	Validated	
Nortel	ERS-5530-24TFD	Switch-Router	6.3.5.025 and 5.0.6.027	Y	Y	Y	Both	Validated	
Nortel	ERS-5698-TFD	Switch-Router	6.6.3.015	Y	Y	Y	Both	Validated	
Nortel	VSP4850GTSPWRPLUS	Switch-Router	5.1.1.3	Y	Y	Y	Both	Validated	
Nortel	VSP9012	Switch-Router	4.1.3.0	Y	Y	N	Both	Validated	
Nortel	ERS-8610	Switch-Router	7.2.10.1	Y	Y	N	Both	Best Effort	
Opengear	IM7248-2-DAC-LMV	Console Server	3.10.0-uc0	Y	SSH	N/A	NetMRI	Validated	N
Palo Alto Networks	PA-3050	Firewall	5.0.9	Y	SSH	N/A	Both	Validated	Y
Palo Alto Networks	PS-4000 Enterprise Firewall Series	Firewall		Y	SSH, Telnet	N/A	Both	Validated	
Palo Alto Networks	PA-5020	Firewall	5.0.12	Y	SSH	N/A	Both	Validated	
Palo Alto Networks	PA-200	Firewall	4.1.6	Y	SSH, Telnet	N/A	Both	Validated	
Palo Alto Networks	PA-5050	Firewall	6.1.3	Y	SSH	N/A	Both	Validated	
Palo Alto Networks	PA-5060	Firewall	6.1.10	Y	Y	N/A	Both	Validated	
Palo Alto Networks	PA-7050	Firewall	8.0.2	Y	Y	N/A	Both	Best Effort	
Palo Alto Networks	PA-5060	Firewall	7.1.8	Y	Y	N/A	Both	Best Effort	
Palo Alto Networks	PA-5020	Firewall	8.0.2	Y	Y	N/A	Both	Best Effort	
Palo Alto Networks	PA-5050	Firewall	7.1.14	Y	Y	N	Both	Validated	
Palo Alto Networks	PA-5220	Firewall	8.0.10	Y	Y	N	Both	Validated	
Palo Alto Networks	PA-5260	Firewall	8.0.11-h1	Y	Y	N	Both	Validated	
Palo Alto Networks	PA-5050	Firewall	8.0.11-h1	Y	Y	N	Both	Best Effort	
Palo Alto Networks	PA-5060	Firewall	8.0.11-h1	Y	Y	N	Both	Validated	
Palo Alto Networks	PA-5060	Firewall	8.0.1	Y	Y	N	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Palo Alto Networks	PA-3020	Firewall	8.0.1	Y	Y	N	Both	Validated	
Palo Alto Networks	PA-5220	Firewall	8.0.5	Y	Y	N	Both	Validated	
Palo Alto Networks	PA-500	Firewall	8.0.5	Y	Y	N	Both	Best Effort	
Palo Alto Networks	PA-7050	Firewall	7.1.13	Y	Y	N	Both	Validated	
Palo Alto Networks	PA-2020	Firewall	5.0.15	Y	Y	N	Both	Validated	
Palo Alto Networks	PA-5220	Firewall	8.0.12	Y	Y	N	Both	Validated	
Palo Alto Networks	PA-5220	Firewall	8.0.10	Y	Y	N	Both	Validated	
Palo Alto Networks	PA-3020	Switch-Router	8.0.12	Y	Y	N	Both	Validated	
Palo Alto Networks	PA-5220	Firewall	8.0.9	Y	Y	N	Both	Validated	
Palo Alto Networks	PA-200	Firewall	8.0.0	Y	Y	N	Both	Validated	
Proxim	ORiNOCO AP2000 Series Access Point	Wireless AP		N	N	N/A	Both	Validated	N
Raisecom	rc551E-4GE	Switch	ROS_4.14.1461.R C551E-4GE.36.20110317	Y	SSH	N	NetMRI	Validated	N
Raisecom	RAX711	Switch	REAP_1.2.1434	Y	SSH	N	NetMRI	Validated	
Raisecom	RAX711-AC_DC	Switch	REAP_1.2.1434	Y	Y	N	Both	Validated	
Riverbed	Steelhead Series WAN Optimization Appliance	WOC		Y	SSH, Telnet	N/A	Both	Validated	Y
Riverbed	Steelhead EX1160L	WOC	4.5.0	Y	Y	N	Both	Validated	
Riverbed	Steelhead EX1160VH	WOC	4.3.2	Y	Y	N	Both	Validated	
Riverbed	Steelhead EX1160VH	WOC	4.5.0	Y	Y	N	Both	Validated	
Riverbed	Steelhead EX1160VH	WOC	4.6.0	Y	Y	N	Both	Validated	
Riverbed	Steelhead EX560L	WOC	4.5.0	Y	Y	N	Both	Validated	
Riverbed	Steelhead EX560M	WOC	4.5.0	Y	Y	N	Both	Validated	
Riverbed	Steelhead SF3100W3	WOC	4.5.0	Y	Y	N	Both	Validated	
<p>NOTE:</p> <p>NetMRI for Riverbed models Smart-1 3050, 5600, and 23500: To enable Advisor support, create the following file in the specified directory: <code>/var/home/admin/Backup/useRiverbedAdvisor</code>.</p> <p>Network Insight: Advisor support is disabled by default, but you can contact Infoblox support to enable it.</p>									
Riverstone	ES Series Switch	Switch		Y	N	N	Both	Validated	N

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Ruggedcom	RS900	Switch	3.12.2	Y	SSH	N	Both	Validated	N
Ruggedcom	RS416	Switch (Terminal Server)	v3.11.0, v3.12.2, v3.12.4	Y	SSH	N	Both	Validated	
Ruggedcom	RSG2100	Switch	3.12.1 3.12.2	Y	SSH	N	Both	Validated	
Ruggedcom	RS416	Console Ser	4.3.3	Y	Y	N/A	Both	Validated	
Ruggedcom	RSG2100	Switch	4.3.3	Y	Y	N/A	Both	Validated	
Ruggedcom	RSG2288	Switch	4.3.3	Y	Y	N/A	Both	Validated	
Scientific Atlanta	9000 Series Encoders	Video Encoder		Y	SSH, Telnet	N/A	Both	Validated	
Scientific Atlanta	D9479 GQAM Modulator	Video QAM		Y	SNMP	N/A	Both	Validated	
Scientific Atlanta	D9477 MQAM Modulator	Video QAM		Y	SNMP	N/A	Both	Validated	
SeaChange	VOD Server Family	Video Monitor		Y	N	N/A	Both	Validated	N
SEL	SEL-3610	Console Server	R203	Y	SSH	N/A	Both	Validated	N
SEL	SEL-3620	Console Server	R203	Y	SSH	N/A	Both	Validated	
SilverPeak	NX7700	WOC	8.1.5.14	Y	Y	N	Both	Validated	N
SilverPeak	NX10700	WOC	8.1.5.14	Y	Y	N	Both	Validated	
SilverPeak	NX3700	SD-WAN	8.1.7.5	Y	Y	N	Both	Validated	
Sencore	MRD 3187 Series Decoders	Video Receiver		Y	HTTP	N/A	Both	Validated	N
Sonicwall	SRA EX-7000 VPN Appliance	VPN	10.5.4-041	Y	N	N/A	Both	Validated	N
Sonicwall	PRO 2040 Series UTM/ Firewall/ VPN Appliance	Firewall		Y	N	N/A	Both	Validated	

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Sonicwall	TZ 190 Series Appliance	Firewall		Y	HTTP	N/A	Both	Validated	
Spectracom	NetClock 9489	Time Server	5.7.1	Y	N	N	Both	Validated	N
Symbol	ap5131	Wireless AP	2.2.2.0-001R	Y	SSH	N/A	Both	Validated	N
Symbol	rfs6000	Wireless Controller	5.7.0.0-057R	Y	Y	N	Both	Best Effort	
Talari	E100	SD-WAN	OS5.1	Y	Y	N	Both	Validated	N
Talari	T3010	SD-WAN	R7_0_GA_P2_09252017	Y	Y	N	Both	Best Effort	
Talari	T860	SD-WAN	R7_0_GA_P2_09252017	Y	Y	N	Both	Best Effort	
Tandberg	RX8300 Series Decoder	Video Receiver		Y	HTTP	N/A	Both	Validated	N
Tandberg	ViPENC_006	Video Encoder	2.3.3	Y	SSH	N/A	Both	Validated	
Terayon	CherryPicker Series Video Processor	Video Groomer		Y	SSH, Telnet	N/A	Both	Validated	N
Terayon	CP-7600 Series Decoder	Video Decoder		Y	SNMP	N/A	Both	Validated	
Upligix	5000	Console Server	5.4.3.31895	Y	Y	N	Both	Validated	N
Vecima	CableVista CV1100 Series Decoder	Video Decoder		Y	HTTP	N/A	Both	Validated	N
Viptela	vedge1000AC	SD-WAN	18.2	Y	Y	N	NetMRI	Validated	N
Viptela	vedge100BAC	SD-WAN	7.4.6	Y	Y	N	Both	Validated	
Xirrus	XN8	Switch	5.1.2-1639	Y	SSH	Set Admin Status	Both	Validated	N
Yamaha	RTX 810	Router	11.01.04	Y	SSH, Telnet	N/A	Both	Validated	N

Vendor	Model	Type	OS/Firmware	Capabilities			Product (NetMRI, Network Insight, or both)	Support Level	Advisor Support
				SNMP Data Collection	Config Collection	Port Control			
Yamaha	RTX 1200	Router	10.01.38	Y	SSH, Telnet	N/A	Both	Validated	
ZTE	ZXR10-5960-64DL-H	Switch-Router	3.02.20.B32.P05	Y	Y	N	Both	Validated	N
ZTE	ZXR10-8905	Switch-Router	4.08.24R1	Y	Y	N	Both	Validated	
ZTE	ZXR10-3252A	Switch-Router	4.08.23	Y	Y	N	Both	Validated	
ZTE	ZXR10 5950-56TM-H	Switch-Router	3.01.10.B29P02	Y	Y	N	Both	Validated	